



E x p e r i e n c e i n L i g h t i n g



2026 CATALOGUE

www.horozelektrik.com



Experience in Lighting

ADHESIVE TAPE	223
ALUMINIUM BULKHEAD LAMP	141
ALUMINIUM PROFILE	197
CABLE TIE	223
CEILING LAMP	102
NEW CLIPS	184
COAXIAL CABLE	223
CONNECTOR	224
CONTACTOR	218
DESK LAMP	111
DIMMABLE LED BULB	04
NEW DIN RAIL	221
NEW DOORBELL	210
NEW DOWNLIGHT FITTING	18
DRY WALL KIT	55
NEW EMERGENCY KIT	206
EMERGENCY LED LANTERN	201
NEW FLOOR LAMP	106
FLUORESCENT TUBE	17
FRAME	55
NEW GARDEN LAMP	142
GLASS PENDANT LAMP	93
HALOGEN LAMP	17
LAMP HOLDER	222
LED 3 CCT BULB	04
LED ADAPTER	195
LED BACKLIGHT PANEL	55
LED BATTEN LIGHT	117
NEW LED BULB	04
LED BULKHEAD LAMP	140
LED CANOPY LIGHT	128
LED CAPSULE	11
LED CEILING LAMP	101
LED COLOUR BULB	16
NEW LED DECORATIVE CEILING LAMP	47
NEW LED DESK LAMP	110
NEW LED DOWNLIGHT	26
LED DRIVER	187
LED EMERGENCY EXIT LAMP	206
LED FILAMENT BULB	13
LED FRAME PANEL	55
LED FRAMELESS PROJECTOR	126
LED FRAMELESS WORKLIGHT	127
NEW LED GARDEN LAMP	147
LED HEADLIGHT	202
LED HOUSE NUMBER LIGHT	166
LED INGROUND & RECESSED LAMP	171
LED LANTERN	200
LED LINEAR HIGH BAY LAMP	119
NEW LED LINEAR SUSPENSION LIGHT	70
LED LINEAR TRACK LIGHT	62
LED MAGNETIC LIGHT SYSTEM	56
LED MODULE STRIP	193
LED NIGHT LAMP	214
NEW LED PANEL	54
LED PHOTOCCELL BULB	05
LED PICTURE & MIRROR LAMP	103
LED PROJECTOR	122
LED PROJECTOR STAND	128
NEW LED READING LAMP	104
LED RECESSED SENSOR LAMP	171
LED RECHARGEABLE PROJECTOR	130
LED RGB PROJECTOR	125
LED SENSOR BULB	05
NEW LED SENSOR DECORATIVE CEILING LAMP	46
NEW LED SENSOR DOWNLIGHT	37
NEW LED SLIM MAGNETIC LIGHT SYSTEM	59
LED SMART BULB	05
LED SOLAR CAMPING LIGHT	200
NEW LED SOLAR PROJECTOR	129
LED SOLAR SECURITY LIGHT	130
LED SOLAR STREET LIGHT	132
NEW LED SOLAR WALL & GROUND LAMP	168
NEW LED SOLAR WALL LAMP	169
LED SPOTLIGHT	68
NEW LED STREET LIGHT	135
LED STRING LIGHT	96
NEW LED STRIP	180
NEW LED STRIP CONNECTOR	185
LED SURFACE BACKLIGHT	50
NEW LED SURFACE LIGHT	38
NEW LED SUSPENSION LIGHT	74
NEW LED TABLE LAMP	107
LED TORCH	203
NEW LED TRACK LIGHT	63
LED TUBE	12
LED TUBE FIXTURE	117
NEW LED UFO HIGH BAY LAMP	120
NEW LED WALL LIGHT	98
NEW LED WATERPROOF LAMP	114
LIGHT CONTROL PHOTOSENSOR	207
LIGHTING TRACK	69
MINIATURE CIRCUIT BREAKER	219
MODUL DOWNLIGHT FITTING	24
MOTOR PROTECTOR	217
MOTOR PROTECTOR BOX	217
MOULDED CASE CIRCUIT BREAKER	220
NAIL CABLE CLIP	223
NETWORK CABLE	223
NEW PENDANT LAMP	67
NEW PIR E27 SENSOR	208
NEW PIN BUSBAR	221
PORTABLE LED PROJECTOR	126
NEW PORTABLE LED STAND	128
NEW POWER CONVERTER PLUG ADAPTER	212
RECESSED LAMP	172
RECESSED MONOPOINT	69
RECHARGEABLE LED BULB	05
RESIDUAL CURRENT CIRCUIT BREAKER	220
NEW RF CONTROLLER	184
RGB AMPLIFIER	196
NEW RGB CONNECTOR	185
NEW RGB CONTROLLER	196
NEW RGB LED STRIP KIT	188
RGB NEON LED STRIP KIT	188
NEW RGB RF CONTROLLER	183
NEW RGB SOCKET SET	183
NEW SENSOR	207
NEW SMOKE DETECTOR	208
SOCKET	215
NEW SOCKET SET	183
SPOTLIGHT	67
STARTER	223
STRING LIGHT	97
SURFACE LIGHT	52
SWITCH	215
TERMINAL	224
TERMINAL BLOCK	224
THERMAL RELAY	218
TIMER	212
TOUCH CONTROLLER	196
TRACK CONNECTOR	69
TRACK LIGHT	66
TRACK SUSPENSION	69
TRANSFORMER	223
NEW VOLTAGE SURGE PROTECTOR	213
WATERPROOF LED STRING LIGHT	190
NEW WATERPROOF LED STRIP	177
NEW WATERPROOF NEON LED STRIP	175
NEW WATERPROOF PROFILE NEON LED	173
WIRE SPRING	224
WIRELESS LIGHTING CONTROLLER SWITCH	212

 223 ADHESIVE TAPE	 141 ALUMINIUM BULKHEAD	 197 ALUMINIUM PROFILE	 223 CABLE TIE	 102 CEILING LAMP	 NEW 184 CLIPS	 223 COAXIAL CABLE	 224 CONNECTOR	 218 CONTACTOR
 111 DESK LAMP	 04 DIMMABLE LED BULB	 NEW 221 DIN RAIL	 NEW 210 DOORBELL	 NEW 18 DOWNLIGHT FITTING	 55 DRYWALL KIT	 NEW 206 EMERGENCY KIT	 201 EMERGENCY LED LANTERN	 NEW 106 FLOOR LAMP
 17 FLUORESCENT TUBE	 55 FRAME	 NEW 142 GARDEN LAMP	 93 GLASS PENDANT LAMP	 17 HALOGEN LAMP	 222 LAMP HOLDER	 04 LED CCT BULB	 195 LED ADAPTER	 55 LED BACKLIGHT PANEL
 117 LED BATTEN LIGHT	 NEW 04 LED BULB	 140 LED BULKHEAD LAMP	 128 LED CANOPY LIGHT	 11 LED CAPSULE	 101 LED CEILING LAMP	 16 LED COLOUR BULB	 NEW 47 LED DECORATIVE CEILING LAMP	 110 LED DESK LAMP
 NEW 26 LED DOWNLIGHT	 187 LED DRIVER	 206 LED EMERGENCY EXIT LAMP	 13 LED FILAMENT BULB	 55 LED FRAME PANEL	 126 LED FRAMELESS PROJECTOR	 127 LED FRAMELESS WORKLIGHT	 NEW 147 LED GARDEN LAMP	 202 LED HEADLIGHT
 166 LED HOUSE NUMBER LIGHT	 171 LED INGROUND & RECESSED LAMP	 200 LED LANTERN	 119 LED LINEAR HIGH BAY LAMP	 NEW 70 LED LINEAR SUSPENSION LIGHT	 62 LED LINEAR TRACK LIGHT	 56 LED MAGNETIC LIGHT SYSTEM	 193 LED MODULE STRIP	 214 LED NIGHT LAMP
 NEW 54 LED PANEL	 05 LED PHOTOCELL BULB	 103 LED PICTURE & MIRROR LAMP	 122 LED PROJECTOR	 128 LED PROJECTOR STAND	 NEW 104 LED READING LAMP	 171 LED RECESSED SENSOR LAMP	 130 LED RECHARGEABLE PROJECTOR	 125 LED RGB PROJECTOR
 05 LED SENSOR BULB	 NEW 46 LED SENSOR DECORATIVE CEILING LAMP	 37 LED SENSOR DOWNLIGHT	 NEW 59 LED SLIM MAGNETIC LIGHT SYSTEM	 05 LED SMART BULB	 200 LED SOLAR CAMPING LIGHT	 NEW 129 LED SOLAR PROJECTOR	 130 LED SOLAR SECURITY LIGHT	

Experience in Lighting

The copyright of the visual materials and photographs used in this catalogue belongs to Horoz Electric Inc. Print date: 01/2026

 132 LED SOLAR STREET LIGHT	NEW  168 LED SOLAR WALL & GROUND LAMP	NEW  169 LED SOLAR WALL LAMP	 68 LED SPOTLIGHT	NEW  135 LED STREET LIGHT	 96 LED STRING LIGHT	NEW  180 LED STRIP	NEW  185 LED STRIP CONNECTOR	 50 LED SURFACE BACKLIGHT
NEW  38 LED SURFACE LIGHT	NEW  74 LED SUSPENSION LIGHT	NEW  107 LED TABLE LAMP	 203 LED TORCH	NEW  63 LED TRACK LIGHT	 12 LED TUBE	 117 LED TUBE FIXTURE	NEW  120 LED UFO HIGH BAY LAMP	NEW  98 LED WALL LIGHT
 114 LED WATERPROOF LAMP	 207 LIGHT CONTROL PHOTOSENSOR	 69 LIGHTING TRACK	 219 MINIATURE CIRCUIT BREAKER	 24 MODUL DOWNLIGHT FITTING	 217 MOTOR PROTECTOR	 217 MOTOR PROTECTOR BOX	 220 MOULDED CASE CIRCUIT BREAKER	 NAIL CABLE CLIP
 223 NETWORK CABLE	NEW  67 PENDANT LAMP	 208 PIR E27 SENSOR	NEW  221 PIN BUSBAR	 126 PORTABLE LED PROJECTOR	NEW  128 PORTABLE LED STAND	NEW  212 POWER CONVERTER PLUG ADAPTER	 172 RECESSED LAMP	
 69 RECESSED MONOPOINT	 05 RECHARGEABLE LED BULB	 220 RESIDUAL CURRENT CIRCUIT BREAKER	NEW  184 RF CONTROLLER	 196 RGB AMPLIFIER	NEW  185 RGB CONNECTOR	NEW  196 RGB CONTROLLER	NEW  188 RGB LED STRIP KIT	 188 RGB NEON LED STRIP KIT
 183 RGB RF CONTROLLER	NEW  183 RGB SOCKET SET	 207 SENSOR	NEW  208 SMOKE DETECTOR	 215 SOCKET	NEW  183 SOCKET SET	 67 SPOTLIGHT	 223 STARTER	 97 STRING LIGHT
 52 SURFACE LIGHT	 215 SWITCH	 224 TERMINAL	 224 TERMINAL BLOCK	 218 THERMAL RELAY	 212 TIMER	 196 TOUCH CONTROLLER	 69 TRACK CONNECTOR	 66 TRACK LIGHT
 69 TRACK SUSPENSION	 223 TRANSFORMER	NEW  213 VOLTAGE SURGE PROTECTOR	 190 WATERPROOF LED STRING LIGHT	NEW  177 WATERPROOF LED STRIP	NEW  175 WATERPROOF NEON LED STRIP	NEW  173 WATERPROOF PROFILE NEON LED	 224 WIRE SPRING	 212 WIRELESS LIGHTING CONTROLLER SWITCH




HOROZ ELECTRIC

LED Bulb / LED 3CCT Bulb / Dimmable LED Bulb


PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F A ↑ G



	123.00	134.00	141.00	163.00	189.00	268.00
	PREMIER-5	PREMIER-7	PREMIER-9	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0007	001-006-0009	001-006-0012	001-006-0015	001-006-0018
Power	: 5 W	: 7 W	: 9 W	: 12 W	: 15 W	: 18 W
Luminous Flux	: 500 lm	: 760 lm	: 900 lm	: 1150 lm	: 1500 lm	: 1850 lm
Sizes (mm)	: A:55 B:100	: A:55 B:100	: A:60 B:108	: A:60 B:111	: A:60 B:121	: A:66 B:134



LED BULB / LED 3CCT BULB / DIMMABLE LED BULB



HOROZ ELECTRIC

LED Bulb / LED Capsule LED Tube




339.00

COMBO-10 3 CCT


F A ↑ G

001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)



CCT ADJUSTABLE



D I M M A B L E



308.00

EXPERT-10

F A ↑ G

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K






779.00

DURALITE-12

001 092 0012


- 100-250V / 50-60Hz
- Average Life: 30,000 Hrs
- 1150 lm / 6400K
- Emergency Lighting Duration: 6 Hours
- 3.7V 1200mAhx2 Li-on Battery
- Emergency Work: 5W - 550 lm




DC MODE:
FIRST ON-OFF
IS HIGH MODE



DC MODE:
SECOND ON-OFF
IS ECO MODE



DC MODE:
THIRD ON-OFF
IS FLASH MODE




415.00


DARK-10

001 068 0010

- 170-240V / 50-60Hz
- Average Life: 30,000 Hrs
- 1032 lm
- 4200K / 6400K



Built-in
Photocell
Sensor



DUSK TO DAWN

Turn on
< 15 Lux

Turn off
> 25-30 Lux

1251.00



HOROSCOPE-9

001 084 0009

- 100-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 800 lm
- RGB



RGB Multicolor
2700K 6500K






426.00

FORCE-10

001 067 0010

- 170-240V / 50-60Hz
- Average Life: 30,000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec





ZELDA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3CCT



CCT ADJUSTABLE



199.00

210.00

236.00

ZELDA-5 3 CCT

ZELDA-7 3 CCT


ZELDA-9 3 CCT

016-091-0005

016-091-0007


016-091-0009

Power	:	5 W	7 W	9 W
Luminous Flux	:	400 lm	560 lm	720 lm
Sizes (mm)	:	A: 49 B: 45 C: 120	A: 49 B: 45 C: 120	A: 49 B: 47 C: 120



CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



163.00

181.00


CONVEX-8

CONVEX-10

001-064-0008

001-064-0010

Power	:	8 W	10 W
Luminous Flux	:	640 lm	800 lm





283.00

PROLUX-6

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571lm
- 4200K/6400K



001 075 0006



D I M M A B L E

VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



247.00

276.00

286.00

VISION-6

VISION-8


VISION-10

001-022-0006

001-022-0008


001-022-0010

Power	:	6 W	8 W	10 W
Luminous Flux	:	480 lm	640 lm	800 lm



PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	134.00	152.00	170.00
	PLUS-6	PLUS-8	PLUS-10
	001-002-0006	001-002-0008	001-002-0010
Power	6 W	8 W	10 W
Luminous Flux	440 lm	610 lm	800 lm




FONIX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	134.00	152.00
	FONIX-6	FONIX-8
	001-001-0006	001-001-0008
Power	6 W	8 W
Luminous Flux	440 lm	610 lm
Sizes (mm)	A: 50 B: 51,5	A: 50 B: 56,5




CORN-7

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 760 lm
- 6400K




FOX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




	199.00	219.00	272.00	319.00
	FOX-6	FOX-9	FOX-12	FOX-15
	001-069-0006	001-069-0009	001-069-0012	001-069-0015
Power	6 W	9 W	12 W	15 W
Luminous Flux	510 lm	820 lm	1155 lm	1500 lm
Sizes (mm)	A: 30 B: 100	A: 36 B: 122	A: 44 B: 138	A: 50 B: 146





ULTRA


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



141.00 163.00 170.00


ULTRA-6 ULTRA-8 ULTRA-10
001-003-0006 001-003-0008 001-003-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 100	A: 37 B: 107	A: 37 B: 110



CRAFT


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



141.00 163.00 170.00


CRAFT-6 CRAFT-8 CRAFT-10
001-004-0006 001-004-0008 001-004-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 124	A: 37 B: 135	A: 37 B: 135



ELITE


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



141.00 163.00 170.00


ELITE-6 ELITE-8 ELITE-10
001-005-0006 001-005-0008 001-005-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Lamp Holder	: E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	: A: 45 B: 80	A: 45 B: 90	A: 45 B: 90



REFLED



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K



149.00 187.00 239.00 350.00

REFLED-4 REFLED-6 REFLED-10 REFLED-12
001-039-0004 001-040-0006 001-041-0010 001-042-0012



Power	: 4 W	6 W	10 W	12 W
Luminous Flux	: 260 lm	480 lm	920 lm	1150 lm
Lamp Holder	: E14	E14	E27	E27
Sizes	: A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115





TORCH NOVO



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



	254.00	417.00	562.00	798.00
	TORCHNOVO-20	TORCHNOVO-30	TORCHNOVO-40	TORCHNOVO-50
	001-093-0020	001-093-0030	001-093-0040	001-093-0050
Power	: 20 W	: 30 W	: 40 W	: 50 W
Color Temperature	: 2700K/4200K/6400K	: 2700K/4200K/6400K	: 2700K/4200K/6400K	: 2700K/4200K/6400K
Lamp Holder	: E27	: E27	: E27	: E27
Luminous Flux	: 2050 lm	: 3100 lm	: 4200 lm	: 5350 lm
Sizes (mm)	: A: 80 B: 120	: A: 100 B: 152	: A: 118 B: 168	: A: 138 B: 191

TORCHCRYSTAL

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




	417.00	562.00	798.00	
	TORCHCRYSTAL-20	TORCHCRYSTAL-30	TORCHCRYSTAL-40	TORCHCRYSTAL-50
	001-094-0020	001-094-0030	001-094-0040	001-094-0050
Power	: 20 W	: 30 W	: 40 W	: 50 W
Color Temperature	: 2700K/4200K/6400K	: 2700K/4200K/6400K	: 2700K/4200K/6400K	: 2700K/4200K/6400K
Lamp Holder	: E27	: E27	: E27	: E27
Luminous Flux	: 2050 lm	: 3100 lm	: 4200 lm	: 5350 lm
Sizes (mm)	: A: 80 B: 100	: A: 100 B: 117	: A: 113 B: 130	: A: 136 B: 150




F A ↑ G

TORCH

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs





	308.00	497.00	779.00	1088.00	2248.00	2628.00
	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder	E27	E27	E27	E27	E27	E27
Luminous Flux	2050 lm	3120 lm	4250 lm	5350 lm	8300 lm	10600 lm
Sizes (mm)	A: 80 B: 135	A: 100 B: 165	A: 118 B: 190	A: 138 B: 220	A: 127 B: 232	A: 138 B: 230 (E27)




LED BULB

GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	500.00	671.00
	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	16 W	20 W
Luminous Flux	1600 lm	2010 lm
Sizes (mm)	A: 95 B: 136.5	A: 120 B: 161




UFO PRO

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




	1069.00	1338.00	2074.00
	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	30 W	50 W	70 W
Luminous Flux	3050 lm	5200 lm	7500 lm
Sizes (mm)	A: 120 B: 110	A: 150 B: 140	A: 170 B: 170



**HORUZ****ELECTRIC****LED Capsule****PETA**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K

F A ↑ G

163.00

170.00

218.00

334.00

435.00

PETA-4**PETA-6****PETA-8****PETA-10****PETA-12**

001-045-0004


001-045-0006

001-045-0008


001-045-0010

001-045-0012

Power	: 4 W	6 W	8 W	10 W	12 W
Luminous Flux	: 350 lm	520 lm	730 lm	950 lm	1155 lm
Sizes (mm)	: A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63	A: 18 B: 62

**DECO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K

F A ↑ G

170.00


199.00

DECO-3**DECO-7**

001-023-0003

001-023-0007

Power	: 3 W	7 W
Luminous Flux	: 300 lm	630 lm
Sizes (mm)	: A: 16 B: 48	A: 16,4 B: 60





163.00

MEGA-5


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K

G A ↑ G

001 011 0005

**EXA**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K

F A ↑ G

248.00


307.00

EXA-4**EXA-6**

001-047-0004

001-047-0006

Power	: 4 W	6 W
Luminous Flux	: 400 lm	600 lm
Sizes (mm)	: A: 13,3 B: 48	A: 13,3 B: 60




101.00

MIDI


- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K

G A ↑ G

001 012 0002

**MICRO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K

G A ↑ G

101.00


165.00

MICRO-2**MICRO-3**

001-010-0002

001-010-0003

Power	: 1.5 W	3 W
Luminous Flux	: 90 lm	160 lm
Sizes (mm)	: A: 12 B: 34	A: 12 B: 36






MAKRO




- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 6400K



101.00	165.00
MAKRO-2	MAKRO-3
001-090-0002	001-090-0003


Power :	1.5 W	3 W
Luminous Flux :	160 lm	280 lm
Sizes (mm) :	A:10 B:33	A:13 B:37



MULTI




- 12V DC
- Average Life: 25.000 Hrs
- 2700K / 6400K



101.00	165.00
MULTI-2	MULTI-3
001-091-0002	001-091-0003



Power :	1.5 W	3 W
Luminous Flux :	175 lm	280 lm
Sizes (mm) :	A:10 B:33	A:13 B:37



GIGA



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



187.00	236.00
GIGA-4	GIGA-6
001-046-0004	001-046-0006



Power :	4 W	6 W
Luminous Flux :	360 lm	520 lm
Sizes (mm) :	A:26 B:54	A:26 B:58



POND



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




156.00	174.00
POND-3	POND-3
001-086-0003	001-086-0006

Power :	3 W	6 W
Luminous Flux :	260 lm	520 lm
Sizes (mm) :	A:16 B:50	A:16 B:55



LED TUBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



L: 600



L: 1200



L: 1500



218.00	301.00	526.00
199.00	280.00	LED TUBE-150
002-001-0009	002-001-0018	002-001-0024




Power :	9 W	18 W	24 W
Luminous Flux :	830 lm	1800 lm	2500 lm
Length (mm) :	L: 600	L: 1200	L: 1500





FILAMENT BALL



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	163.00	163.00	174.00	174.00
	FILAMENT BALL-4	FILAMENT BALL-4	FILAMENT BALL-6	FILAMENT BALL-6
	001-089-0004	001-089-0004	001-089-0006	001-089-0006
Power	: 4 W	: 4 W	: 6 W	: 6 W
Luminous Flux	: 450 lm	: 450 lm	: 700 lm	: 700 lm
Lamp Holder	: E14	: E27	: E14	: E27
Sizes	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78

FILAMENT CANDLE


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	156.00	163.00
	FILAMENT CANDLE-4	FILAMENT CANDLE-6
	001-013-0004	001-013-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT FLAME


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




	156.00	163.00
	FILAMENT FLAME-4	FILAMENT FLAME-6
	001-014-0004	001-014-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	236.00	247.00	308.00	373.00	435.00
	FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12
	001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012
Power	: 4 W	: 6 W	: 8 W	: 10 W	: 12 W
Luminous Flux	: 450 lm	: 700 lm	: 900 lm	: 1200 lm	: 1540 lm
Sizes (mm)	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 112
					: A: 70 B: 131







653.00

RUSTIC GLOBE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



001 030 0006





315.00

RUSTIC VINTAGE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K





001 029 0006



RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K



417.00

RUSTIC TUBE-6

001-033-0006

471.00

RUSTIC TUBE-8

001-033-0008



Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes /mm) :	A: 30 B: 185	A: 30 B: 235

736.00

FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005



3 Modes



Flame Mode



General Lighting Mode





Breathing Mode






- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)



2458.00

TOLEDO


001 049 0008



2625.00

PARADOX

001 052 0008



4390.00

PARADOX-XL



2625.00


GINZA

001 050 0008



4274.00


GINZA-XL



3310.00


ORIGAMI

001 053 0008



4873.00


ORIGAMI-XL



2577.00


ENIGMA

001 051 0008



4185.00


ENIGMA-XL



2705.00

ELLIPTIC

001 054 0008



4015.00

ELLIPTIC-XL






LED COLOUR BULB

164.00 FANTASY RGB



001 088 0001

■ 220-240V / 50-60Hz
■ Average Life: 25.000 Hrs



RGB
50 lm



107.00

FANTASY

■ 220-240V / 50-60Hz
■ Average Life: 25.000 Hrs

001 088 0002



Yellow ■ 110 lm Red ■ 44 lm Green ■ 78 lm Blue ■ 32 lm Orange ■ 96 lm Purple ■ 30 lm Pink ■ 46 lm



White
140 lm




150.00

COMFORT RGB



001 087 0001

■ 220-240V / 50-60Hz
■ Average Life: 25.000 Hrs



RGB
35 lm



103.00

COMFORT

■ 220-240V / 50-60Hz
■ Average Life: 25.000 Hrs

001 087 0002



Yellow ■ 90 lm Red ■ 33 lm Green ■ 60 lm Blue ■ 25 lm Orange ■ 75 lm Purple ■ 23 lm Pink ■ 38 lm



White
100 lm



83.00

RAINBOW

■ 220-240V / 50-60Hz
■ Average Life: 20.000 Hrs

001 017 0001



Yellow ■ 105 lm Red ■ 34 lm Green ■ 68 lm Blue ■ 12 lm



White
120 lm




123.00

SPECTRA

■ 175-250V / 50-60Hz
■ Average Life: 20.000 Hrs

001 017 0003



Yellow ■ 315 lm Red ■ 102 lm Green ■ 205 lm Blue ■ 38 lm




White
250 lm






- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5


	178.00	213.00	254.00	340.00
	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	8 W	13 W	21 W	28 W
Luminous Flux :	400lm	1045lm	1660lm	2350lm
Length (mm) :	L: 300	L: 530	L: 860	L: 1160



TUBE-8




	170.00	186.00	203.00	244.00
	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	360 lm	740 lm	975 lm	2400 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200



- Average Life: 2.000 Hrs



	216.00	114.00	129.00
	GU10 CLOSED	JCDR OPEN	JCDR CLOSED
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power :	50 W	50 W	50 W
Luminous Flux :	340 lm	650 lm	550 lm
Lamp Holder :	GU10	GU5.3	GU5.3




Halogen Lamp




- Average Life: 2.000 Hrs



	120.00	126.00	165.00
	78 mm	118 mm	189 mm
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power :	150W	300 W / 500W	1000W
Luminous Flux :	2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm) :	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189




- Average Life: 2.000 Hrs



	48.00	88.00
	JC G4	JC G4 WHITE
	12V AC	12V AC
Power :	20 W	20 W
Luminous Flux :	250 lm	200 lm



- Average Life: 2.000 Hrs



	115.00	161.00	161.00
	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power :	25 W / 40W	40W	40W
Luminous Flux :	270 lm / 500 lm	500 lm	500 lm





HOROZ ELECTRIC

Downlight Fitting

PAMUK

- Lamp holder not included
- Max. 10W LED

WHITE

BLACK



562.00

598.00

1073.00

1497.00

PAMUK-1

PAMUK-2

PAMUK-3

PAMUK-4


015-062-0001

015-062-0002

015-062-0003

015-062-0004

Cutting Size (mm)	: 80	: 80	: 80x160	: 80x245
Sizes (mm)	: A:92 C: 37	: A: 92 B: 92 C: 37	: A: 175 B: 92 C: 37	: A: 258 B: 92 C: 37



HOROZ ELECTRIC

Downlight Fitting Modul Downlight Fitting



MINT

- Lamp holder not included
- Max. 10W LED

WHITE

BLACK



406.00

437.00

758.00

1135.00

MINT-1

MINT-2

MINT-3

MINT-4


015-063-0001

015-063-0002

015-063-0003

015-063-0004

Cutting Size (mm)	: 80	: 80	: 80x160	: 80x245
Sizes (mm)	: A: 90 C: 57	: A: 90 B: 90 C: 55	: A: 175 B: 90 C: 55	: A: 262 B: 90 C: 55



473.00


YUKA

- Lamp holder not included
- Max. 10W LED

BLACK

WHITE

015 064 0001





598.00


BEGONVİL

- Lamp holder not included
- Max. 10W LED

015 059 0001



- BLACK**
- GOLDEN**
- WHITE**



526.00


PIRÖZ

- Lamp holder not included
- Max. 10W LED

015 058 0001



- BLACK**
- GOLDEN**
- WHITE**



464.00


KADİFE

- Lamp holder not included
- Max. 10W LED

015 060 0001



- BLACK**
- GOLDEN**
- WHITE**



660.00


NANE

- Lamp holder not included
- Max. 10W LED

015 061 0001



- BLACK**
- GOLDEN**
- WHITE**



DOWNLIGHT FITTING



AZER

- Lamp holder not included
- Max. 10W LED

AZER-1



AZER-2




AZER-3



BLACK

WHITE

GOLD



725.00

AZER-1

015-039-0001



725.00

AZER-2


015-040-0001



653.00

AZER-3

015-041-0001



GU10



DOWNLIGHT FITTING

PETUNYA

- Lamp holder not included
- Max. 10W LED

BLACK

BLACK&WHITE



375.00

PETUNYA-1

015-028-0001

700.00

PETUNYA-2


015-028-0002

1102.00

PETUNYA-3

015-028-0003

Cutting Size (mm)	: 90x81	166x90	252x90
Sizes (mm)	: A: 100 B: 100 C: 45	A: 100 B: 185 C: 45	A: 100 B: 270 C: 45



GU10



MEYAN

- Lamp holder not included
- Max. 10W LED

WHITE


BLACK



424.00

MEYAN-R


015-029-0001



468.00

MEYAN-S

015-030-0001





KARANFIL

- Lamp holder not included
- Max. 10W LED

WHITE


BLACK



399.00

KARANFIL-R


015-022-0050



399.00


KARANFIL-S

015-023-0050



RINGO

121 001 0001



297.00



297.00




381.00



381.00

RINGA

121 002 0001



203.00



203.00



279.00



279.00

BLACK

WHITE

GOLDEN

CHROME

- Frame Ring for KARANFIL-R




KAKTÜS

- Lamp holder not included
- Max. 10W LED



WHITE


BLACK



779.00

KAKTÜS-R

015-034-0001



779.00

KAKTÜS-S

015-035-0001



LAVİNYA

- Lamp holder not included
- Max. 10W LED



WHITE


BLACK



574.00

LAVİNYA-R


015-050-0001



591.00

LAVİNYA-S

015-051-0001



KAMELYA

CHROME 181.00

MAT CHROME 181.00


015 025 0050

BLACK 149.00

WHITE 149.00

GOLDEN 181.00

- Lamp holder not included
- Max. 10W LED



LAVANTA

CHROME 261.00

MAT CHROME 261.00


015 024 0050

BLACK 207.00

WHITE 207.00

GOLDEN 261.00

- Lamp holder not included
- Max. 10W LED



ORKİDE

CHROME 199.00


MAT CHROME 199.00

015 007 0050

BLACK 199.00

WHITE 184.00

- 220-240V / 50-60Hz
- Max. 10W LED






AZELYA

- Lamp holder not included
- Max. 10W LED

WHITE

BLACK

WHITE-BLACK



171.00

193.00

367.00

536.00

AZELYA-1

AZELYA-2

AZELYA-3

AZELYA-4


015-048-0001

015-048-0002

015-048-0003

015-048-0004

Cutting Size (mm)	: 80	80	80x160	80x245
Sizes (mm)	: A: 85 B: 85 C: 40	A: 92 B: 92 C: 42	A: 92 B: 172 C: 42	A: 92 B: 252 C: 42



ANEMON

- Lamp holder not included
- Max. 10W LED

WHITE

BLACK



675.00

684.00

1294.00

1939.00

ANEMON-1

ANEMON-2

ANEMON-3

ANEMON-4


015-049-0001

015-049-0002

015-049-0003

015-049-0004

Cutting Size (mm)	: 85	85	85x160	85x245
Sizes (mm)	: A: 95 B: 95 C: 35	A: 92 B: 92 C: 35	A: 92 B: 175 C: 35	A: 92 B: 253 C: 35



RECESSED

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-6/MODUL-9




WHITE

BLACK



	121.00	207.00	368.00	488.00	703.00
	RECESSED-R	RECESSED-SQ1	RECESSED-SQ2	RECESSED-SQ3	RECESSED-SQ4
	015-042-0001	015-043-0001	015-043-0002	015-043-0003	015-043-0004
Cutting Size (mm)	: 80	: 80	: 160	: 240	: 160
Sizes (mm)	: A: 85 B: 85 C: 30	: A: 88 B: 88 C: 35	: A: 168 B: 88 C: 35	: A: 248 B: 88 C: 35	: A: 168 B: 168 C: 35



MODUL DOWNLIGHT FITTING

SURFACE

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-6/MODUL-9




WHITE

BLACK



	499.00	808.00	1424.00	2103.00	2273.00
	SURFACE-R	SURFACE-SQ1	SURFACE-SQ2	SURFACE-SQ3	SURFACE-SQ4
	015-044-0001	015-045-0001	015-045-0002	015-045-0003	015-045-0004
Sizes (mm)	: A: 90 B: 90 C: 110	: A: 105 B: 105 C: 110	: A: 110 B: 205 C: 110	: A: 115 B: 300 C: 110	: A: 205 B: 205 C: 110



729.00

MODUL-9

016 076 0009





SUITABLE FOR MODULE FITTING CASES

BLACK

WHITE

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 810 lm
- 4200K/6400K



MODUL-G

128 003 0001

- Max. 10W LED



78.00 **BLACK**


132.00 **GOLD**

78.00 **WHITE**



SUITABLE FOR MODULE FITTING CASES

SUITABLE FOR GU10 AND G5.3 LED BULBS



MODUL DOWNLIGHT FITTING





HOROZ ELECTRIC

LED Downlight

MABEL

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4200K



016 098 0005



WHITE

BLACK

ROSE GOLD



HOROZ ELECTRIC

**LED Downlight
LED Sensor Downlight**





440.00

LUNA

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available

016 041 0003

WHITE



572.00



BIANCA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K

016 036 0003

WHITE

M.CHROME






635.00

ANGELA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K

016 002 0002

M.CHROME



752.00



SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K



592.00



MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K



LED DOWNLIGHT



HOROZ ELECTRIC

LED Downlight

MELODY

- 170-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4000K
- Linked Sets: 18 pcs


016 069 0005




MAT CHROME

WHITE

BLACK



DOUBLE SPRING CLAMP CONNECTOR



LED DOWNLIGHT

399.00


LOGAN 3 CCT

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 3 CCT

016 085 0005




CCT ADJUSTABLE



BLACK

WHITE





HOROZ ELECTRIC

LED Downlight

381.00

NORA PRO-5

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm

016 053 1005




CCT ADJUSTABLE



WHITE

BLACK




254.00

AMARA



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 480 lm
- 6400K

016 079 0006



WHITE&BLACK

BLACK






- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

DOUBLE SPRING CLAMP CONNECTOR

BLACK

WHITE



Easy connection available
Linked Sets: Max. 18 pcs (5w)
Easy connection available
Linked Sets: Max. 8 pcs (12w)



1124.00

2215.00


PARKER-5

PARKER-12

016-071-0005

016-071-0012

Power	: 5 W	12 W
Luminous Flux	: 350 lm	1000 lm
Cutting Diameter (mm)	: Ø68	Ø130
Sizes (mm)	: A: 40 B: 82	A: 38 B: 148



LED DOWNLIGHT


CARTER

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

DOUBLE SPRING CLAMP CONNECTOR

BLACK

WHITE



Easy connection available
Linked Sets: Max. 18 pcs (5w)
Easy connection available
Linked Sets: Max. 8 pcs (12w)



1124.00

2215.00


CARTER-5

CARTER-12

016-072-0005

016-072-0012

Power	: 5 W	12 W
Luminous Flux	: 350 lm	1000 lm
Cutting Diameter (mm)	: Ø68	Ø130
Sizes (mm)	: A: 35 B: 82	A: 33 B: 145





HOROZ

ELECTRIC


LED Downlight

PAULA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE


CCT Selectable by DIP Switch




WHITE

BLACK

ADJUSTABLE CUT HOLE



	580.00	798.00	1160.00	1577.00
	PAULA-9 3 CCT	PAULA-18 3 CCT	PAULA-24 3 CCT	PAULA-36 3 CCT
	016-092-0009	016-092-0018	016-092-0024	016-092-0036
Power	: 9 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 720 lm	: 1440 lm	: 1920 lm	: 2880 lm
Cutting Diameter (mm)	: 66-75	: 70-105	: 70-150	: 70-200
Sizes (mm)	: A:130 B:32	: A:160 B:32	: A:210 B:32	: A:265 B:32




STELLA

STELLA/SQ

WHITE


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



FRAMELESS





ADJUSTABLE CUT HOLE



	276.00	383.00	531.00	812.00
	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A:91 B:19	: A:121 B:19	: A:173 B:19	: A:223 B:19



	293.00	401.00	570.00	875.00
	STELLA/SQ-8	STELLA/SQ-16	STELLA/SQ-20	STELLA/SQ-30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 680 lm	: 1440 lm	: 1900 lm	: 2850 lm
Cutting Diameter (mm)	: 55-70	: 55-100	: 55-150	: 55-200
Sizes (mm)	: A:91 B:19	: A:121 B:19	: A:173 B:19	: A:223 B:19





LUCIA 3 CCT

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs



CCT ADJUSTABLE




WHITE

BLACK



	972.00	1158.00	1407.00	1747.00	2284.00	2869.00	3969.00
	LUCIA-10 3 CCT	LUCIA-15 3 CCT	LUCIA-20 3 CCT	LUCIA-25 3 CCT	LUCIA-30 3 CCT	LUCIA-35 3 CCT	LUCIA-40 3 CCT
	016-046-1010	016-046-1015	016-046-1020	016-046-1025	016-046-1030	016-046-1035	016-046-1040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux:	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter:	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217






VANESSA


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE

BLACK



	716.00	1001.00	1461.00	1802.00	2295.00
	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power	5 W	10 W	15 W	20 W	30 W
Luminous Flux	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm)	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225



ALEXA 3 CCT

- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3CCT

CCT ADJUSTABLE


WHITE

BLACK

ALUMINIUM



	500.00	668.00	830.00	1102.00	1686.00
	ALEXA-8 3 CCT	ALEXA-12 3 CCT	ALEXA-20 3 CCT	ALEXA-24 3 CCT	ALEXA-30 3 CCT
	016-048-1008	016-048-1012	016-048-1020	016-048-1024	016-048-1030
Power	8 W	12 W	20 W	24 W	30 W
Luminous Flux	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm)	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230





ALEXIS 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE

CCT Selectable by DIP Switch




WHITE

BLACK

PLASTIC



	314.00	393.00	431.00	546.00	834.00	1416.00
	ALEXIS-6 3 CCT	ALEXIS-9 3 CCT	ALEXIS-12 3 CCT	ALEXIS-18 3 CCT	ALEXIS-24 3 CCT	ALEXIS-30 3 CCT
	016-087-0006	016-087-0009	016-087-0012	016-087-0018	016-087-0024	016-087-0030
Power :	6 W	9 W	12 W	18 W	24 W	30 W
Luminous Flux :	510 lm	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter :	Ø80	Ø100	Ø110	Ø140	Ø200	Ø250
Sizes (mm) :	A: 27 B: 108	A: 27 B: 125	A: 27 B: 147	A: 27 B: 175	A: 27 B: 220	A: 27 B: 300



ALEXIS/SQ 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE

CCT Selectable by DIP Switch




WHITE

BLACK

PLASTIC



	406.00	451.00	571.00	859.00	1465.00
	ALEXIS/SQ-9 3 CCT	ALEXIS/SQ-12 3 CCT	ALEXIS/SQ-18 3 CCT	ALEXIS/SQ-24 3 CCT	ALEXIS/SQ-30 3 CCT
	016-088-0009	016-088-0012	016-088-0018	016-088-0024	016-088-0030
Power :	9 W	12 W	18 W	24 W	30 W
Luminous Flux :	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter (mm) :	90-90	110-110	140-140	200-200	250-250
Sizes (mm) :	A: 27 B: 118	A: 27 B: 152	A: 27 B: 178	A: 27 B: 220	A: 27 B: 300






- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CLARA

MARIA



395.00

794.00




1037.00

459.00

837.00


1192.00

	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power :	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux :	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm) :	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm) :	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



SLIM

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE



246.00

313.00

395.00


431.00

510.00

538.00



993.00

	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter :	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm) :	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:14 B:190	A:14 B:221	A:14 B:297



SLIM/Sq

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE



308.00

380.00

459.00


498.00

578.00

638.00

1117.00


	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm) :	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm) :	A:14 B:89	A:14 B:113,5	A:14 B:146	A:14 B:163	A:14 B:194,5	A:14 B:219,5	A:14 B:292





HARLEY 2 CCT

- 165-265V / 50-60Hz
- Average Life: 15.000 Hrs
- 2 CCT




2 CCT




WHITE

BLACK

ADJUSTABLE CUT HOLE




	576.00	827.00	1167.00	1599.00
	HARLEY-5 2 CCT	HARLEY-10 2 CCT	HARLEY-16 2 CCT	HARLEY-20 2 CCT
	016-074-0005	016-074-0010	016-074-0016	016-074-0020
Power :	5 W	10 W	16 W	20 W
Luminous Flux :	298 lm	1108 lm	1578 lm	2078 lm
Cutting Diameter :	Ø55-70	Ø55-100	Ø55-160	Ø55-200
Sizes (mm) :	A: 100 B: 40	A: 120 B: 40	A: 175 B: 40	A: 225 B: 40



LED DOWNLIGHT

VIOLET


- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



	404.00	527.00	636.00	877.00	1193.00
	VIOLET-9	VIOLET-12	VIOLET-18	VIOLET-24	VIOLET-36
	016-075-0009	016-075-0012	016-075-0018	016-075-0024	016-075-0036
Power :	9 W	12 W	18 W	24 W	36 W
Luminous Flux :	720 lm	960 lm	1440 lm	1920 lm	2880 lm
Cutting Diameter :	Ø70	Ø90	Ø110	Ø145	Ø190
Sizes (mm) :	A: 86 B: 30	A: 106 B: 30	A: 130 B: 30	A: 162 B: 30	A: 210 B: 33








VALENTINA 2 CCT

- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K

WHITE



ADJUSTABLE CUT HOLE



399.00


580.00

921.00

1312.00

VALENTINA-6 2 CCT	VALENTINA-12 2 CCT	VALENTINA-24 2 CCT	VALENTINA-36 2 CCT
016-063-0006	016-063-0012	016-063-0024	016-063-0036

Power	: 6 W	12 W	24 W	36 W
Luminous Flux	: 480 lm	960 lm	1920 lm	2880 lm
Cutting Diameter (mm)	: 50-90	50-105	50-150	50-205
Sizes (mm)	: A:100 B:25	A:120 B:25	A:170 B:25	A:220 B:25



ALESYA 3 CCT

- 85-265V / 50-60Hz
- Average Life:30.000 Hrs
- 3CCT

CCT ADJUSTABLE

WHITE

BLACK



CCT Selectable by Driver DIP Switch



3000K



4000K




6500K



ALESYA-10 3 CCT	ALESYA-15 3 CCT	ALESYA-20 3 CCT	ALESYA-25 3 CCT	ALESYA-30 3 CCT	ALESYA-40 3 CCT
016-089-1010	016-089-1015	016-089-1020	016-089-1025	016-089-1030	016-089-1040

Power	: 10 W	15 W	20 W	25 W	30 W	40 W
Luminous Flux	: 800 lm	1200 lm	1600 lm	2000 lm	2400 lm	3200 lm
Cutting Diameter (mm)	: Ø75	Ø95	Ø110	Ø145	Ø200	Ø200
Sizes (mm)	: A:30.5 B:90	A:33 B:120	A:35 B:140	A:39 B:170	A:44 B:220	A:44 B:220





HOROZ ELECTRIC

LED Sensor Downlight/LED Downlight

MAF 2103.00 CCT

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 3 CCT


016 060 1018

CCT ADJUSTABLE

CCT Selectable by DIP Switch



- WHITE
- BLACK



☀ Day&Night motion sensor mode

☾ Night motion sensor mode



Recessed



Surface Mounting




PIR Sensor



360°

Built-in Photocell & PIR Sensor




MATILDA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT

CCT ADJUSTABLE



- WHITE
- BLACK



1124.00

MATILDA-12 3 CCT

016-090-0012

1396.00

MATILDA-18 3 CCT

016-090-0018


Power	:	12 W	18 W
Luminous Flux	:	1200 lm	1800 lm
Cutting Diameter (mm)	:	60-130	60-180
Sizes (mm)	:	A: 170 B: 18	A: 220 B: 18



Recessed



Surface Mounting



LED SENSOR DOWNLIGHT/LED DOWNLIGHT



HOROZ ELECTRIC

LED Surface Light

508.00


NORA PRO/S-5

016 078 1005

F A ↑ G

CCT ADJUSTABLE


CCT Selectable by DIP Switch



3000K



4000K





6500K

WHITE

BLACK

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm



HOROZ ELECTRIC

LED Surface Light
LED Surface Backlight
Surface Light




LED SURFACE LIGHT



KAMEL

016 099 0005




F A ↑ G

WHITE

BLACK

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- 400 lm





GUSTO 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT





CCT ADJUSTABLE



- WHITE
- BLACK



	1360.00	1611.00	2253.00	3556.00	4865.00
	GUSTO-12 3 CCT	GUSTO-18 3 CCT	GUSTO-24 3 CCT	GUSTO-32 3 CCT	GUSTO-40 3 CCT
	016-095-0012	016-095-0018	016-095-0024	016-095-0032	016-095-0040
Power	: 12 W	: 18 W	: 24 W	: 32 W	: 40 W
Luminous Flux	: 1200 lm	: 1800 lm	: 2400 lm	: 3200 lm	: 4000 lm
Sizes (mm)	: A:180 B:25	: A:230 B:25	: A:300 B:25	: A:400 B:25	: A:500 B:25




LED SURFACE LIGHT

PASTEL 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT




CCT ADJUSTABLE



- WHITE
- BLACK



	1686.00	2335.00	3684.00
	PASTEL-18 3 CCT	PASTEL-24 3 CCT	PASTEL-32 3 CCT
	016-096-0018	016-096-0024	016-096-0032
Power	: 18 W	: 24 W	: 32 W
Luminous Flux	: 952 lm	: 1286 lm	: 1798 lm
Sizes (mm)	: A:230 B:45	: A:300 B:45	: A:400 B:45






- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K

CAROLINE


ARINA

WHITE



BLACK



ALUMINIUM



	526.00	687.00	1140.00	578.00	738.00	1276.00
	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28
Colour :	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K



SELENA 3 CCT


- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT

PLASTIC



BLACK

WHITE



CCT ADJUSTABLE



CCT Selectable by DIP Switch




3000K



4000K



6500K



	535.00	670.00	969.00	1516.00
	SELENA-12 3 CCT	SELENA-18 3 CCT	SELENA-24 3 CCT	SELENA-36 3 CCT
	016-084-0012	016-084-0018	016-084-0024	016-084-0036
Power :	12 W	18 W	24 W	36 W
Luminous Flux :	1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm) :	A:140 B:32	A:173 B:32	A:218 B:32	A:290 B:32

MILENA 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT

PLASTIC



BLACK

WHITE



CCT ADJUSTABLE



CCT Selectable by DIP Switch




3000K



4000K



6500K




	516.00	658.00	919.00	1455.00
	MILENA-12 3 CCT	MILENA-18 3 CCT	MILENA-24 3 CCT	MILENA-36 3 CCT
	016-083-0012	016-083-0018	016-083-0024	016-083-0036
Power :	12 W	18 W	24 W	36 W
Luminous Flux :	1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm) :	A:140 B:32	A:173 B:32	A:220 B:32	A:290 B:32



VALENTINA/S 2 CCT


- 165-265V/50-60Hz
- Average Life: 25.000 Hrs
- 2CCT




2 CCT



WHITE




762.00	1186.00	1724.00
VALENTINA/S-12 2 CCT	VALENTINA/S-24 2 CCT	VALENTINA/S-36 2 CCT
016-086-0012	016-086-0024	016-086-0036



Power	: 12 W	24 W	36 W
Luminous Flux	: 960 lm	1920 lm	2880 lm
Sizes (mm)	: A: 120 B: 46	A: 172 B: 46	A: 225 B: 46

CARLA



- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K



WHITE





569.00	866.00	1301.00	1921.00
CARLA-16	CARLA-24	CARLA-32	CARLA-48
016-058-0016	016-058-0024	016-058-0032	016-058-0048



Power	: 16 W	24 W	32 W	48 W
Luminous Flux	: 1520 lm	2280 lm	3040 lm	4500 lm
Sizes (mm)	: A: 120 B: 45	A: 175 B: 45	A: 225 B: 45	A: 300 B: 45

CARLA/SQ



- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K



WHITE



602.00	913.00	1347.00	2059.00
CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32	CARLA/SQ-48
016-059-0016	016-059-0024	016-059-0032	016-059-0048



Power	: 16 W	24 W	32 W	48 W
Luminous Flux	: 1520 lm	2280 lm	3040 lm	4500 lm
Sizes (mm)	: A: 125 B: 45	A: 172 B: 45	A: 225 B: 45	A: 300 B: 45



SOFIA 3 CCT

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT



CCT ADJUSTABLE




WHITE

BLACK

ALUMINIUM



	988.00	1451.00	1829.00	3199.00
	SOFIA-18 3 CCT	SOFIA-24 3 CCT	SOFIA-36 3 CCT	SOFIA-48 3 CCT
	016-064-1018	016-064-1024	016-064-1036	016-064-1048
Power	: 18 W	: 24 W	: 36 W	: 48 W
Luminous Flux	: 1620 lm	: 2160 lm	: 3240 lm	: 4320 lm
Sizes (mm)	: A:123 B:40	: A:180 B:40	: A:228 B:40	: A:300 B:40



SOFIA/S 3 CCT

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT



CCT ADJUSTABLE




WHITE

BLACK

ALUMINIUM



	1062.00	1543.00	2026.00	3479.00
	SOFIA/S-18 3 CCT	SOFIA/S-24 3 CCT	SOFIA/S-36 3 CCT	SOFIA/S-48 3 CCT
	016-065-1018	016-065-1024	016-065-1036	016-065-1048
Power	: 18 W	: 24 W	: 36 W	: 48 W
Luminous Flux	: 1620 lm	: 2160 lm	: 3240 lm	: 4320 lm
Sizes (mm)	: A:123 B:40	: A:180 B:40	: A:228 B:40	: A:300 B:40





CATALINA 3 CCT



CCT ADJUSTABLE



BLACK

WHITE



- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



PLASTIC



	663.00	1010.00	1320.00	2097.00
	CATALINA-12 3 CCT	CATALINA-18 3 CCT	CATALINA-24 3 CCT	CATALINA-36 3 CCT
	016-081-1012	016-081-1018	016-081-1024	016-081-1036
Power	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 1050 lm	: 1800 lm	: 2270 lm	: 3600 lm
Sizes (mm)	: A: 120 B: 38	: A: 175 B: 38	: A: 215 B: 38	: A: 295 B: 38




LED SURFACE LIGHT

CATALINA/S 3 CCT



CCT ADJUSTABLE



BLACK

WHITE



- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



PLASTIC




	700.00	1062.00	1443.00	2229.00
	CATALINA/S-12 3 CCT	CATALINA/S-18 3 CCT	CATALINA/S-24 3 CCT	CATALINA/S-36 3 CCT
	016-082-1012	016-082-1018	016-082-1024	016-082-1036
Power	: 12 W	: 18 W	: 24 W	: 36 W
Luminous Flux	: 1050 lm	: 1800 lm	: 2270 lm	: 3600 lm
Sizes (mm)	: A: 120 B: 38	: A: 175 B: 38	: A: 215 B: 38	: A: 295 B: 38







BELINDA

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



WHITE

BLACK



870.00	1178.00	1939.00
--------	---------	---------

BELINDA-30	BELINDA-45	BELINDA-60
------------	------------	------------

016-094-0030	016-094-0045	016-094-0060
--------------	--------------	--------------

Power	: 30 W	45 W	60 W
Luminous Flux	: 3200 lm	4900 lm	6500 lm
Sizes (mm)	: A:260 B:50	A:350 B:55	A:430 B:60

HAZEL 3 CCT

- 160-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT





CCT ADJUSTABLE

CCT Selectable by DIP Switch



WHITE

BLACK



1265.00	1544.00	2480.00
---------	---------	---------

HAZEL-24 3 CCT	HAZEL-32 3 CCT	HAZEL-40 3 CCT
----------------	----------------	----------------

016-077-1024	016-077-1032	016-077-1040
--------------	--------------	--------------

Power	: 24 W	32 W	40 W
Luminous Flux	: 1680 lm	2240 lm	2800 lm
Sizes (mm)	: A:300 B:53	A:370 B:55	A:450 B:60



HOROZ ELECTRIC LED Surface Light

2683.00


SCARLETT-30 3 CCT

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 3 CCT

016 070 1030

CCT ADJUSTABLE

CCT Selectable by DIP Switch



WHITE


BLACK



Linkable / Fast Connector



Release the bracket through push or pull the plastic button



ANDREA

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



Fast Connector



Release the bracket through push or pull the plastic button



WHITE



3123.00

ANDREA-15

016-066-0015

4049.00

ANDREA-20



016-066-0020

5318.00

ANDREA-30

016-066-0030

Power	: 15 W	20 W	30 W
Luminous Flux	: 1275 lm	1700 lm	2550 lm
Sizes (mm)	: A:220 B:49	A:280 B:49	A:327 B:49



ANDREA/S

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




Fast Connector



Release the bracket through push or pull the plastic button



WHITE



3229.00

ANDREA/S-15

016-067-0015

4259.00

ANDREA/S-20



016-067-0020

5844.00

ANDREA/S-30

016-067-0030

Power	: 15 W	20 W	30 W
Luminous Flux	: 1275 lm	1700 lm	2550 lm
Sizes (mm)	: A:220 B:49	A:280 B:49	A:327 B:49





HOROZ ELECTRIC

LED Sensor Decorative Ceiling Lamp

LUCAS 5 CCT

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 5 CCT
- Detection Distance: 3m (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Time Delay: 30s-60s-180s adj. by clip-on
- Relative humidity: <93%R
- Working temperature: -20-+40°C
- Installation height: 3-5m
- Emergency Light: 6400K
- Emergency Mode Working Time: 3Hours/300 lm
- 2x 3.7V 1800mAh Lithium Ion Battery




WHITE



Radar Sensor



Emergency Lighting



Power Adj.




CCT Adj.

Test Button Adj.



Sensor Time Adj.



Sensor Adj.

Normal Mode
 Day Night Mode
 Night Mode



4169.00

5093.00


LUCAS-20 5 CCT

LUCAS-25 5 CCT

027-024-0020

027-024-0025

Power	: 20 W	25 W
Adjustable Power	: 10W-15W-20W	15W-20W-25W
Luminous Flux	: 1800 lm	2250 lm
Sizes (mm)	: A: 280 B: 70	A: 330 B: 70



IP54



HOROZ ELECTRIC

LED Sensor Decorative Ceiling Lamp LED Decorative Ceiling Lamp



LED SENSOR DECORATIVE CEILING LAMP



3607.00

ELSA-48 3 CCT




160-265V/50-60Hz
Average Life: 20.000 Hrs
2700 lm
3 CCT

027 025 0048



CCT ADJUSTABLE

WHITE



LED SENSOR DECORATIVE CEILING LAMP

3607.00

GALA-48 3 CCT



160-265V/50-60Hz
Average Life: 20.000 Hrs
3800 lm
3 CCT

027 026 0048



CCT ADJUSTABLE

WHITE






4017.00

TERRA 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2800 lm
- 3 CCT

027 022 0048




CCT ADJUSTABLE



CCT Selectable by Driver DIP Switch



3000K





4500K



6000K

WHITE



LED SENSOR DECORATIVE CEILING LAMP



4017.00

RAPSODY 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3720 lm
- 3 CCT

027 023 0048




CCT ADJUSTABLE




CCT Selectable by Driver DIP Switch



3000K




4500K



6000K

WHITE







HOROZ ELECTRIC

LED Decorative Ceiling Lamp LED Sensor Decorative Ceiling Lamp

EPSILON

185-265V / 50-60Hz
Average Life: 30.000 Hrs
6400K

WHITE



1845.00

2443.00

3063.00

EPSILON-15

EPSILON-24


EPSILON-36

027-004-0015

027-004-0024

027-004-0036

Power	: 15 W	24 W	36 W
Luminous Flux	: 1125 lm	1800 lm	2700 lm
Sizes (mm)	: A: 260 B: 55	A: 330 B: 60	A: 410 B: 60



LED DECORATIVE CEILING LAMP / LED SENSOR DECORATIVE CEILING LAMP

2519.00

CRAMER 3 CCT

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 3 CCT
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Detection moving speed: 0.6-1.5m/S
- Relative humidity: <93%R
- Working temperature: -20--+40°C
- Installation height: 2.2m-3.5m

WHITE

027 015 1020



CCT ADJUSTABLE



3000K

4500K

6000K




5224.00

PULSAR-48


- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

056 015 0048



WHITE


BLACK



LED SURFACE BACKLIGHT

PROTEUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



WHITE

BLACK



3210.00

6021.00

PROTEUS-36

PROTEUS-48

056-014-0036

056-014-0048

Power	: 36 W	48 W
Luminous Flux	: 3000 lm	4400 lm
Sizes (mm)	: A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38



BACKLIGHT PANEL



Inside of Product






2908.00

LAYLA-15


016 073 0015



BLACK

WHITE


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 1200 lm
- 4200K



SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL



WHITE

BLACK



852.00

1164.00

1159.00

1643.00

1781.00

2585.00

SANDRA-5

SANDRA-5/XL

SANDRA-10

SANDRA-10/XL

SANDRA-15

SANDRA-15/XL

016-043-0005

016-043-1005


016-043-0010

016-043-1010

016-043-0015

016-043-1015


Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162



SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ/XL



WHITE

BLACK



1853.00

2250.00

2801.00

3228.00

SANDRA-SQ10

SANDRA-SQ10/XL

SANDRA-SQ15

SANDRA-SQ15/XL


016-045-0010

016-045-1010

016-045-0015

016-045-1015

Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200



JOKER

- 220-240V / 50-60Hz
- Bulb not included
- Max. 10W LED



BLACK

WHITE



1164.00

JOKER-1

015-038-0001



2205.00

JOKER-2

015-038-0002



3086.00

JOKER-4

015-038-0004



2975.00

JOKER-3

015-038-0003



3776.00

JOKER-5

015-038-0005



3888.00

JOKER-6

015-038-0006



JOKER-1







JOKER-2

JOKER-3

JOKER-4

JOKER-5

JOKER-6







SALSA	SALSA-L	SALSA-XL	SALSA/SQ-L
			
568.00	1135.00	1489.00	1150.00
SALSA	SALSA-L	SALSA-XL	SALSA/SQ-L
015-036-0001	015-036-0002	015-036-0003	015-037-0002
65 mm	80 mm	103 mm	74 mm
100 mm	130 mm	145 mm	125 mm

WHITE
BLACK

LED, F, IP20



REFLEX

				
165.00	236.00	313.00	248.00	
REFLEX	REFLEX-L	REFLEX-XL	REFLEX/SQ-L	
128-001-0001	128-001-0002	128-001-0003	128-002-0002	
Sizes (mm) :	A:60	A:80	A:100	A:80
For Reflector :	Salsa	Salsa-L	Salsa-XL	Salsa/SQ-L

CHROME
GOLD
RED COPPER

A A

FREZYA ■ Bulb not included

	
769.00	885.00
FREZYA-R	FREZYA-S
015-026-0050	015-027-0050
93 mm	92 mm
103 mm	100 mm

WHITE
BLACK

LED, F, IP20

MIAMI ■ 220-240V / 50-60Hz
■ Max. 10W LED
■ Bulb not included

2098.00

015 033 0001

			
128 mm	72 mm	60 mm	

WHITE
BLACK

LED, F, IP20



2632.00

ANDROMEDA 3 CCT

056 017 0050

CCT ADJUSTABLE



WHITE

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 5000 lm
- 3 CCT




BACKLIGHT PANEL

Inside of Product



28 mm



3330.00

SUPERNOVA 3 CCT

056 018 0050

CCT ADJUSTABLE




WHITE


- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 5000 lm
- 3 CCT



Backside of Product



8 mm



LED PANE



HOROZ ELECTRIC

LED Panel/LED Backlight Panel LED Frame panel/Frame Drywall Kit





MOON

180-265V / 50-60Hz
Average Life: 25.000 Hrs
4200K / 6400K

WHITE

2211.00 2393.00

MOON-32	MOON-40
056-007-0032	056-007-0040

Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8

ZODIAC

180-265V / 50-60Hz
Average Life: 25.000 Hrs
4200K / 6400K

WHITE

1849.00 3009.00

ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8

TAURUS

175-265V / 50-60Hz
Average Life: 20.000 Hrs
6400K

WHITE

2121.00 3886.00

TAURUS-36	TAURUS-48
056-013-0036	056-013-0048

Power :	36 W	48 W
Luminous Flux :	3000 lm	4400 lm
Sizes (mm) :	A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32

BACKLIGHT PANEL Inside of Product

CAPELLA-48

175-265V / 50-60Hz
Average Life: 25.000 Hrs
3125 lm
6400K

056 012 0048

WHITE

852.00 1414.00 1015.00 1084.00 1316.00

FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005

Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45
-------------	---------------------	----------------------	---------------------	---------------------	---------------------

FRAME

WHITE

181.00

DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels

LED PANEL/LED BACKLIGHT PANEL/LED FRAME PANEL/FRAME/DRYWALL KIT



HOROZ ELECTRIC

LED Magnetic Light System



LED MAGNETIC LIGHT SYSTEM



LED Magnetic Light System LED Slim Magnetic Light System




RECESSED MAGNET RAIL
MAGNET-R2



3463.00

129 006 0002


SURFACE MAGNET RAIL
MAGNET-S2



3866.00



129 007 0002

THREE INSTALLATION



48VDC 2M


THICKNESS 2mm





MAGNET

■ 48VDC
■ Average Life: 40.000 Hrs



BLACK



MAGNET-LL1



MAGNET-LL2



MAGNET-LM1




MAGNET-LM2



494.00 686.00 836.00 1054.00 552.00 971.00 1557.00

	MAGNET-LL1	MAGNET-LL2	MAGNET-LL3	MAGNET-LL4	MAGNET-LM1	MAGNET-LM2	MAGNET-LM3
	129-002-0006	129-002-0012	129-002-0018	129-002-0024	129-001-0012	129-001-0020	129-001-0028

Power	: 6 W	12 W	18 W	24 W	12 W	20 W	28 W
Luminous Flux	: 540 lm	1080 lm	1620 lm	2160 lm	1260 lm	2220 lm	3180 lm
Sizes(mm)	: L:110 W:22 H:44	L:218 W:22 H:44	L:326 W:22 H:44	L:435 W:22 H:44	L:302 W:22 H:44	L:603 W:22 H:44	L:903 W:22 H:44



MAGNET

■ 48VDC
■ Average Life: 40.000 Hrs




BLACK



1494.00 1592.00

	MAGNET-ALL1	MAGNET-ALL2
	129-003-0012	129-003-0018


Power	: 12 W	18 W
Luminous Flux	: 1080 lm	1620 lm
Sizes(mm)	: L:223 W:22 H:120	L:332 W:22 H:120





MAGNET

- 48VDC
- Average Life: 40.000 Hrs

**BLACK**

1529.00

1806.00

MAGNET-T1

MAGNET-T2

129-005-0020

129-005-0030

Power	:	20 W	30 W
Luminous Flux	:	1630 lm	2510 lm
Sizes (mm)	:	Ø:65 H:160	Ø:65 H:180



2129.00

2392.00

MAGNET-P1

MAGNET-P2

129-004-0020

129-004-0030

Power	:	20 W	30 W
Luminous Flux	:	1630 lm	2510 lm
Sizes (mm)	:	Ø:65 H:280	Ø:65 H:300

MAGNET

- 220VAC / 48VDC
- Average Life: 40.000 Hrs

BLACK

2145.00

3302.00


MAGNET-PS1

MAGNET-PS2

129-008-0001

129-008-0002

Power	:	100 W	200 W
Sizes (mm)	:	L:220 W:22 H:43	L:260 W:22 H:43



MAGNET

■ 48VDC

BLACK

MAGNET-C1



MAGNET-C2



MAGNET-SJ



MAGNET-RJ



MAGNET-H



MAGNET-RC



MAGNET-RW



MAGNET-SC



MAGNET-SW

273.00

273.00

176.00

79.00

447.00

564.00

564.00

556.00

977.00

MAGNET-C1

MAGNET-C2

MAGNET-SJ

MAGNET-RJ

MAGNET-H

MAGNET-RC

MAGNET-RW

MAGNET-SC

MAGNET-SW

129-009-0001

129-010-0001

129-015-0001

129-016-0001

129-017-0001

129-011-0001

129-012-0001

129-013-0001

129-014-0001

Sizes (mm)	:	L:370 W:16 H:17	L:220 W:16 H:17	L:100 W:23	L:70 W:11.5 HT:10	L:2000 W:20 H:20	L:80 H:80	L:80 H:80	L:80 H:80	L:80 H:80
------------	---	-----------------	-----------------	------------	-------------------	------------------	-----------	-----------	-----------	-----------



HOROZ ELECTRIC

LED Slim Magnetic Light System



LED SLIM MAGNETIC LIGHT SYSTEM



48VDC 2M   



RECESSED SLIM MAGNET RAIL
SLIM MAGNET-R2

129 106 0002



SURFACE SLIM MAGNET RAIL
SLIM MAGNET-S2

129 107 0002





SLIM MAGNET

■ 48VDC
■ Average Life: 40,000 Hrs

BLACK



SLIMMAGNET-LL1



MAGNET-LL2



MAGNET-LM1



MAGNET-LM2




977.00

1204.00

809.00

1232.00

	SLIM MAGNET-LL1	SLIM MAGNET-LL2	SLIMMAGNET-LM1	SLIM MAGNET-LM2
Power	12 W	18 W	10 W	20W
Luminous Flux	1080 lm	1620 lm	1050 lm	2220 lm
Sizes (mm)	L:222 W:27 H:24	L:330 W:27 H:24	L:305 W:27 H:24	L:605 W:27 H:24



SLIM MAGNET

■ 48VDC
■ Average Life: 40,000 Hrs


BLACK



1667.00

2233.00

	SLIM MAGNET-ALL1	SLIM MAGNET-ALL2
Power	12 W	18 W
Luminous Flux	1080 lm	1620 lm
Sizes (mm)	L:229 W:27 H:39	L:337 W:27 H:39



SLIM MAGNET

■ 48VDC
■ Average Life: 40,000 Hrs

BLACK



2225.00

2636.00

	SLIM MAGNET-T2	SLIM MAGNET-T3
Power	15 W	20 W
Luminous Flux	1220 lm	1630 lm
Sizes (mm)	L:145 Ø:55	L:145 Ø:65






SLIM MAGNET

■ 48VDC
■ Average Life: 40,000 Hrs

BLACK



1982.00

3074.00

SLIM MAGNET-P1

SLIM MAGNET-P3

129-104-0010

129-104-0020

Power	:	10 W	20 W
Luminous Flux	:	800 lm	1630 lm
Sizes (mm)	:	L:1800 Ø:40	L:1800 Ø:50




3190.00

SLIM MAGNET-P5

129-104-0007

Power	:	7 W
Luminous Flux	:	660 lm
Sizes (mm)	:	L:1605 Ø:105 X:105



SLIM MAGNET

■ 48VDC

BLACK



SLIMMAGNET-CL



SLIM MAGNET-CI



SLIMMAGNET-CT



SLIM MAGNET-CX



SLIM MAGNET-CC



SLIMMAGNET-RW



SLIMMAGNET-RC



SLIMMAGNET-RL



SLIMMAGNET-CL	SLIMMAGNET-CI	SLIMMAGNET-CT	SLIMMAGNET-CX	SLIMMAGNET-CC	SLIMMAGNET-RW	SLIMMAGNET-RC	SLIMMAGNET-RL
129-109-0001	129-110-0001	129-111-0001	129-112-0001	129-113-0001	129-114-0001	129-115-0001	129-116-0001

Sizes (mm)	:	W:47 H:47	W:27 H:67	W:47 H:67	W:67 H:67	W:27 H:27	W:80 H:27	W:80 H:27	W:47 H:47
------------	---	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

427.00

399.00

486.00

486.00

486.00

475.00

475.00



SLIM MAGNET

■ 220VAC/48VDC
■ Average Life: 40,000 Hrs

BLACK



2209.00

3262.00


SLIM MAGNET-PS1

SLIM MAGNET-PS2

129-108-0001

129-108-0002

Power	:	100 W	200 W
Sizes (mm)	:	L:294 W:27 H:24	L:343 W:27 H:24




**HOROZ ELECTRIC**

LED Linear Track Light


SPLIT

- 160-265V
- Average Life: 30.000 Hrs
- 4200K

BLACK

1376.00	1894.00
SPLIT-12	SPLIT-18
018-034-0012	018-034-0018


Power	: 12 W	18 W
Luminous Flux	: 840 lm	1260 lm
Sizes (mm)	: A:85 B:28 C:305 D:107	A:85 B:28 C:603 D:107

**HOROZ ELECTRIC**

LED Linear Track Light

**PARMA**

- 160-265V
- Average Life: 40.000 Hrs

WHITE&BLACK**BLACK****Rotatable Body**

2121.00	2676.00
PARMA-20	PARMA-30
018-032-0020	018-032-0030

Power	: 20 W	30 W
Luminous Flux	: 1600 lm	2400 lm
Sizes (mm)	: L:351 W:34 H:57	L:486 W:34 H:57


**CENOVA**

- 160-265V
- Average Life: 40.000 Hrs
- 4200K

WHITE**BLACK****Rotatable Body**

1702.00	2250.00
CENOVA-20	CENOVA-30
018-033-0020	018-033-0030

Power	: 20 W	30 W
Luminous Flux	: 2050 lm	3160 lm
Sizes (mm)	: L:351 W:34 H:57	L:486 W:34 H:57





HOROZ ELECTRIC

LED Track Light


BREMEN 3 CCT

- 165-265 V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE



- WHITE**
- BLACK**



	961.00	1240.00	1341.00	1976.00
	BREMEN-10 3 CCT	BREMEN-20 3 CCT	BREMEN-30 3 CCT	BREMEN-40 3 CCT
	018-031-1010	018-031-1020	018-031-1030	018-031-1040
Power	: 10 W	: 20 W	: 30 W	: 40 W
Luminous Flux	: 800 lm	: 1600 lm	: 2400 lm	: 3200 lm
Sizes (mm)	: A:54 B:126 C:138	: A:63 B:156 C:146	: A:76 B:180 C:171	: A:88 B:180 C:181



HOROZ ELECTRIC

LED Track Light



LED TRACK LIGHT



VARNA 3 CCT

- 165-265V / 50-60Hz
- Average Life: 30.000Hrs
- 3CCT



CCT ADJUSTABLE



WHITE

BLACK



1240.00

1341.00

1976.00

VARNA-20 3 CCT

VARNA-30 3 CCT

VARNA-40 3 CCT

018-026-1020

018-026-1030

018-026-1040

Power	: 20 W	30 W	40 W
Luminous Flux	: 1600 lm	2400 lm	3200 lm
Sizes (mm)	: A:70 B: 118	A: 81 B: 124	A: 90 B: 134




LED TRACK LIGHT



LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



WHITE

BLACK



906.00

1160.00

1523.00

LYON-10

LYON-18


LYON-24

018-020-0010

018-020-0018

018-020-0024

Power	: 10 W	18 W	24 W
Luminous Flux	: 650 lm	170 lm	1560 lm
Sizes (mm)	: A:58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162






Z O O M A B L E

MONACO-30


018 019 0030




- 100-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 4200K
- 2250 lm
- Beam Angle 15°-60°



- WHITE
- BLACK



LONDRA



- WHITE
- BLACK

- 100-265V / 50-60Hz
- Average Life: 40,000 Hrs
- 4200K



1359.00

1439.00

LONDRA-12

LONDRA-15

018-029-0012

018-029-0015

Power	:	12 W	15 W
Luminous Flux	:	1080 lm	1350 lm
Sizes (mm)	:	A: 50 B: 200	A: 60 B: 200

FARS

018 030 0026



- BLACK
- WHITE

- 185-265V / 50-60Hz
- Average Life: 20,000 Hrs
- 1700 lm
- 4200K





HOROZ ELECTRIC

Track Light

1106.00


LONDRA-G

115 005 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



HOROZ ELECTRIC

Track Light



2009.00

TORONTO

115 004 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



979.00

BASEL

115 003 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



TRACK LIGHT



HOROZ ELECTRIC

Pendant Lamp/ Track Light/ Spotlight



HOROZ ELECTRIC

Pendant Lamp



1997.00

VERTEX



021 024 0001



WHITE

BLACK

- 220-240V
- Max. 10W LED



PENDANT LAMP



HOROZ ELECTRIC

Track Light/ Spotlight



1037.00

VERONA


116 002 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



1037.00

VERSAY



115 006 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included




TRACK LIGHT / SPOTLIGHT



544.00

DAKAR

115 001 0001



544.00

RABAT


115 002 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included




TRACK LIGHT / LED SPOTLIGHT / SPOTLIGHT



1541.00

TOKYO


017 002 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



979.00

LOZAN


116 001 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included





HOROZ ELECTRIC

693.00

Lighting Track / Track Connector / Track Suspension Recessed Monopoint

1359.00

2071.00

LIGHTING TRACK

097 001 0001

097 001 0002

097 001 0003

1 m.

2 m.

3 m.

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



33 mm



HOROZ ELECTRIC

Track Suspension Lighting Track Track Connector Recessed Monopoint



TRACK CONNECTOR

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001

L Connector

096-002-0002

356.00

TRACK SUSPENSION

- 1.5M SUSPENSION SET FOR TRACK RAIL

096 001 0006

1.5 m.





HOROZ ELECTRIC

LED Linear Suspension Light


4531.00

BELLINI3-45 3 CCT

019 080 1045



- 165-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 5000 lm
- Surface mounting also available

CCT ADJUSTABLE



BLACK

WHITE



LED LINEAR SUSPENSION LIGHT



HOROZ ELECTRIC

LED Linear Suspension Light LED Suspension Light




5093.00

AVENUE 3 CCT

019 066 1040


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

CCT ADJUSTABLE



BLACK

WHITE






INNOVA 3 CCT

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- Surface mounting also available

CCT ADJUSTABLE



BLACK

WHITE

ALUMINIUM



4821.00

5206.00


INNOVA3-40 3 CCT

INNOVA5-40 3 CCT

019-033-1040

019-034-1040


Power	: 40 W	40 W
Luminous Flux	: 4200 lm	4200 lm
Width (mm)	: 30 mm	50 mm
Colors	: BLACK	BLACK/WHITE



LED LINEAR SUSPENSION LIGHT

INNOVA10-80

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- 6500 lm
- Surface mounting also available



BLACK

WHITE

ALUMINIUM






FORTUNE 3 CCT


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

CCT ADJUSTABLE



BLACK

WHITE



4821.00

5206.00


FORTUNE3-40 3 CCT

FORTUNE5-40 3 CCT

019-050-1040

019-051-1040


Power	: 40 W	40 W
Luminous Flux	: 4200 lm	4200 lm
Width (mm)	: 30 mm	50 mm
Colors	: BLACK	BLACK/WHITE



LED LINEAR SUSPENSION LIGHT


FORTUNE10-80

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- 8000 lm
- Surface mounting also available



BLACK

WHITE






FORTIS 3 CCT


- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT
- Surface mounting also available



CCT ADJUSTABLE



- BLACK
- WHITE
- PLASTIC



	1269.00	1385.00	1903.00	2425.00	3313.00	4136.00
	FORTIS-30 3 CCT	FORTIS-40 3 CCT	FORTIS-50 3 CCT	FORTIS-60 3 CCT	FORTIS-70 3 CCT	FORTIS-100 3 CCT
	019-068-1030	019-068-1040	019-068-1050	019-068-1060	019-068-1070	019-068-1100
Power	: 30 W	: 40 W	: 50 W	: 60 W	: 70 W	: 100 W
Luminous Flux	: 2400 lm	: 3200 lm	: 4000 lm	: 4800 lm	: 5600 lm	: 8000 lm
Sizes (mm)	: A:35 B:50	: A:35 B:70	: A:35 B:100	: A:42B:150	: A:42 B:200	: A:42 B:280



LED LINEAR SUSPENSION LIGHT





HOROZ ELECTRIC

LED Suspension Light

8102.00

MONARCH-100 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT
- 7000 lm

019 079 0100




DAYLIGHT 50W

COOL WHITE 100W

WARM WHITE 50W

CCT ADJUSTABLE

BLACK



LED SUSPENSION LIGHT







EDMOND

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

BLACK



	8073.00	8410.00	12524.00
	EDMOND-16	EDMOND-24	EDMOND-32
	019-077-0016	019-077-0024	019-077-0032
Power	: 16 W	: 24 W	: 32 W
Luminous Flux	: 1050 lm	: 1440 lm	: 1640 lm




LED SUSPENSION LIGHT






INVICTA

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



BLACK



11944.00

16095.00



INVICTA-28

INVICTA-44

019-076-0028

019-076-0044

Power	: 28 W	44 W
Luminous Flux	: 2160 lm	3440 lm





LED SUSPENSION LIGHT





GRANDE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



BLACK

ROSE GOLD



5873.00

8519.00


GRANDE-20

GRANDE-36

019-069-0020

019-069-0036


Power	: 20 W	36 W
Luminous Flux	: 1200 lm	2100 lm
Sizes (mm)	: A: 1200 B: 400	A: 1200 B: 600



LED SUSPENSION LIGHT

ESSENCE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



BLACK

ROSE GOLD



9769.00

11745.00


ESSENCE-30

ESSENCE-48

019-070-0030

019-070-0048

Power	: 30 W	48 W
Luminous Flux	: 1800 lm	2900 lm
Sizes (mm)	: A: 1200 B: 400	A: 1200 B: 600






RAIMOND

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

BLACK

WHITE



9871.00

13104.00


RAIMOND-30

RAIMOND-55

019-074-0030

019-074-0055

Power	:	30 W	55 W
Luminous Flux	:	1800 lm	3300 lm
Sizes (mm)	:	A: 1200 B: 400	A: 1200 B: 600




EMPIRE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

BLACK

ROSE GOLD



7442.00

8751.00


EMPIRE-20

EMPIRE-36

019-071-0020

019-071-0036

Power	:	20 W	36 W
Luminous Flux	:	1200 lm	2100 lm
Sizes (mm)	:	A: 1200 B: 670	A: 1200 B: 1080



LED SUSPENSION LIGHT

3647.00

SANTANA

019 072 0012

BLACK
ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K

NEW PRODUCT

1200mm
120mm

12W SMD LED

2700K 4000K 6400K

2784.00

FOREVER

019 073 0011

BLACK
ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 660 lm
- 4000K

NEW PRODUCT

1200mm
Ø200mm

11W SMD LED

2700K 4000K 6400K



LED SUSPENSION LIGHT

3259.00

DAXTON-15

019 078 0015

BLACK+GOLD

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 800 lm
- 4000K

NEW PRODUCT

1200
210

15W SMD LED

2700K 4000K 6400K

2817.00

ALWAYS

019 075 0012

BLACK
ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K

NEW PRODUCT

1200mm
100mm

12W SMD LED

2700K 4000K 6400K



HOROZ ELECTRIC

LED Suspension Light

MORTAL 3 CCT



- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE



- BLACK**
- GOLD**



	8327.00	10045.00	16164.00
MORTAL-70 3 CCT			
MORTAL-80 3 CCT			
MORTAL-150 3 CCT			
	019-088-0070	019-088-0080	019-088-0150

Power (4000K)	: 70 W	80 W	150 W
Power (3000K) (6500K)	: 35 W	40 W	75 W
Luminous Flux	: 4900 lm	5600 lm	10500 lm
Sizes (mm)	: A:1000 B:450	A:1000 B:550	A:1100 B:560 C:450



LED SUSPENSION LIGHT





HOROZ ELECTRIC

LED Suspension Light

12213.00

JOLLY 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 11760 lm
- 3 CCT

019 081 0168



DAYLIGHT **84W**

COOL WHITE **168W**

WARM WHITE **84W**





CCT ADJUSTABLE

CCT Selectable by Remote Controller

3000K <small>Warm White</small>	4000K <small>Neutral White</small>	6500K <small>Daylight</small>

- BLACK**
- WHITE**
- CHAMPAGNE**




LED SUSPENSION LIGHT







REGINA 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT Selectable by Remote Controller




- BLACK
- WHITE



5271.00	7631.00	10900.00	9168.00
REGINA-70 3 CCT	REGINA-105 3 CCT	REGINA-140 3 CCT	REGINA-144 3 CCT
019-082-0070	019-082-0105	019-082-0140	019-082-0144

Power (4000K)	: 70 W	105 W	140 W	144 W
Power (3000K) (6500K)	: 35 W	52 W	70 W	72 W
Luminous Flux	: 4900 lm	7350 lm	9800 lm	10080 lm
Sizes (mm)	: A: 1000 B: 400	A: 1000 B: 600	A: 1000 B: 800	A: 1200 B: 1000



LED SUSPENSION LIGHT





HOROZ ELECTRIC


LED Suspension Light

HARVEY 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE




- BLACK
- WHITE



3574.00	5920.00	8073.00	9878.00
HARVEY-35 3 CCT	HARVEY-53 3 CCT	HARVEY-70 3 CCT	HARVEY-88 3 CCT
019-083-0035	019-083-0053	019-083-0070	019-083-0088

Power (4000K) :	35 W	53 W	70 W	88 W
Power (3000K) (6500K) :	18 W	26 W	35 W	44 W
Luminous Flux :	2450 lm	3710 lm	4900 lm	6160 lm
Sizes (mm) :	A:1000 B:400	A:1000 B:600	A:1000 B:800	A:1200 B:600 C:400



LED SUSPENSION LIGHT





HOROZ ELECTRIC


LED Suspension Light

SAMIRA 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT




CCT ADJUSTABLE



BLACK

GOLD



7718.00	12278.00	17019.00	17085.00
SAMIRA-70 3 CCT	SAMIRA-106 3 CCT	SAMIRA-140 3 CCT	SAMIRA-176 3 CCT
019-084-0070	019-084-0106	019-084-0140	019-084-0176

Power (4000K)	: 70 W	106 W	140 W	176 W
Power (3000K) (6500K)	: 35 W	53 W	70 W	88 W
Luminous Flux	: 4900 lm	7350 lm	9800 lm	12320 lm
Sizes (mm)	: A:1000 B:400	A:1000 B:600	A:1000 B:800	A:1200 B:600 B:400

LED SUSPENSION LIGHT





HOROZ ELECTRIC

LED Suspension Light

14728.00

CONTES-56 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3920 lm
- 3 CCT

019 086 0056

DAYLIGHT 28W

COOL WHITE 56W

WARM WHITE 28W




CCT ADJUSTABLE



BLACK

WHITE



LED SUSPENSION LIGHT

16385.00

CONTES-84 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5880 lm
- 3 CCT

019 086 0084

DAYLIGHT 42W

COOL WHITE 84W

WARM WHITE 42W




CCT ADJUSTABLE



BLACK

WHITE





HOROZ ELECTRIC

LED Suspension Light

21569.00

FAUNA-84 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5880 lm
- 3 CCT

019 085 0084




DAYLIGHT 42W

COOL WHITE 84W

WARM WHITE 42W

CCT ADJUSTABLE




3000K

4000K

6500K

BLACK

WHITE



LED SUSPENSION LIGHT




6015.00
CONCORDE-24

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K

019 053 0024

24W SMD LED 2700K 4000K 6400K



13290.00
CONCORDE-36

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K

019 053 0036

36W SMD LED 2700K 4000K 6400K



9746.00
VENEZIA

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K

019 057 0040

40W SMD LED 2700K 4000K 6400K




6997.00
TROYA

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K

019 058 0024

24W SMD LED 2700K 4000K 6400K



5775.00
LIBERTY

CHROME
BLACK

019 054 0030

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

30W SMD LED 2700K 4000K 6400K

130 mm 650 mm



7861.00
CORNELIA

CHROME
BLACK

019 055 0060

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K

60W SMD LED 2700K 4000K 6400K

130 mm 730 mm



9563.00
MONZA

CHROME

019 059 0040

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K

40W SMD LED 2700K 4000K 6400K

51 mm 370 mm 750 mm



3956.00
COPERNIC

CHROME

019 060 0015

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K

15W SMD LED 2700K 4000K 6400K

90 mm 75 mm 695 mm



15950.00

OLYMPIC

019 035 0045

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2026 lm
- 4000K

45W SMD LED

2700K 4000K 6400K

20438.00

GENESIS

019 036 0100

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K

100W SMD LED

2700K 4000K 6400K

8339.00

CRATER

019 037 0020

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K

20W SMD LED

2700K 4000K 6400K



13148.00

AMOR

019 056 0050

CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K

50W SMD LED

2700K 4000K 6400K




11943.00

CALIBUR-24

019 031 0024

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




13696.00

CAMEL-24

019 032 0024

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




6746.00

ORIENT

019 016 0016

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K




8928.00

ORION

019 017 0030

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K





5698.00

CYBER

019 061 0024

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K




13232.00

AVALON

019 018 0035

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K




17357.00

GLORY

019 019 0045

CHROME

- 180-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K



LORENZO

- 220-240V/50-60Hz
- Bulb not included




BLACK

GOLDEN



3371.00	4832.00
LORENZO-4	LORENZO-6
021-025-0004	021-025-0006



Power : 4xMax.18W LED E27 6xMax.18W LED E27




Pendant Lamp
Glass Pendant Lamp



PENDANT LAMP

MENDOZA-6


021 026 0006



BLACK 3654.00

GOLDEN 4926.00

- 220-240V/50-60Hz
- Max. 18W LED
- 6XE27
- Bulb not included







TORRENT

BLACK+GOLD

- 220-240V/50-60Hz
- Bulb not included



6764.00	9751.00	12470.00
TORRENT-4	TORRENT-6	TORRENT-8
021-027-0004	021-027-0006	021-027-0008

Power	: 4xMax.12W LED G9	6xMax.12W LED G9	8xMax.12W LED G9
-------	--------------------	------------------	------------------



PENDANT LAMP



4351.00

DREAM

021 020 0001



3876.00

SHARP

021 019 0001



3488.00

RONDO


021 018 0001



AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass



4381.00

GLOBAL

021 021 0001



5997.00

GLOBAL-X


021 021 0002



AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass




1214.00

COPPER

021 022 0001

- 250V~/4A
- Max. 60W
- For Glass Pendant



4292.00

ELEMENT-1

021 015 0001



AMBER



TITANIUM

4836.00

ELEMENT-2

021 015 0002




CLEAR COPPER



CLEAR CHROME

- 250V~/4A
- Max. 60W
- Glass





3997.00

SPARK-1

021 016 0001



AMBER



TITANIUM

4051.00

SPARK-2

021 016 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



3952.00

HARMONY-1

021 017 0001



AMBER



TITANIUM

4006.00

HARMONY-2

021 017 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



4391.00

METEOR

021 014 0001



4148.00


021 014 0002



COPPER

CHROME

- 250V~/4A
- Max. 60W
- Glass




GLASS PENDANT LAMP



344.00

VOLTA

021 001 0001



BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 250V~/4A
■ Max. 60W



943.00

EDISON

021 002 0001



943.00

TESLA

021 003 0001



943.00

WEBER


021 008 0001



943.00

GAUSS

021 009 0001



RED COPPER


GOLDEN

PEARL BLACK

OLD BRONZE

CHROME


■ 250V~/4A
■ Max. 60W



2697.00

NEWTON


021 010 0001



2679.00

KEPLER

021 011 0001



2846.00

MAXWELL


021 012 0001



2791.00

NOBEL

021 013 0001



BLACK

■ 250V~/4A
■ Max. 60W

FOLDABLE CASE





HOROZ ELECTRIC

LED String Light

6740.00

AMBIANCE

022 004 0001

- 220V/24V
- 12W/Pure Set
- 18m/24BULBS
- 300 lm
- Average Life: 25.000Hrs
- Wall and ground installation apparatus available



Insert the ground



Nailed to the wall



WALL AND GROUND INSTALLATION APPARATUS AVAILABLE



LED STRING LIGHT



HOROZ ELECTRIC

LED String Light String Light




6855.00

PARADISE

022 005 0001

- 220V/24V
- 12W/Pure Set
- 18m/24BULBS
- 300 lm
- Average Life: 25.000Hrs





25774.00

CARNAVAL-ROLL

022 003 0001

CUTTABLE

- 220V~
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included




2121.00

CARNAVAL-F10

022 002 0010

LINKABLE

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0.94mm²
- Total 10 Meters
- Bulb not included



CARNAVAL

LINKABLE

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



1994.00

2393.00


CARNAVAL-1

CARNAVAL-2

022-001-0001

022-001-0002

Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0,75mm ²	2*1,5mm ²





HOROZ ELECTRIC

LED Wall Light

2822.00


ACROPOL

029 012 0008



- BLACK
- ROSE GOLD

- 180-240V / 50-60Hz
- 500 lm
- 4000K
- Average Life: 30.000 Hrs



2574.00


FOREVER-W

029 013 0007



- BLACK
- ROSE GOLD

- 180-240V / 50-60Hz
- 400 lm
- 4000K
- Average Life: 30.000 Hrs



HOROZ ELECTRIC

LED Wall Light



LED WALL LIGHT



2534.00


ALWAYS-W

029 014 0012



- BLACK
- ROSE GOLD

- 180-240V / 50-60Hz
- 700 lm
- 4000K
- Average Life: 30.000 Hrs





HOROZ ELECTRIC LED Wall Light

2853.00

BELEK

029 009 0003





WHITE

BLACK

- 85-265V / 50-60Hz
- 100 lm
- 4200K
- Average Life: 30.000 Hrs

150x45x50mm




LED WALL LIGHT

3593.00


MAESTRO

029 008 0010



BLACK

- 85-265V / 50-60Hz
- 425 lm
- 4200K
- Average Life: 30.000 Hrs





2592.00

CUNDA




029 011 0003





WHITE

BLACK

- 180-240V / 50-60Hz
- 700 lm
- 4200K
- Average Life: 20.000 Hrs




SALDA



BLACK

- 85-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



2793.00

3238.00

SALDA-10

SALDA-14

029-010-0010



029-010-0014

Power	: 10 W	14 W
Luminous Flux	: 372 lm	680 lm
Sizes (mm)	: A: 620 B: 140	A: 920 B: 140

2394.00

SISAM


029 006 0008



2394.00

TRUVA


029 007 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SISAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs





HOROZ ELECTRIC

LED Ceiling Lamp



HOROZ ELECTRIC

**LED Ceiling Lamp
Ceiling Lamp**




LED CEILING LAMP

LIKYA

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME



■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4



■ LIKYA-5





■ LIKYA-6



2834.00	5038.00	6898.00	8493.00	8899.00	13456.00
LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006

Power	:	5W	2x5W	3x5W	4x5W	4x5W	6x5W
Luminous Flux	:	300 lm	2x300 lm	3x300 lm	4x300 lm	4x300 lm	6x300 lm





BODRUM

■ 220-240V / 50-60Hz

MAT CHROME



■ BODRUM-1

■ BODRUM

2034.00

4176.00

BODRUM-3


5866.00

6876.00

■ BODRUM-4

BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
035-004-0001	035-004-0002	035-004-0003	035-004-0004

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
-------	---	---------	-----------	-----------	-----------



KEMER

■ 220-240V / 50-60Hz

CHROME



■ KEMER-1

■ KEMER-2

■ KEMER-3

1723.00

3391.00


4790.00

6164.00

4541.00

KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
-------	---	---------	-----------	-----------	-----------	-----------



MANAVGAT

■ 220-240V / 50-60Hz

CHROME



■ MANAVGAT-1

■ MANAVGAT-2

■ MANAVGAT-3

2103.00

4194.00

MANAVGAT-4

5685.00


7241.00

MANAVGAT-5

5510.00

MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
-------	---	---------	-----------	-----------	-----------	-----------





HOROZ ELECTRIC

LED Picture & Mirror Lamp



2393.00

TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K



HOROZ ELECTRIC

LED Picture & Mirror Lamp LED Reading Lamp





2447.00

SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





2492.00

EBABIL-12

040 010 0012

CHROME


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





LEYLEK

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME

BLACK



2664.00

2973.00


LEYLEK-8

LEYLEK-12

040-016-0008

040-016-0012

Power	: 8 W	12 W
Luminous Flux	: 720 lm	850 lm
Sizes (mm)	: A: 400 B: 120 C: 45	A: 530 B: 120 C: 40



LED PICTURE & MIRROR LAMP/LED READING LAMP





1739.00

TURNA

040 007 0003


BLACK

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K



KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



CHROME

BLACK



2712.00

2842.00


KANARYA-8

KANARYA-12

040-012-0008

040-012-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 405 B: 120 C: 120	A: 555 B: 120 C: 120






KARTAL

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK



3263.00

3951.00


KARTAL-8

KARTAL-12

040-017-0008

040-017-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 160 D: 50	A: 550 B: 120 C: 160 D: 50




ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK



3099.00

3426.00


ANKA-8

ANKA-12

040-014-0008

040-014-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 185 D: 45	A: 550 B: 120 C: 185 D: 45




FLAMINGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK



2538.00

2882.00


FLAMINGO-8

FLAMINGO-12

040-001-0008

040-001-0012

Power	:	8 W	12 W
Luminous Flux	:	450 lm	750 lm
Sizes (mm)	:	A: 400 B: 120 C: 185 D: 45	A: 550 B: 120 C: 185 D: 45





HOROZ ELECTRIC

Floor Lamp

MERİÇ

■ 220-240V / 50-60Hz



MERİÇ-1	MERİÇ-2	MERİÇ-3
045-001-0001	045-001-0002	045-001-0003

Power	: Max.18W LED	Max.18W LED (Mother) Max.10W LED (Baby)	Max.18W LED (Mother) Max.10W LED (Baby)
Lamp Holder	: E27	E27 (Mother)& E14 (Baby)	E27 (Mother)& E14 (Baby)
Color	: White	White	White
Sizes (mm)	: A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500



HOROZ ELECTRIC

Floor Lamp



FLOOR LAMP





3064.00

HUGO 3 CCT

- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20.000 Hrs

SILVER

PEARL BLACK

GOLD

050 007 0001



CCT ADJUSTABLE



2988.00

MAGNUM 3 CCT

- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20.000 Hrs

SILVER

PEARL BLACK

GOLD

050 008 0001



CCT ADJUSTABLE



3251.00

ELIXIR 3 CCT


- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20.000 Hrs

SILVER

PEARL BLACK

GOLD

050 009 0001



CCT ADJUSTABLE





HOROZ ELECTRIC

LED Table Lamp

2012.00


MERIDA 3 CCT

- 100-240V AC/5VDC
- 120 lm
- Duration Time: 4-6 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

050 001 0001



- BLACK
- WHITE
- PINK
- GOLD
- LIGHT BLUE
- LIGHT GREEN



LED TABLE LAMP



HOROZ ELECTRIC

LED Table Lamp



1320.00


PRONTO 3 CCT

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

050 002 0001



- GOLD
- SILVER
- ROSE GOLD





1084.00

AVIVA 3 CCT

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

GOLD

SILVER

ROSE GOLD


CCT ADJUSTABLE

CCT Selectable by Touch Switch


3000K

4500K

6000K



Long Press infinitely DIMMABLE




1033.00


INTER 3 CCT

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 500mAh Li-ion
- Average Life: 20.000 Hrs

050 004 0001



Long Press infinitely DIMMABLE



CCT ADJUSTABLE

CCT Selectable by Touch Switch

3000K

4500K

6000K



1033.00


WANDA 3 CCT

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 500mAh Li-ion
- Average Life: 20.000 Hrs

050 005 0001



Long Press infinitely DIMMABLE



CCT ADJUSTABLE

CCT Selectable by Touch Switch

3000K

4500K

6000K





HOROZ ELECTRIC

LED Desk Lamp

2092.00

BESTE

- 100-240V AC
- 380 lm
- 4500K
- Average Life: 30.000 Hrs

049 037 0005

G

RED

WHITE

BLACK



1,5m PLUG



HOROZ ELECTRIC

LED Desk Lamp



7904.00

EBRU


049 010 0010

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs



CCT Adjustable

With Clips



4461.00

IREM


049 011 0005

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



CCT Adjustable





7794.00

SİMGE


048 014 0060



GREEN

BLUE

- 220-240V / 50-60Hz
- Max.18W LED



3045.00

RANA

048 013 0060




BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max.18W LED



1595.00

BİHTER

048 009 0060




BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max.18W LED



DESK LAMP







LED Batten Light LED Waterproof Lamp LED Tube Fixture



GAMA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



- WHITE
- BLACK

GAMA-30



GAMA-60




GAMA-80



	653.00	906.00	1559.00
	GAMA-30	GAMA-60	GAMA-80
	052-006-0060	052-006-0120	052-006-0150




Power	: 30 W	60 W	80 W
Luminous Flux	: 2250 lm	4500 lm	6000 lm
Length (mm)	: A: 600 B: 75 C: 25	A: 1200 B: 75 C: 25	A: 1500 B: 75 C: 25



LED BATTEN LIGHT

GAMA-X

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



- WHITE
- BLACK

GAMA-30X



GAMA-60X




GAMA-80X



	743.00	1069.00	1776.00
	GAMA-30X	GAMA-60X	GAMA-80X
	052-006-2060	052-006-2120	052-006-2150

Power	: 30 W	60 W	80 W
Luminous Flux	: 2250 lm	4500 lm	6000 lm
Length (mm)	: A: 600 B: 80 C: 30	A: 1200 B: 80 C: 30	A: 1500 B: 80 C: 30






TETRA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE



464.00

685.00

1204.00

TETRA-18

TETRA-36


TETRA-72

052-003-0060

052-003-0120


052-003-0150

Power	: 18 W	36 W	72 W
Luminous Flux	: 1135 lm	2269 lm	5300 lm
Length (mm)	: L: 600	L: 1200	L: 1500



TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



WHITE

BLACK



689.00

1214.00

1613.00

TETRA/SQ-27

TETRA/SQ-54

TETRA/SQ-72

052-005-0060

052-005-0120

052-005-0150

Power	: 27 W	54 W	72 W
Luminous Flux	: 1890 lm	3780 lm	5670 lm
Length (mm)	: L: 600	L: 1200	L: 1500





SAILOR 3 CCT


- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 3CCT
- Max. 300W can be linkable



EASY CONNECTION



FAST CONNECTOR



LINKABLE



CCT ADJUSTABLE

CCT Selectable by DIP Switch

3000K

4000K

6500K



1599.00

2469.00

3426.00

SAILOR-20 3 CCT

SAILOR-40 3 CCT

SAILOR-50 3 CCT

059-010-0020

059-010-0040

059-010-0050


Power	: 20 W	40 W	50 W
Luminous Flux	: 2600 lm	5200 lm	6500 lm
Length (mm)	: L: 645	L: 1245	L: 1545






NAVIGATOR

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



Linkable & Quick Connect



1758.00

NAVIGATOR-18

059-011-0018

2951.00

NAVIGATOR-36

059-011-0036

3716.00

NAVIGATOR-45

059-011-0045


Power	: 18 W	36 W	45 W
Luminous Flux	: 1800 lm	3600 lm	4500 lm
Max Connectable Units	: 16 PCS	8 PCS	6 PCS
Length (mm)	: L: 600	L: 1200	L: 1500



LED WATERPROOF LAMP

NAVIGATOR/XL

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



Linkable & Quick Connect



2103.00

NAVIGATOR/XL-24

059-011-2024

3190.00

NAVIGATOR/XL-48



059-011-2048

4430.00

NAVIGATOR/XL-60

059-011-2060


Power	: 24 W	48 W	60 W
Luminous Flux	: 2400 lm	4800 lm	6000 lm
Max Connectable Units	: 12 PCS	6 PCS	5 PCS
Length (mm)	: L: 600	L: 1200	L: 1500





IRMAK


- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



725.00 1160.00 1523.00


IRMAK-18	IRMAK-36	IRMAK-45
059-004-0018	059-004-0036	059-004-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 650	L: 1260	L: 1560



NEHİR


- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



1088.00 1704.00 2103.00


NEHİR-18	NEHİR-36	NEHİR-45
059-003-0018	059-003-0036	059-003-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 652	L: 1262	L: 1562



OKYANUS

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



1939.00 3259.00 3915.00

OKYANUS-36	OKYANUS-72	OKYANUS-90
059-005-0036	059-005-0072	059-005-0090

Power	: 36 W	72 W	90 W
Luminous Flux	: 2880 lm	5760 lm	7200 lm
Length (mm)	: L: 632	L: 1242	L: 1542







SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE




	422.00	518.00	634.00	761.00
	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156




OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE



	444.00	547.00	682.00	816.00
	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155




TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	229.00	308.00	294.00	392.00
	TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
	061-001-0060	061-001-2060	061-001-0120	061-001-2120
Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226






LED TUBE FIXTURE

2078.00

PROMASTER

- 175-250V / 50-60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included

057 003 2120



PROFIX


- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



853.00 1073.00 1320.00 1594.00

PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
057-001-1060	057-001-2060	057-001-1120	057-001-2120

Power	: Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 88 C: 62	A: 1280 B: 65 C: 65	A: 1280 B: 88 C: 62






HOROZ ELECTRIC

LED Linear High Bay Lamp

PYRAMID

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body



Mountable



Hangable



	4267.00	8493.00	12481.00	15810.00
	PYRAMID-50	PYRAMID-100	PYRAMID-150	PYRAMID-200
	063-010-0050	063-010-0100	063-010-0150	063-010-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 6500 lm	: 13000 lm	: 19500 lm	: 26000 lm
Length (mm)	: 266	: 519	: 772	: 1025



HOROZ ELECTRIC


LED Linear High Bay Lamp LED Ufo High Bay Lamp



LED LINEAR HIGH BAY LAMP

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body



Mountable



Hangable



	3081.00	5981.00	8700.00	10875.00
	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4650 lm	: 9300 lm	: 13950 lm	: 18600 lm
Length (mm)	: 290	: 520	: 758	: 1000





HOROZ ELECTRIC

LED Ufo High Bay Lamp

14355.00



MAGNUS-200 3 CCT

- 100-277V / 50-60Hz
- 30.000 lm
- Average Life: 50.000 Hrs
- 3 CCT
- 1-10V Dimmer


063 012 0200



CCT ADJUSTABLE



DIP SWITCH POWER ADJUSTABLE IN 3 GEARS




LED UFO HIGH BAY LAMP

MYRA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE



7098.00

8573.00

10766.00

MYRA-100 3 CCT

MYRA-150 3 CCT


MYRA-200 3 CCT

063-011-0100

063-011-0150

063-011-0200


Power	: 100 W	150 W	200 W
Luminous Flux	: 15000 lm	22500 lm	30000 lm
Length (mm)	: A:52,96 B:4 C:265,1D:128,6 E:40 F:265,1G:113,4 H:148,4	A:54,7 B:96,4 C:290,4 D:128,6 E:40 F:290,4 G:116,1 H:151,1	A:60,96 B:4 C:347,2 D:128,6 E:40 F:347,2 G:129,4 H:156,9






ARTEMIS

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body




	5973.00	7497.00	9490.00	12321.00
	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200	ARTEMIS-300
	063-003-0100	063-003-0150	063-003-0200	063-003-0300
Power	: 100 W	: 150 W	: 200 W	: 300 W
Luminous Flux	: 15000 lm	: 22500 lm	: 30000 lm	: 45000 lm
Sizes (mm)	: A: 265 B: 148.4	: A: 290.4 B: 151	: A: 347.2 B: 157	: A: 396 B: 177




AGORA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body




	3629.00	4626.00	5941.00	9131.00
	AGORA-100	AGORA-150	AGORA-200	AGORA-300
	063-008-0100	063-008-0150	063-008-0200	063-008-0300
Power	: 100 W	: 150 W	: 200 W	: 300 W
Luminous Flux	: 13000 lm	: 19500 lm	: 26000 lm	: 39000 lm
Sizes (mm)	: A:270 B: 91	: A:300 B: 96.5	: A:330 B: 103	: A:372 B: 108




HERKÜL

- 100-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K



	9831.00	12050.00	13638.00
	HERKÜL-100	HERKÜL-150	HERKÜL-200
	063-009-0100	063-009-0150	063-009-0200
Power	: 100 W	: 150 W	: 200 W
Luminous Flux	: 15000 lm	: 22500 lm	: 30000 lm
Length (mm)	: A:275 B:28 C:119 D:154	: A:320 B:29 C:122 D:158	: A:380 B:36 C:123 D:159






HOROZ ELECTRIC


LED Projector

BORNEO

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK



	2723.00	4606.00	8848.00	13187.00	17792.00	22047.00	25157.00
	BORNEO-50	BORNEO-100	BORNEO-200	BORNEO-300	BORNEO-400	BORNEO-500	BORNEO-600
	068-033-0050	068-033-0100	068-033-0200	068-033-0300	068-033-0400	068-033-0500	068-033-0600

Power	:	50 W	100 W	200 W	300 W	400 W	500 W	600 W
Luminous Flux	:	6000 lm	12000 lm	24000 lm	36000 lm	48000 lm	60000 lm	72000 lm
Sizes (mm)	:	A: 210 B: 190 C: 41	A: 280 B: 240 C: 45	A: 360 B: 325 C: 65	A: 425 B: 445 C: 68	A: 445 B: 445 C: 68	A: 600 B: 510 C: 71	A: 600 B: 510 C: 71

LED PROJECTOR



HOROZ ELECTRIC

- LED Projector
- LED RGB Projector
- LED Solar Projector
- LED Solar Security Light
- LED Rechargeable Light
- LED Frameless Projector
- Portable LED Projector
- LED Projector Stand





PALLAS 3 CCT

- 145-265V / 50-60Hz
- Average Life: 30.000 Hrs



CCT ADJUSTABLE




BLACK



1934.00	3270.00	6839.00	9889.00
PALLAS-50 3 CCT	PALLAS-100 3 CCT	PALLAS-200 3 CCT	PALLAS-300 3 CCT
068-030-1050	068-030-1100	068-030-1200	068-030-1300

Power	: 50 W	100 W	200 W	300 W
Luminous Flux	: 6500 lm	13000 lm	26000 lm	39000 lm
Sizes (mm)	: A:176.5 B:152.4 C:28.2	A:222.5 B:191.5 C:29.7	A:297.3 B:256.3 C:32.7	A:350.9 B:301.4 C:33.5



MARGAY 3 CCT

- 145-265V / 50-60Hz
- Average Life: 30.000 Hrs



CCT ADJUSTABLE




GRAY



2074.00	3453.00	7277.00	
MARGAY-50 3 CCT	MARGAY-100 3 CCT	MARGAY-200 3 CCT	MARGAY-300 3 CCT
068-031-1050	068-031-1100	068-031-1200	068-031-0300

Power	: 50 W	100 W	200 W	300 W
Luminous Flux	: 6500 lm	13000 lm	26000 lm	39000 lm
Sizes (mm)	: A:145 B:188 C:32	A:194 B:249 C:36	A:253 B:327 C:39	A:295 B:379 C:49







PUMA


- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



BLACK



	381.00	526.00	653.00	943.00	1613.00	3480.00
	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W
Luminous Flux	: 1000 lm	: 2000 lm	: 3000 lm	: 5000 lm	: 10000 lm	: 22200 lm
Color Temperature	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 101 B: 109 C: 21	: A: 122 B: 134 C: 30	: A: 138 B: 155 C: 32	: A: 175 B: 198 C: 32	: A: 231 B: 269 C: 35	: A: 312 B: 385 C: 37





REMIX

- 100-260V / 50-60Hz
- Average Life: 25.000 Hrs
- RGB+W



	1596.00	1942.00	2618.00	4015.00
	REMIX-20	REMIX-30	REMIX-50	REMIX-100
	068-020-0020	068-020-0030	068-020-0050	068-020-0100
Power	: 20 W	: 30 W	: 50 W	: 100 W
Luminous Flux	: 1600 lm	: 2400 lm	: 4000 lm	: 8000 lm
Sizes (mm)	: A: 109.4 B: 84.6 C: 25.2	: A: 137 B: 105 C: 25.2	: A: 178 B: 124 C: 26.5	: A: 269 B: 180 C: 27.2






HOROZ ELECTRIC

Portable LED Projector/LED Frameless Projector

WORKSHOP

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 5000K
- 1.8M H07RN-F3G1.5mm2+VDE plug



8634.00

13892.00


WORKSHOP-30

WORKSHOP-60

068-019-0030

068-019-0060


Power	: 30 W	60 W
Luminous Flux	: 3250 lm	6500 lm
Sizes (mm)	: A: 252,5 B: 291 C: 111	A: 342 B: 387,5 C: 100
Socket & Switch	: 1socket+ON/OFF on back	2socket+ON/OFF on back



PEGASUS

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

FRAMELESS FLOODLIGHT NO DARK AREA EDITION



857.00

1196.00

1715.00

2452.00

4187.00

PEGASUS-10

PEGASUS-20

PEGASUS-30

PEGASUS-50

PEGASUS-100

068-024-0010


068-024-0020

068-024-0030

068-024-0050

068-024-0100

Power	: 10 W	20 W	30 W	50 W	100 W
Luminous Flux	: 1100 lm	2200 lm	3380 lm	5750 lm	11700 lm
Sizes (mm)	: A: 81,9 B: 94,6 C: 35,2	A: 101,7 B: 117,5 C: 36,3	A: 133,2 B: 165,2 C: 38,3	A: 164 B: 200,8 C: 45	A: 203 B: 251,8 C: 49,5



PORTABLE LED PROJECTOR / LED FRAMELESS PROJECTOR



HOROZ


ELECTRIC

LED Frameless Worklight

PEGASUS/W

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

FRAMELESS FLOODLIGHT NO DARK AREA EDITION




1.8 m PLUG



	4554.00	6472.00
PEGASUS/W-50		PEGASUS/W-100
068-032-0050		068-032-0100

Power	: 50 W	100 W
Luminous Flux	: 5750 lm	11700 lm
Sizes (mm)	: A: 178.6 B: 155.8 C: 78.1	A: 223.3 B: 194.8 C: 80.4



LED FRAMELESS WORKLIGHT





TIGER PRO 3 CCT

- 3.2V DC
- Average Life: 50.000 Hrs
- 3 CCT
- Duration Time 12-14 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
- Remote Control: 12m
- With 5m Cable & U Bracket

BLACK



CCT ADJUSTABLE



3000K



4500K




6500K



	3110.00	3968.00	6579.00	9470.00
	TIGER PRO-50 3 CCT	TIGER PRO-100 3 CCT	TIGER PRO-200 3 CCT	TIGER PRO-300 3 CCT
	068-012-2050	068-012-2100	068-012-2200	068-012-2300

Power	: 50 W	100 W	200 W	300 W
Luminous Flux	: 700 lm	1100 lm	1700 lm	3100 lm
Battery	: (3.2V / 5AH) Lithium Iron Phosphate	(3.2V / 8AH) Lithium Iron Phosphate	(3.2V / 20AH) Lithium Iron Phosphate	(3.2V / 30AH) Lithium Iron Phosphate
Solar Panel	: Monocrystalline, 6V/6W	Monocrystalline, 6V/10W	Monocrystalline, 6V/20W	Monocrystalline, 6V/30W
Projector Sizes (mm)	: A: 143 B: 185 C: 57	A: 178 B: 233 C: 57	A: 215 B: 285 C: 58	A: 275 B: 350 C: 57
Solar Panel Sizes (mm)	: D: 230 E: 150	D: 300 E: 210	D: 390 E: 300	D: 430 E: 390



LED SOLAR PROJECTOR




LED Solar Projector/LED Rechargeable Projector LED Solar Security Light

2429.00


SPIDER-16

068 021 0016



- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- CRI 80
- Solar Panel: 1W 5V


BLACK



3806.00

SPARROW-16

068 022 0016




- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time:12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- Remote Control: 12m
- CRI 80
- Solar Panel: 1.6W 5.5V

BLACK



THREE MODES LIGHTING


WALL AND GROUND INSTALLATION APPARATUS AVAILABLE



3027.00


PANDA-10

068 023 0010



- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 800 lm
- Duration Time 3 Hrs
- Charging Time 4 Hrs
- 3.7V 2600mAh Lithium Battery


BLACK



152.00


ARMOR-8

072 001 0008



- 3.7V DC
- 600 lm
- 6400K
- 2x1.5Ah Li-ion Battery
- Continuous Working Time: 1.5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2.5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel

BLACK



LED SOLAR PROJECTOR/LED RECHARGEABLE PROJECTOR/LED SOLAR SECURITY LIGHT



TURBO 3 CCT

- 3.7V DC
- Average Life: 25.000 Hrs
- 3000K-4200K-6400K




CCT ADJUSTABLE


CCT Selectable by DIP Switch



3000K




4500K



6000K



DIMMABLE



2103.00

2864.00

5256.00

TURBO-200 3 CCT

TURBO-400 3 CCT


TURBO-800 3 CCT

068-027-0200

068-027-0400

068-027-0800

Power	: 200 W	400 W	800 W
Luminous Flux	: 1466 lm	2391lm	2733 lm
Battery	: 3.7V 1200X3mAh	3.7V 8000mAh	3.7V 10000mAh
Panel	: 5V 1.3W	5V 2.3W	6V 8W Solar Panel Foldable
Endurance	: Strong light 5H universal light 7H	Strong light 5H universal light 7H	Strong light 6H universal light 8H
Sizes (mm)	: A:183.5 B:144 C:54.3	A:217.8 B:174.3 C:54.8	A:277 B:244.5 C:66







HOROZ ELECTRIC

LED Solar Street Light

GRAND PRO

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-14 Hours
- Charge&Discharge: >1500 times
- Installation Height : 3-6 meters
- Charging Time: 4-6 Hours
- Remote Control: 12m



BLACK



3064.00

3898.00

6462.00

7837.00

GRAND PRO-50

GRAND PRO-100

GRAND PRO-200

GRAND PRO-300


074-009-2050

074-009-2100

074-009-2200

074-009-2300

Power	: 50 W	100 W	200 W	300 W
Luminous Flux	: 950 lm	1150 lm	1900 lm	2100 lm
Battery	: 3.2V / 4AH Lithium Iron Phosphate	3.2V / 5AH Lithium Iron Phosphate	3.2V / 12AH Lithium Iron Phosphate	3.2V / 15AH Lithium Iron Phosphate
Solar Panel	: Monocrystal Panel 5V / 6W	Monocrystal Panel 5V / 8W	Monocrystal Panel 5V / 15W	Monocrystal Panel 5V / 20W
Irradiation Area	: 30m ²	60m ²	80m ²	100m ²
Street Lamp Sizes (mm)	: A: 216 B: 219 C: 46	A: 231B: 413 C: 47	A: 251 B: 622 C: 47	A: 251 B: 722 C: 47



LED SOLAR STREET LIGHT




HOROZ ELECTRIC

LED Solar Street Light LED Street Light





GRAND/XL



- 3.2V DC
- Average Life: 50,000 Hrs
- 6400K
- Duration Time 10-12 Hours
- Charge&Discharge: >1500 times
- Charging Time: 6-8 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m



BLACK



8812.00

10407.00

12361.00

GRAND/XL-600

GRAND/XL-900


GRAND/XL-1200

074-009-0600

074-009-0900

074-009-1200

Power	: 600 W	900 W	1200 W
Luminous Flux	: 2092 lm	2668 lm	3066 lm
Battery	: 3 x 3.2V/15Ah Lithium Iron Phosphate	3 x 3.2V/20Ah Lithium Iron Phosphate	3 x 3.2V/25Ah Lithium Iron Phosphate
Solar Panel	: Polycrystalline Silicon 6V/18W	Polycrystalline Silicon 6V/25W	Polycrystalline Silicon 6V/30W
Installation Height	: 4 Meters	5 Meters	6 Meters
Irradiation Area	: 80 m ²	150 m ²	200 m ²
Street Lamp Sizes (mm)	: A: 345 B: 450 C: 70	A: 345 B: 600 C: 75	A: 345 B: 680 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 360	D: 340 E: 510	D: 340 E: 590




LED SOLAR STREET LIGHT





COMPACT PRO



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m



BLACK



POLE INCLUDED




2896.00


3426.00

3962.00

	074-010-1020	074-010-1030	074-010-1040
Power	20 W	30 W	40 W
Luminous Flux	150 lm	190 lm	400 lm
Battery	3.2V,3Ah Lithium Iron Phosphate	3.2V,3Ah Lithium Iron Phosphate	3.2V,3.6Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 5V/2W	Polycrystalline Silicon 5V/3W	Polycrystalline Silicon 5V/5W
Street Lamp Sizes (mm)	A:273 B:165 C:55	A:333 B:165 C:55	A:393 B:165 C:55



COMBAT



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole

BLACK




10199.00

POLE

130 001 0001

■ Pole for Combat




7685.00

9334.00

12325.00

	COMBAT-150	COMBAT-200	COMBAT-250
	074-011-0150	074-011-0200	074-011-0250
Power	150 W	200 W	250 W
Luminous Flux	1400 lm	1700 lm	2400 lm
Battery	3x3.2V,10Ah Lithium Iron Phosphate	4x3.2V,15Ah Lithium Iron Phosphate	5x3.2V,20Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/8W	Polycrystalline Silicon 6V/12W	Polycrystalline Silicon 6V/16W
Installation Height	3 Meters	3.5 Meters	4 Meters
Irradiation Area	30m ²	60m ²	90m ²
Street Lamp Sizes (mm)	A: 415 B:127	A: 462 B:127	A: 510 B:127







ORLANDO PRO

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



GRAY



3350.00

3763.00

6549.00

8360.00

10304.00

ORLANDO PRO-30

ORLANDO PRO-50

ORLANDO PRO-100

ORLANDO PRO-150

ORLANDO PRO-200

074-005-1030

074-005-1050

074-005-1100

074-005-1150

074-005-1200

Power	:	30 W	50 W	100 W	150 W	200 W
Luminous Flux	:	4500 lm	7500 lm	15000 lm	22500 lm	30000 lm
Pole Diameter (Ø)	:	Min.50 - Max.65	Min.50 - Max.65	Min.50 - Max.65	Min.50 - Max.65	Min.50 - Max.65
Sizes (mm)	:	A: 315 B: 170 C: 60	A: 315 B: 170 C: 60	A: 410 B: 210 C: 62	A: 455 B: 252 C: 66.5	A: 500 B: 272 C: 66.5



LED STREET LIGHT






FLORIDA





- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K

GRAY



Adjustable Pole Angle



2811.00

3270.00

4984.00

6628.00

9135.00

FLORIDA-30

FLORIDA-50

FLORIDA-100

FLORIDA-150

FLORIDA-200

074-014-0030

074-014-0050

074-014-0100

074-014-0150

074-014-0200

Power :	30 W	50 W	100 W	150 W	200 W
Luminous Flux :	3000 lm	5000 lm	10000 lm	15000 lm	20000 lm
Wall Installation Hole (mm) :	D: 88	D: 88	D: 96	D: 96	D: 96
Pole Diameter (Ø) :	60	60	60	60	60
Sizes (mm) :	A: 383 B: 125 C: 70	A: 465 B: 159 C: 75	A: 555 B: 198 C: 75	A: 593 B: 222 C: 75	A: 682 B: 260 C: 75







TEXAS



ANTHRACITE



- 100-265V/50-60 Hz
- Average Life: 20.000 Hrs
- 6400K



	2353.00	3310.00	4805.00	6400.00
	TEXAS-50	TEXAS-100	TEXAS-150	TEXAS-200
	074-012-0050	074-012-0100	074-012-0150	074-012-0200
Power :	50 W	100 W	150 W	200 W
Luminous Flux :	5750 lm	11680 lm	17600 lm	24000 lm
Sizes (mm) :	A: 350 B: 141 C: 68	A: 425 B: 185 C: 77	A: 516 B: 225 C: 77	A: 578 B: 248 C: 77
Pole Diameter (Ø) :	53	63	63	63

LED STREET LIGHT







VEGAS



BLACK

- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



	2712.00	3429.00	4984.00	6619.00
	VEGAS-50	VEGAS-100	VEGAS-150	VEGAS-200
	074-013-0050	074-013-0100	074-013-0150	074-013-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 5750 lm	: 11680 lm	: 17600 lm	: 23550 lm
Sizes (mm)	: A: 411 B: 139	: A: 462 B: 151	: A: 541 B: 189	: A: 654 B: 213

LED STREET LIGHT






ROCKET



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

BLACK



2795.00

3489.00

4772.00

ROCKET-30

ROCKET-50

ROCKET-100

074-015-0030


074-015-0050

074-015-0100

Power	: 30 W	50 W	100 W
Luminous Flux	: 3600 lm	6000 lm	12000 lm
Wall Installation Hole (mm)	: D: 74	D: 74	D: 74
Pole Diameter (Ø)	: 60	60	60
Sizes (mm)	: A: 424.3 B: 67.3 C: 12.6	A: 507.5 B: 68.3 C: 13.2	A: 596.7 B: 76.3 C: 15



Adjustable Pole Angle



LED STREET LIGHT





HOROZ ELECTRIC

LED Bulkhead Lamp


2302.00

SORENTO 3 CCT

071 017 0020



- WHITE**
- BLACK**
- 170-260V / 50-60Hz
- 1600 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (≥2MA)
- Power Frequency : 50/60Hz
- Ambient Light : <10LUX →2000LUX
- Time Delay : Min.10sec±3sec± MAX.10min±5min
- Detection Range : 120° ± 20°
- Detection Distance : 10 m±2m (<24° C)
- Working Temperature : -20 →+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s




1911.00

PALERMO 3 CCT

071 018 0015



- WHITE**
- BLACK**
- 170-265V / 50-60Hz
- 1200 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (≥2MA)
- Power Frequency : 50/60Hz
- Ambient Light : <10LUX →2000LUX
- Time Delay : Min.10sec±3sec±MAX.10min±5min
- Detection Range : 120° ± 20°
- Detection Distance : 10 m±2m (<24° C)
- Working Temperature : -20 →+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s



HOROZ ELECTRIC



LED Bulkhead Lamp




1460.00

BOLKAR-20

071 014 0020




- WHITE**
- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs
- Works only at night with PIR sensor



FARADAY

■ 160-265V / 50-60 Hz
■ Average Life: 25.000 Hrs

WHITE



733.00

931.00


FARADAY-24

FARADAY-36

071-015-0024

071-015-0036


Power	: 24 W	36 W
Luminous Flux	: 2400 lm	3600 lm
Sizes (mm)	: A: 250 B: 125 C: 38	A: 300 B: 150 C: 35



NORTON

■ 160-265V / 50-60 Hz
■ Average Life: 30.000 Hrs

WHITE



780.00

1045.00


NORTON-24

NORTON-36

071-016-0024

071-016-0036

Power	: 24 W	36 W
Luminous Flux	: 2400 lm	3600 lm
Sizes (mm)	: A: 200 B: 38	A: 240 B: 35



Aluminium Bulkhead Lamp



WHITE

BLACK

■ 220-240V / 50-60Hz

NEMRUT

AYDER

TOROS

KAÇKAR



1092.00

2139.00

1092.00

2139.00

NEMRUT

AYDER

TOROS

KAÇKAR


070-001-0060

070-012-0100

070-002-0060

070-013-0100

Power	: Max.18 W LED	Max.18 W LED	Max.18 W LED	Max.18 W LED
Sizes (mm)	: A: 210 B: 80 C: 105	A: 275 B: 115 C: 155	A: 210 B: 85 C: 105	A: 275 B: 120 C: 155



WHITE

BLACK

■ 220-240V / 50-60Hz

ZİGANA

MUNZUR

ARARAT

ERCİYES



1159.00

2209.00

1159.00

2209.00

ZİGANA

MUNZUR

ARARAT

ERCİYES


070-005-0060

070-014-0100

070-006-0060


070-015-0100

Power	: Max.18 W LED	Max.18 W LED	Max.18 W LED	Max.18 W LED
Sizes (mm)	: A: 180 B: 85 C: 180	A: 240 B: 110 C: 140	A: 170 B: 80 C: 170	A: 240 B: 115 C: 240



NAR

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



	3036.00	3777.00	3900.00	5134.00	6317.00
	NAR-1	NAR-2	NAR-3	NAR-4	NAR-5
	075-016-0001	075-016-0002	075-016-0003	075-016-0004	075-016-0005
Power :	Max.18W LED	Max.18W LED	Max.18W LED	Max.18W LED	Max.18W LED
Color :	Black/White	Black/White	Black/White	Black	Black
Sizes :	A: 170 B: 240 C: 210	A: 170 B: 800 C: 260	A: 170 B: 170 C: 300	A: 170 B: 170 C: 580	A: 170 B: 170 C: 840



GARDEN LAMP



	15985.00	19405.00
	NAR-6	NAR-7
	075-016-0006	075-016-0007
Power :	Max.2x18W LED	Max.3x18W LED
Color :	Black	Black



PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK



2956.00

PALMERA-1

075-018-0001

3492.00

PALMERA-2

075-018-0002

4757.00

PALMERA-3


075-018-0003

6722.00

PALMERA-4

075-018-0004

Sizes (mm)	:	A: 90 B: 215	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800
------------	---	--------------	--------------	--------------	--------------



GARDEN LAMP

PALMERA/S

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK



3042.00

PALMERA/S1

075-017-0001

3868.00

PALMERA/S2

075-017-0002

4952.00

PALMERA/S3


075-017-0003

7513.00

PALMERA/S4

075-017-0004

Sizes (mm)	:	A: 90 B: 90 C: 215	A: 90 B: 90 C: 300	A: 90 B: 90 C: 500	A: 90 B: 90 C: 800
------------	---	--------------------	--------------------	--------------------	--------------------





KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED



3043.00

KAVAK/SQ-2


075-015-0002



5433.00

KAVAK/SQ-4

075-015-0004



Sizes (mm)

: A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500

A: 90 B: 800



GARDEN LAMP



KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED



1921.00

KAVAK-2


075-014-0002



3423.00

KAVAK-4

075-014-0004



Sizes (mm)

: A: 208 B: 89 C: 148

A: 300 B: 89 C: 130

A: 500 B: 90 C: 130

A: 800 B: 90 C: 130






LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED



3152.00	4188.00	4222.00	5071.00
LADİN-1	LADİN-2	LADİN-3	LADİN-4
075-002-0001	075-002-0002	075-002-0003	075-002-0004
Sizes (mm) : A: 335 B: 120	A: 350 B: 120 C: 165	A: 500 B: 120	A: 800 B: 120




DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 18W LED



1658.00	2650.00	2268.00	2806.00	3738.00
DEFNE-1	DEFNE-2	DEFNE-3	DEFNE-4	DEFNE-5
075-004-0001	075-004-0002	075-004-0003	075-004-0004	075-004-0005
Sizes (mm) : A:405 B: 76	A: 344 B: 76 C: 142	A: 325 B: 76 C: 110	A: 500 B: 76 C: 110	A: 800 B: 76 C: 110





KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED



4407.00

KAYIN-1

075-003-0001



4952.00

KAYIN-2

075-003-0002



5364.00


KAYIN-3

075-003-0003

6704.00

KAYIN-4

075-003-0004



Sizes (mm)

: A: 390 B: 150

A: 275 B: 150 C: 210

A: 450 B: 150

A: 800 B: 150



GARDEN LAMP

PALMIYE

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED

BLACK



5353.00

PALMIYE-1

075-001-0001



6184.00

PALMIYE-2

075-001-0002



6462.00


PALMIYE-3

075-001-0003

7996.00

PALMIYE-4

075-001-0004



Sizes (mm)

: A: 350 B: 150

A: 320 B: 150 C: 230

A: 500 B: 150


A: 800 B: 150






PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K



BLACK




Sizes (mm)	:	A: 70.4 B: 230.7	A: 70.4 B: 230.7	A: 109 B: 300	A: 109 B: 500	A: 109 B: 800
-------------------	---	------------------	------------------	---------------	---------------	---------------


5667.00	4268.00	5638.00	6209.00	9779.00
PRESTIGE-1S	PRESTIGE-1	PRESTIGE-2	PRESTIGE-3	PRESTIGE-4
076-053-1001	076-053-0001	076-053-0002	076-053-0003	076-053-0004

DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K



BLACK



Sizes (mm)	:	A: 110 B: 300	A: 110 B: 300	A: 300 B: 300	A: 500 B: 300	A: 800 B: 300
-------------------	---	---------------	---------------	---------------	---------------	---------------


6266.00	4160.00	7088.00	10865.00	9445.00
DYNAMIC-1S	DYNAMIC-1	DYNAMIC-2	DYNAMIC-3	DYNAMIC-4
076-058-1001	076-058-0001	076-058-0002	076-058-0003	076-058-0004

LED GARDEN LAMP




DEXTER

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 700 lm
- 4200K



BLACK



3031.00	4434.00	5765.00	7033.00
DEXTER-1	DEXTER-2	DEXTER-3	DEXTER-4
076-115-0001	076-115-0002	076-115-0003	076-115-0004


Sizes (mm)	:	A: 200 B: 65	A: 300 B: 150	A: 500 B: 150	A: 800 B: 150
------------	---	--------------	---------------	---------------	---------------

LED GARDEN LAMP

9229.00

LETON

076 087 0001




Ambience Light / 3000K



BLACK

- 85-265V 50-60Hz
- 4200K
- 547 lm
- Average Life: 30.000 Hrs







CALEX

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK



	2936.00	3935.00	5869.00
	CALEX-1	CALEX-2	CALEX-3
	076-116-0030	076-116-0060	076-116-0090
Power	: 10 W	: 20 W	: 30 W
Luminous Flux	: 667 lm	: 1247 lm	: 2101 lm
Sizes (mm)	: A: 30 B: 8 C: 2.8	: A: 60 B: 8 C: 2.8	: A: 90 B: 8 C: 2.8



LED GARDEN LAMP





MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 18W LED



2066.00

MANGO-1

075-009-0001

2066.00

MANGO-2

075-009-0002

2066.00

MANGO-3

075-009-0003



MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass



1773.00

MANOLYA-1

075-008-0001

2139.00

MANOLYA-2

075-008-0002

3150.00

MANOLYA-3

075-008-0003



Power	: Max. 10W LED	: Max. 2x10W LED	: Max. 2x18W LED
Lamp Holder	: GU10	: GU10	: E27
Body	: Stainless Steel	: Stainless Steel	: Aluminium
Color	: Mat Chrome / Black	: Mat Chrome / Black	: Black
Lighting Direction	: Down	: Up&Down	: Up&Down
Sizes (mm)	: A:116 B: 93 C: 85	: A:160 B: 93 C: 85	: A:300 B: 173 C: 108




GARDEN LAMP



1233.00

MAMBA


076 066 0001



1233.00

MAMBA-SQ

076 067 0001



BLACK

- 220-240V / 50-60Hz
- Max. 10W LED



REGNUM

- 220-240V / 50-60Hz
- Aluminium Body+PC

BLACK



2193.00

2559.00

2193.00

2559.00

REGNUM-1

REGNUM-2

REGNUM-3


REGNUM-4

075-019-0001

075-019-0002

075-019-0003


075-019-0004



Power	: Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	: Up	Up&Down	Up	Up&Down

GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



3252.00

5148.00

3252.00

5148.00

GARDENYA-1

GARDENYA-2

GARDENYA-3



GARDENYA-4

075-010-0001

075-010-0002

075-010-0003

075-010-0004




Power	: Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	: Down	Up&Down	Down	Up&Down



TWIST

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK



2193.00

2523.00



3226.00

3915.00



TWIST-5	TWIST-7	TWIST-12	TWIST-15
076-042-0005	076-042-0007	076-042-0012	076-042-0015

Power	:	5 W	7 W	12 W	15 W
Luminous Flux	:	350 lm	442 lm	821lm	987 lm
Lighting Direction	:	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm)	:	W: 85	W: 119	W: 170	W: 220




LED GARDEN LAMP

PROTON/S

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



1613.00

1954.00


2617.00

3418.00



PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
076-055-0002	076-055-0004	076-055-0006	076-055-0008

Power	:	2 W	4 W	6 W	8 W
Luminous Flux	:	260 lm	360 lm	540 lm	720 lm
Lighting Direction	:	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	:	A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48







NEUTRON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	1827.00	2701.00	3034.00	3752.00
	NEUTRON-5	NEUTRON-7	NEUTRON-12	NEUTRON-14
	076-091-0005	076-091-0007	076-091-0012	076-091-0014
Power	: 5 W	: 7 W	: 12 W	: 14 W
Luminous Flux	: 309 lm	: 452 lm	: 780 lm	: 973 lm
Lighting Direction	: Up, Down&Front	: Up, Down&Front	: Up, Down&Front	: Up, Down&Front
Sizes (mm)	: A: 90 B: 100 C: 48	: A: 92 B: 120 C: 50	: A: 95 B: 185 C: 50	: A: 95 B: 220 C: 53




LED GARDEN LAMP


PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	1343.00	1596.00	2124.00	2875.00
	PROTON-2	PROTON-4	PROTON-6	PROTON-8
	076-039-0002	076-039-0004	076-039-0006	076-039-0008
Power	: 2 W	: 4 W	: 6 W	: 8 W
Luminous Flux	: 260 lm	: 360 lm	: 540 lm	: 720 lm
Lighting Direction	: Up&Down	: Up&Down	: Up&Down	: Up&Down
Sizes (mm)	: A: 73 B: 80 C: 38	: A: 95 B: 117 C: 38	: A: 95 B: 181 C: 42	: A: 95 B: 217 C: 49






VOLCANO 3 CCT

- 100-265V / 50-60Hz
- 3CCT
- Average Life: 25.000 Hrs


CCT ADJUSTABLE



- BLACK
- WHITE



	1084.00	1446.00	1849.00	2237.00
	VOLCANO-9 3 CCT	VOLCANO-12 3 CCT	VOLCANO-15 3 CCT	VOLCANO-18 3 CCT
	076-119-0009	076-119-0012	076-119-0015	076-119-0018
Power	9 W	12 W	15 W	18 W
Luminous Flux	900 lm	1200 lm	1500 lm	1800 lm
Sizes (mm)	A: 120 B: 47	A: 180 B: 47	A: 220 B: 47	A: 250 B: 47



LED GARDEN LAMP







2174.00

LAGOS

- 85-265V 50-60Hz
- 4200K
- 765 lm
- Average Life: 30.000 Hrs

BLACK

076 070 0012







3227.00

CARAT

- 85-265V 50-60Hz
- 4200K
- 925 lm
- Average Life: 30.000 Hrs

BLACK

076 071 0012



LED GARDEN LAMP

1109.00



FACTOR-2

- 85-265V /50-60Hz
- 4200K
- 170 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

076 075 0002





1829.00

BAT-6

- 85-265V 50-60Hz
- 4200K
- 335 lm
- Average Life: 30.000 Hrs

BLACK

076 072 0006






BOLERO

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



1768.00

2074.00

2430.00

BOLERO-5

BOLERO-7


BOLERO-9

076-076-0005

076-076-0007

076-076-0009

Power	: 5W	7W	9W
Luminous Flux	: 350 lm	619 lm	865 lm
Sizes (mm)	: A: 105 B: 62	A: 125 B: 62	A: 160 B: 62





3119.00

METROPOL-12

- 85-265V 50-60Hz
- 4200K
- 910 lm
- Average Life: 30.000 Hrs

BLACK


076 073 0012



ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



2110.00

2500.00

3100.00

ANGEL-5

ANGEL-8

ANGEL-11

076-077-0005

076-077-0008

076-077-0011

Power	: 5W	8W	11W
Luminous Flux	: 330 lm	445 lm	740 lm
Sizes (mm)	: A: 125 B: 50	A: 170 B: 50	A: 214 B: 50



LED GARDEN LAMP

3094.00
SPARTA-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 085 0006

2700K 4200K 6400K

300 mm
85 mm
130 mm

6W SMD LED

IP54

4567.00
SPARTA-2

- 85-265V 50-60Hz
- 4200K
- 610 lm
- Average Life:30.000 Hrs

BLACK



076 085 0012

2700K 4200K 6400K

300 mm
85 mm
190 mm

12W SMD LED

IP54



LED GARDEN LAMP

3094.00
HERMES-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 084 0006

2700K 4200K 6400K

300 mm
83 mm
130 mm

6W SMD LED

IP54

4567.00
HERMES-2

- 85-265V 50-60Hz
- 4200K
- 637 lm
- Average Life:30.000 Hrs

BLACK

076 084 0012

2700K 4200K 6400K

300 mm
85 mm
190 mm

12W SMD LED



IP54



KING

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



1789.00

2348.00

1789.00

2348.00

KING-5/R

KING-10/R

KING-5/S

KING-10/S

076-082-0001

076-082-0002

076-082-0003

076-082-0004

Power	:	5 W	10 W	5 W	10 W
Luminous Flux	:	450 lm	900 lm	450 lm	900 lm



LED GARDEN LAMP





VIPER

- 85-265V / 50-60Hz
- 4200K
- 740 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

076 086 0017





SCADA

- 85-265V / 50-60Hz
- 4200K
- 590 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

076 074 0012



7598.00
LUXIA-G

076 078 0030

2700K 4200K 6400K



BLACK

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs

155 mm
425 mm
130 mm

30W SMD LED

IP54

7366.00
LUXIA

076 079 0030

2700K 4200K 6400K



BLACK

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs

155 mm
425 mm
130 mm

30W SMD LED

IP54



LED GARDEN LAMP

5780.00
MORENA

076 080 0020

2700K 4200K 6400K



BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs

145 mm
140 mm
300 mm


20W SMD LED

IP54

5780.00
PALACE

076 081 0020

2700K 4200K 6400K



BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs

300 mm
145 mm
140 mm

20W SMD LED

IP54



MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs

BLACK 2664.00

2953.00 BLACK&GOLDEN

076 052 0010




LED GARDEN LAMP



VECTOR

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



2105.00

2856.00

VECTOR-6

VECTOR-12

076-083-0006

076-083-0012

Power	:	6 W	12 W
Luminous Flux	:	350 lm	728 lm
Sizes (mm)	:	A: 130 B: 70	A: 200 B: 80





2788.00

OPERA-10

- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010







LED GARDEN LAMP

IMPERIAL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



4205.00

5210.00



IMPERIAL-1

IMPERIAL-2

076-054-0007

076-054-0014

Power	: 7 W	: 2x7 W
Luminous Flux	: 630 lm	: 1260 lm
Lighting Direction	: Up	: Up&Down





HOROZ ELECTRIC



LED Garden Lamp

4367.00

SUPERB

- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

076 040 0015





BLACK



2334.00

ANDIZ

076 037 0009



BLACK


WHITE

- 100-240V 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs



1469.00

SEKOYA

076 038 0004



Adjustable Beam Angle



BLACK

WHITE

- 100-240V 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs


LED GARDEN LAMP



3734.00


SAFARI

075 020 0001



BLACK



- 220-240V / 50-60Hz
- Max. 2x10W LED
- Bulb not included
- Aluminium Body



4198.00

SERVI


076 009 0012



BLACK

WHITE


- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



GARDEN LAMP/LED GARDEN LAMP

BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body



SALKIM

ZAKKUM

MEŞE

ARDIÇ



2202.00

2866.00

3519.00

2781.00

SALKIM

ZAKKUM

MEŞE

ARDIÇ





076-008-0006

076-005-0006

076-004-0012

076-003-0006

Power	: 6 W	: 6W	: 12 W	: 5.5 W
Luminous Flux	: 180 lm	: 330 lm	: 650 lm	: 245 lm
LED Type	: COB	: SMD	: SMD	: POWER
IP	: 44	: 54	: 54	: 54
Lighting Direction	: Up&Down	: Down	: Up&Down	: Down





HOROZ ELECTRIC



LED Garden Lamp

1230.00

DRAGON

- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs

076 060 0015



WHITE

BLACK



LED GARDEN LAMP





1154.00

SEGMENT

- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

076 059 0024



WHITE

BLACK





HOROSZ ELECTRIC



LED Garden Lamp

1349.00

CLEMENT

- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

076 062 0024



WHITE

BLACK





1258.00

BLACK

- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

076 061 0024



CRUZ


TANGO

BLADE

- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

WHITE

BLACK



1260.00

1180.00

1260.00

CRUZ

TANGO


BLADE

076-063-0024

076-064-0024

076-065-0024

Power	: 24 W	: 24 W	: 24 W
Luminous Flux	: 1800 lm	: 1800 lm	: 1800 lm







SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs



BLACK



3292.00

SUGA-12/RO

3292.00

SUGA-12/RC

3292.00

SUGA-12/SO

3292.00

SUGA-12/SC

076-021-0012

076-019-0012

076-022-0012

076-020-0012

Luminous Flux

: 1000 lm

700 lm

900 lm

650 lm




LED GARDEN LAMP / LED HOUSE NUMBER LIGHT



3129.00


ARENA

076 033 0010



LED HOUSE NUMBER


- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs



3172.00

MAGMA-15


076 090 0015



WHITE

BLACK

- 170-265V 50-60Hz
- 4200K
- 1450 lm
- Time Delay: 10sec±3sec to 5min±1min (adjustable)
- Ambient Light: <3-2000LUX
- Average Life 25.000 Hrs





HORoz ELECTRIC

LED Garden Lamp / Garden Lamp


OPTIC

BLACK

- 85-265V / 50-60Hz
- AMBER/GREEN/6400K
- \$YHUDJH / LIH



Suitable for floor installation



1185.00 1675.00 2258.00

OPTIC-7L	OPTIC-12L	OPTIC-15L
076-117-0007	076-117-0012	076-117-0015

Power	: 7W	12W	15W
Luminous Flux	: 490 lm	840 lm	1050 lm
Diameter (Ø)	: Ø 55	Ø 63	Ø 73
Sizes (mm)	: A: 268	A: 276	A: 286



LED GARDEN LAMP / GARDEN LAMP

C 428.00 X


BLACK

- 220-240V / 50-60Hz
- Max. 10W LED

075 021 0001



Suitable for floor installation



C 1039.00 S


BLACK

- 220-240V / 50-60Hz
- Max. 10W LED

075 022 0001



Suitable for floor installation



442.00

OPTIC-GX


BLACK

- 220-240V / 50-60Hz
- Max. 10W LED

075 022 1001



Suitable for floor installation





2213.00

KEOPS 3 CCT

078 018 0002



- Li-ION Battery 3.7V 1800mAh
- 3 CCT
- 80 lm
- Lighting Time: High 5 Hrs /Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel 5V 1.7W
- Average Life: 30.000 Hrs



CCT ADJUSTABLE



2 in 1



2320.00

QUEBEC 3 CCT

078 019 0002


- Li-ION Battery 3.7V 1800mAh
- 3 CCT
- 80 lm
- Lighting Time: High 5 Hrs /Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel 5V 2W
- Average Life: 30.000 Hrs



CCT ADJUSTABLE



2 in 1






HOROZ ELECTRIC

LED Solar Wall & Ground Lamp / LED Solar Wall Lamp

MOLECUL

- Li-ION Battery 3.7V 1200mAh
- 4200K
- Lighting Time: High 8 Hrs / Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel : 5V 1.3W
- Average Life: 30.000 Hrs



Seamless splicing

Snap-on construction, splicing
Tightly fitted, visual integration without faults



Snap-on connection



979.00

1233.00



MOLECUL-4

MOLECUL-6

078-020-0004


078-020-0006

Power	:	4 W	6 W
Luminous Flux	:	40 lm	60 lm
Sizes (mm)	:	A: 210 B:53	A: 288 B:53



HOROZ ELECTRIC

LED Solar Wall & Ground Lamp LED Solar Wall Lamp LED Solar Lamp





LED SOLAR WALL & GROUND LAMP / LED SOLAR WALL LAMP

MALIBU 3 CCT

- 3 CCT
- Charging Time: 4-6 Hours
- Working Time > 12H



CCT ADJUSTABLE



1117.00

1414.00

1921.00

MALIBU-43 CCT

MALIBU-63 CCT

MALIBU-83 CCT

078-017-0004

078-017-0006

078-017-0008

Power	:	4 W	6 W	8 W
Luminous Flux	:	30 lm	50 lm	85 lm
Battery	:	3.2V 600mAh Lifepo4	3.2V 1200mAh Lifepo4	3.2V 1800mAh Lifepo4
Solar Power	:	4.5V/150mA	4.5V/400mA	4.5V/500mA





HOROZ ELECTRIC



LED Solar Wall&Ground lamp/LED Solar Lamp

2047.00

OZMO

- Li-ION Battery 3.7V 1200mAh
- 4000K
- 200 lm
- Run Time: High 6 Hrs /Low 12 Hrs
- High Brightness : 200 lm
- LOW Brightness : 50 lm
- Solar Panel 5V 1W 200mAh
- Average Life: 25.000 Hrs

078 015 0003



SIRIUS



1943.00

2677.00


SIRIUS-1

SIRIUS-2


078-012-0001

078-012-0002

Power	: 1W	: 2W
Luminous Flux	: 140 lm (Strong) - 8 lm (Weak)	: 240 lm (Strong) - 12 lm (Weak)
Battery	: 1.2V 1200 mAh Li-ion	: 3.7V 2200 mAh Li-ion
Back Light	: Yes (Blue)	: No




- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs



WITH PIR SENSOR



- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs



VENÜS

MARS

NEPTUN

PLUTON

HALLEY

CRYSTAL



1467.00

651.00

323.00

461.00

913.00

805.00



VENÜS

MARS

NEPTUN

PLUTON

HALLEY

CRYSTAL

078-001-0001

078-002-0001







078-004-0001

078-005-0001

078-006-0001

078-009-0001

Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No





HOROZ ELECTRIC

LED Recessed Sensor Lamp / LED Inground & Recessed Lamp

1057.00




DIAMOND

- 180-265V / 50-60Hz
- 70 lm
- 4200K
- Average Life: 30.000 Hrs

WHITE

BLACK

079 026 0001



HOROZ ELECTRIC

LED Recessed Sensor Lamp LED Inground & Recessed Lamp Recessed Lamp



732.00

ICON-R

079 031 0003



732.00

ICON-S



079 032 0003



WHITE

BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs




YOGA



WHITE

BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs



732.00

YOGA-V1

1221.00

YOGA-V2


732.00

YOGA-H1

079-033-0001

079-033-0002

079-034-0001



Power	: 3 W	: 3 W	: 3 W
Luminous Flux	: 58 lm	: 58 lm	: 58 lm



HOROZ ELECTRIC

Recessed Lamp/ LED Inground & Recessed Lamp

1595.00


AWAX

079 030 0001



MAT CHROME


- 220-240V / 50-60Hz
- Max. 10W LED



AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME



1073.00

1280.00

2512.00

3027.00

4459.00

5728.00

AZUR-1

AZUR-3

AZUR-6

AZUR-9

AZUR-18

AZUR-24

079-029-0001

079-029-0003

079-029-0006

079-029-0009

079-029-0018

079-029-0024

Power	: 1W	3W	6W	9W	18W	24W
Luminous Flux	: 100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Cutting Diameter (mm)	: Ø50	Ø125	Ø105	Ø125	Ø165	Ø185
Sizes (mm)	: A: 65 B: 78	A: 80 B: 95	A: 120 B: 95	A: 150 B: 95	A: 180 B: 95	A: 200 B: 95



RECESSED LAMP / LED INGROUND & RECESSED LAMP



HOROZ ELECTRIC

Waterproof Profile Neon LED



HOROZ ELECTRIC

Waterproof Profile Neon LED / Waterproof LED Strip
RGB RF Controller / Socket Set / RGB Socket Set / LED Strip / LED Driver
RGB LED Strip Kit / Waterproof LED String Light
LED Module Strip / RGB Controller / RGB Amplifier / Touch Controller
Aluminium Profile



WATERPROOF PROFILE NEON LED

TUBOFLEX-R



WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs
- 5 sets / 50 m Roll



Can be cut each 10 centimeters




3000K




4200K




6400K



593.00



1106.00




1156.00




	TUBOFLEX-R1010	TUBOFLEX-R1610	TUBOFLEX-R2010
Power	10W/m	12W/m	12W/m
LED	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35
Luminous Flux	860 lm/m	1020 lm/m	1040 lm/m
Width	10 mm	16 mm	20 mm
Height	10 mm	10 mm	10 mm
T	15 mm	20 mm	26 mm
Length	50 m Roll	50 m Roll	50 m Roll

RECESSED PROFILE NEON LED



220-240V



With Clips





WATERPROOF PROFILE NEON LED

TUBOFLEX-S



220-240V



WATERPROOF




Can be cut each 10 centimeters

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs
- 5 sets / 50 m Roll



SURFACE PROFILE NEON LED



533.00	598.00	718.00	1073.00	1243.00

	TUBOFLEX-S88	TUBOFLEX-S1010	TUBOFLEX-S1212	TUBOFLEX-S1616	TUBOFLEX-S2020
	081-034-0808	081-034-1010	081-034-1212	081-034-1616	081-034-2020
Power :	10W/m	10W/m	10W/m	12W/m	12W/m
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35
Luminous Flux :	850 lm/m	860 lm/m	870 lm/m	1020 lm/m	1040 lm/m
Width :	8 mm	10 mm	12 mm	16 mm	20 mm
Height :	8 mm	10 mm	12 mm	16 mm	20 mm
Length :	50 m Roll	50 m Roll	50 m Roll	50 m Roll	50 m Roll





WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



220-240V



Can be cut each 1 meter

NEOLED/SLIM



YELLOW



2700K



RED



4200K



GREEN



6400K



BLUE

201.00

NEOLED



YELLOW



2700K



RED



4200K



GREEN



6400K



BLUE

323.00

NEOLED/RGB



RGB

508.00



	NEOLED/SLIM	NEOLED	NEOLED/RGB
	081-010-0003	081-010-0001	081-010-0002
Power :	5,8 W/m	6 W/m	9 W/m
Luminous Flux :	465 lm/m	490 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	72 pcs/m, 50x50
Socket Sets :	5 sets/100 m Roll	5 sets/100 m Roll	3 sets/50 m Roll
Width :	7 mm	15 mm	10 mm
Height :	15 mm	15 mm	20 mm



NEOFLEX



081 033 0001

- 240V
- Average Life: 30.000 Hrs

220-240V


Easy Connector

240LED / m



NEOFLEX
081-033-0001

Power :	10 W/m
Luminous Flux :	50000 lm / 164ft.
LED :	240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets :	5 sets/50 m Roll
Width :	12 mm
Height :	7 mm



2700K

236.00



4200K

236.00




6400K

236.00



RED

252.00



GREEN

252.00



BLUE

252.00



Can be cut each 10 centimeters



WATERPROOF NEON LED STRIP





WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



Easy Connector

120LED / m



TUNA

TUNA/RGB



	TUNA	TUNA/RGB
	081-036-0001	081-036-0002
Power :	8W/m	8W/m
Luminous Flux :	700 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 35x35
Socket Sets :	5 Sets / 50m Roll	5 Sets / 50m Roll
Width :	8 mm	10 mm
Height :	3 mm	4 mm



Can be cut each 10 cm



220-240V

WATERPROOF LED STRIP

508.00

TUNA 3 CCT



081 036 1001

- 220-240V / 50-60Hz
- 9W/m
- 700 lm/m
- 28X35 SMD LED
- 50m Roll
- Average Life:30.000 Hrs

220-240v



Easy Connector

120LED / m

CCT ADJUSTABLE



Can be cut each 10 cm





WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



Easy Connector

240LED / m

SAVA

SAVA/RGB



Can be cut each 10 cm



	SAVA	SAVA/RGB
	081-037-0001	081-037-0002
Power :	11W/m	11W/m
Luminous Flux :	1020 lm/m	-
LED :	240 pcs/m, 28x35	240 pcs/m, 35x35
Socket Sets :	5 sets/50 m Roll	5 sets/50 m Roll
Width :	10 mm	12 mm
Height :	3 mm	4 mm



220-240V

WATERPROOF LED STRIP

952.00

SAVA 3 CCT



220-240V

Easy Connector


240LED / m

081 037 1001

- 220-240V / 50-60Hz
- 11W/m
- 1020 lm/m
- 28X35 SMD LED
- 50m Roll
- Average Life:30.000 Hrs



CCT ADJUSTABLE



Can be cut each 10 cm





WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



220-240V

Easy Connector

360LED / m



WATERPROOF LED STRIP

DNIPRO

DNIPRO/RGB



Can be cut each 10 cm



	DNIPRO	DNIPRO/RGB
	081-038-0001	081-038-0002
Power :	20W/m	20W/m
Luminous Flux :	1900lm/m	-
LED :	360 pcs/m, 28x35	360 pcs/m, 35x35
Socket Sets :	5 sets/50 m Roll	5 sets/50 m Roll
Width :	12 mm	14 mm
Height :	1 mm	2 mm

■ 220-240V / 50-60Hz
 ■ Average Life: 30.000 Hrs

220-240V



FIRAT

FIRAT/RGB



CAN BE USED WITH ALUMINIUM PROFILE

Easy Connector

120LED / m



LED STRIP



	FIRAT	FIRAT/RGB
	081-040-0001	081-040-0002
Power :	9 W/m	9 W/m
Luminous Flux :	760 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 35x35
Socket Sets :	5sets/20m Roll	5sets/20m Roll
Width :	8 mm	10 mm



Can be cut each 10 cm







WATERPROOF







- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs



220-240V



VOLGA		VOLGA / RGB		COLORADO		COLORADO / RGB		GANJ		GANJ / RGB	
-------	--	-------------	--	----------	--	----------------	--	------	--	------------	--



100.00 199.00

189.00 326.00

232.00 336.00

	VOLGA	VOLGA / RGB	COLORADO	COLORADO / RGB	GANJ	GANJ / RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	3 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	235 lm/m	-	290 lm/m	-	520 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Height :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm

WATERPROOF LED STRIP



HOROZ ELECTRIC

Waterproof LED Strip

447.00


NEVA



081 026 0001

- 220V
- Average Life: 30.000 Hrs

220-240V



447.00

NEVA

081-026-0001

Power	: 10 W/m
Luminous Flux	: 50000 lm / 164ft.
LED	: 240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets/100 m Roll
Width	: 11.3 mm
Height	: 10 mm



Can be cut each 10 centimeters



WATERPROOF LED STRIP



472.00





AVON



081 025 0001

- 220-240V
- Average Life: 30.000 Hrs

220-240V



472.00

AVON

081-025-0001

Power	: 13 W/m
Luminous Flux	: 1300lm/m 164ft.
LED	: 240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets/50 m Roll
Diameter Ø	: 14 mm



Can be cut each 1 meter





RGB RF CONTROLLER

220V / 50-60Hz



1277.00

1277.00

1277.00

VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm

3x1A, For Max.750W



1488.00

1488.00

1488.00

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm

3x3A, For Max.1500W



SOCKET SET

- 1 pcs 6A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



102.00

102.00

102.00

102.00

102.00

VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED / SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm

- 1 pcs Socket (220V-)
- 1 pcs End Cap
- 5 pcs Silicon Clips



203.00

NEVA SOCKET
081-026-9001
8 mm

- 1 pcs 8A Socket (220V-)
- 1 pcs End Cap
- 5 pcs Silicon Clips



305.00

NEOFLEX SOCKET
081-033-9001
5 mm

- 1 pcs 8A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



AVON SOCKET
081-026-0011
8 mm



RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



196.00

196.00

196.00

196.00

VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm

TUBOFLEX SOCKET SET

- 1 pcs Socket (220V-)
- 1 pcs End Cap
- 5 pcs Aluminium Clips



Silicone light strip cutting port contacts and connectors corresponding



With Installation Screws and Accessories

208.00

208.00

208.00

208.00

208.00

208.00

208.00

208.00

TUBOFLEX-R1010 SOCKET	TUBOFLEX-R1610 SOCKET	TUBOFLEX-R2010 SOCKET	TUBOFLEX-S88 SOCKET	TUBOFLEX-S1010 SOCKET	TUBOFLEX-S1212 SOCKET	TUBOFLEX-S1616 SOCKET	TUBOFLEX-S2020 SOCKET
081-035-9001	081-035-9002	081-035-9003	081-034-9001	081-034-9002	081-034-9003	081-034-9004	081-034-9005
10x10 mm	16x10 mm	20x10 mm	8x8 mm	10x10 mm	12x12 mm	16x16 mm	20x20 mm



TUBOFLEX CLIPS

■ 100 pcs Aluminium Clips



34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00
TUBOFLEX R-1010 CLIPS	TUBOFLEX R-1610 CLIPS	TUBOFLEX-R2010 CLIPS	TUBOFLEX-S88 CLIPS	TUBOFLEX-S1010 CLIPS	TUBOFLEX-S1212 CLIPS	TUBOFLEX-S1616 CLIPS	TUBOFLEX-S2020 CLIPS	
081-035-5001	081-035-5002	081-035-5003	081-034-5001	081-034-5002	081-034-5003	081-034-5004	081-034-5005	
10x10 mm	16x10 mm	20x10 mm	8x8 mm	10x10 mm	12x12 mm	16x16 mm	20x20 mm	

RGB RF CONTROLLER

■ 220V / 50-60Hz



3 CCT RF CONTROLLER



TUNA RGB RF	SAVA RGB RF	DNIPRO RGB RF	FIRAT RGB RF	TUNA 3 CCT RF	SAVA 3 CCT RF
081-036-0013	081-037-0013	081-038-0013	081-040-0013	081-036-1012	081-037-1012
10 mm	12 mm	15 mm	12 mm	8 mm	10 mm

3x3A, For Max.1500W



SOCKET SET

- 1 pcs Socket (220V-)
- 1 pcs Connector
- 1 pcs End Cap
- 5 pcs Silicon Clips



RGB SOCKET SET

- 1 pcs Socket (220V-)
- 1 pcs Connector
- 1 pcs End Cap
- 5 pcs Silicon Clips



105.00	112.00	112.00			
TUNA SOCKET	SAVA SOCKET	DNIPRO SOCKET	TUNA RGB SOCKET	SAVA RGB SOCKET	DNIPRO RGB SOCKET
081-036-0011	081-037-0011	081-038-0011	081-036-0012	081-037-0012	081-038-0012
8 mm	10 mm	12 mm	10 mm	12 mm	14 mm



3 CCT SOCKET SET

- 1 pcs End Cap
- 5 pcs Silicon Clips
- 1 pcs Socket (220V-)



120.00	120.00
TUNA 3 CCT SOCKET	SAVA 3 CCT SOCKET
081-036-1011	081-037-1011
8 mm	10 mm



CLIPS / RF CONTROLLER / SOCKET SET



LED STRIP CONNECTOR

- 220V / 50-60Hz
- 10 pcs Connector



48.00

48.00

48.00

0.00

TUNA I CONNECTOR	SAVA I CONNECTOR	DNIPRO I CONNECTOR	TUNA L CONNECTOR	SAVA L CONNECTOR	DNIPRO L CONNECTOR
081-036-0014	081-037-0014	081-038-0014	081-036-0015	081-037-0015	081-038-0015
8 mm	10 mm	15 mm	8 mm	10 mm	15 mm



CONNECTOR/RGB CONNECTOR

LED STRIP CONNECTOR

- 220V/12-24V
- 10 pcs Connector



36.00

50.00

26.00

66.00

80.00

45.00

69.00

FIR CONNECTOR	SAVA L CONNECTOR	DNIPRO I CONNECTOR	CORNER CONNECTOR	MIDDLE CONNECTOR	RGB CONNECTOR	RGB MIDDLE CONNECTOR
081-039-0011	081-039-0012	081-039-0013	081-039-0014	081-039-0015	081-039-0016	081-039-0017



COLUMBIA-24



081 019 0002

- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED: 320 LED/m



Can be cut each 5 centimeters



CANTON-24



081 020 0002

- 24V DC
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K
- Average Life: 30.000 Hrs

Can be cut each 5 centimeters



SWAN



Can be cut each 2.5 centimeters

- 12V/24V DC
- Average Life: 30.000 Hrs

24V DC



12V DC

SWAN-12/RGB

240LED / m



081 021 0003

12V DC

- 12V DC
- 16W/m
- 1400lm/m
- LED: 240 pcs/m, 35x35, Single Chip
- 5m Roll
- Average Life: 30.000 Hrs

Can be cut each 5 centimeters



	344.00	344.00
	SWAN-12	SWAN-24
	081-021-0001	081-021-0002

Power :	16W/m	18W/m
LED :	240 pcs / m, 28x35, Single Chip/5m Roll	240 pcs/m, 28x35, Single Chip/5m Roll
Luminous Flux :	1400 lm / m	2000 lm/m
Lenght :	10mm Width	10mm Width
Colors :	3000K/4200K/6400K GREEN/RED/BLUE	3000K/6400K



LED STRIP




VESPA/24

- Input Voltage: AC 85-265V / 50-60Hz
- Output Voltage: DC 24V

EASY CONNECTOR


SLIM CASE



	493.00	675.00	798.00	1196.00	1388.00	1519.00	2084.00	2918.00
	VESPA-12/24	VESPA-36/24	VESPA-60/24	VESPA-100/24	VESPA-150/24	VESPA-200/24	VESPA-300/24	VESPA-400/24
	082-007-0012	082-007-0036	082-007-0060	082-007-0100	082-007-0150	082-007-0200	082-007-0300	082-007-0400
Output Power	12 W	36 W	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	0.5A	1.5A	2.5A	4.1A	6.25 A	8.3A	12.5A	17A
Canton-24/Swan-24 LED Strip	0.7m	2m	3.5m	5.5m	8.3m	11.1m	16.7m	22m
Size (mm)	A: 35 B: 23 C: 105	A: 35 B: 21.5 C: 124	A: 50 B: 31 C: 115	A: 50 B: 31 C: 145	A: 50 B: 31 C: 185	A: 50 B: 31 C: 185	A: 60 B: 31 C: 190	A: 60 B: 31 C: 224

VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V



SLIM CASE




	743.00	1109.00	1301.00	1396.00	1921.00	2683.00
	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24	VEGA-400/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300	082-003-0400
Output Power	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	2.5A	4.1A	6.25A	8.3A	12.5A	12.5A
CANTON-24/SWAN-24 LED Strip	3.5m	5.5m	8.3m	11.1m	16.7m	16m
Sizes (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188



MONSTER

24V DC

- 220-240V / 24V (with adapter)
- RGB
- 8W/m
- 420pcs/m



DIGITAL

- 220V / 12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs



SYNCHRONOUS WITH ENVIRONMENT VOICES/HUMAN VOICES



VICTORY

- 220V / 12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs



12V DC

5175.00

24V DC

9029.00



DIGITAL-5

DIGITAL-10

081-030-0001

081-030-0002

Power :	10W/m	10W/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	6x16 mm	6x16 mm



12V DC

2233.00

24V DC

4065.00



VICTORY-5

VICTORY-10

081-028-0001

081-028-0002

Power :	10W/m	10W/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	2x10 mm	2x10 mm





Indoor and Outdoor LED Strip Lights used



RGB NEON LED STRIP KIT

CAPITAL

- 220V/5V (With Adapter)
- RGB
- Average Life: 30,000 Hrs

5VDC



Can be cut each 3 centimeters



SYNCHRONOUS WITH ENVIRONMENT VOICES/HUMAN VOICES



SILICONE LED Neon Light

Create the shape in your mind



3317.00

5909.00


CAPITAL-5

CAPITAL-10

081-032-0001

081-032-0002

Power :	5W/m	6w/m
LED :	30 pcs/m 39x39 SMD LED	30 pcs/m 39x39 SMD LED
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Cut Distance :	30 mm	30 mm
Size :	7x15 mm	7x15 mm





FAIRY



5V DC



Each LED can be cut

WATERPROOF

- Average Life: 30.000 Hrs
- 100-240VAC/5VDC with adaptor
- LED View Angle: 180°



AMBER



7000K



	904.00	1414.00	2643.00
	FAIRY-10	FAIRY-20	FAIRY-40
	080-002-0010	080-002-0020	080-002-0040
Power :	2W	2W	2.5W
LED :	10 pcs/m, 28x35	10 pcs/m, 28x35	10 pcs/m, 28x35
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length :	10 m	20 m	40 m



DIMMABLE



WATERPROOF LED STRING LIGHT

FAIRY/RGB

WATERPROOF

- 100-240VAC/5VDC with adaptor
- Average Life: 30.000 Hrs
- LED View Angle: 180°


5V DC



Each LED can be cut



RGB



	1146.00	2092.00
	FAIRY-10 RGB	FAIRY-20 RGB
	080-003-0010	080-003-0020
Power :	5W	3.5W
LED :	10 pcs/m, 39x39	10 pcs/m, 40x35
Sets Included :	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length :	10 m	20 m





NEOLED SLIM 12V



081 010 0033

Average Life: 30.000 Hrs


12V DC



201.00



201.00



201.00



212.00



212.00



212.00



212.00



NEOLED SLIM 12V

081-010-0033

Power :	8 W/m
Luminous Flux :	42500lm/164ft.
LED :	120 pcs/m, 28x35, Single Chips, Single Row
Length :	5m
Width :	11.3 mm
Height :	5 mm



Can be cut each 2.5 centimeters



WATERPROOF NEON LED STRIP



Average Life: 30.000 Hrs





120LED / m

12V DC




KARASU-12

KARASU-12/RGB



LED STRIP

	KARASU-12 081-039-0001	KARASU-12/RGB 081-039-0002
Power :	9 W/m	9 W/m
Luminous Flux :	840 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 35x35
Width :	8 mm	10 mm



KARASU-12/3 CCT



081 039 1001



- 220-240V / 50-60Hz
- 9W/m
- 900 lm/m
- 28X35 SMD LED
- Average Life:30.000 Hrs

120LED / m

12V DC



CCT ADJUSTABLE





REN

REN/RGB



THAMES

THAMES/RGB



3 LEDs make a group and each group can be cut or extended in terms of the length of application

WATERPROOF

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

**12V DC**

	96.00	114.00	189.00	212.00
	REN		THAMES	
	REN/RGB		THAMES/RGB	
	081-001-0001		081-003-0001	
	081-001-0002		081-003-0002	
Power :	24 W/5 m Roll		72 W/5 m Roll	
Current :	2A/5 m Roll		6A/5 m Roll	
Luminous Flux :	4.8 lm/LED		24.7 lm/LED	
LED :	60 pcs/m, 28x35, Single Chip		60 pcs/m, 50x50, Three Chips	



NİL

NİL/RGB



AMAZON

AMAZON/RGB



3 LEDs make a group and each group can be cut or extended in terms of the length of application

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation

**12V DC**

	70.00	93.00	154.00	207.00
	NİL		AMAZON	
	NİL/RGB		AMAZON/RGB	
	081-002-0001		081-005-0001	
	081-002-0002		081-005-0002	
Power :	24 W/5 m Roll		72 W/5 m Roll	
Current :	2A/5 m Roll		6A/5 m Roll	
Luminous Flux :	4.8 lm/LED		24.7 lm/LED	
LED :	60 pcs/m, 28x35, Single Chip		60 pcs/m, 50x50, Three Chips	



NELSON

081 024 0001


**12V DC****WATERPROOF**

- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1set: 20 module

50.00

NELSON/RGB


081 024 0002





VESPA


- Input Voltage: AC85-265V / 50-60Hz
- Output Voltage: DC 12V



	493.00	675.00	798.00	1196.00	1388.00	1519.00	2084.00	2918.00
	VESPA-12	VESPA-36	VESPA-60	VESPA-100	VESPA-150	VESPA-200	VESPA-300	VESPA-400
	082-004-0012	082-004-0036	082-004-0060	082-004-0100	082-004-0150	082-004-0200	082-004-0300	082-004-0400
Output Power	12 W	36 W	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	1A	3A	5A	8.5A	12A	17A	25A	33A
28x35 SMD LED Strip	3m	9m	15m	25m	37.5m	50m	75m	100m
50x50 SMD LED Strip	2m	6m	10m	16.5m	25m	33.3m	50m	66.5m
Size (mm)	A: 35 B: 23 C: 105	A: 35 B: 21.5 C: 124	A: 50 B: 31 C: 115	A: 50 B: 31 C: 145	A: 50 B: 31 C: 185	A: 50 B: 31 C: 185	A: 60 B: 31 C: 190	A: 60 B: 31 C: 224

VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	743.00	1109.00	1301.00	1396.00	1921.00	2683.00
	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-300	VEGA-400
	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0300	082-001-0400
Output Power	60 W	100 W	150 W	200 W	300 W	400 W
Output Current	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip	4m	6.5m	10m	13m	17m	24m
Size (mm)	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225




VITA

■ Input Voltage: AC 100-240V / 50-60Hz
 ■ Output Voltage: DC 12V



174.00	226.00	263.00	337.00
VITA-10	VITA-25	VITA-36	VITA-60
082-006-0001	082-006-0002	082-006-0003	082-006-0005

Power	10W	25W	36W	60W
Output Current	1A	2A	3A	5A
Sizes	A: 29 B: 73 C: 90	A: 32 B: 80 C: 93	A: 41 B: 65 C: 90	A: 47 B: 67 C: 105



VIPA


■ Input Voltage: AC 176-264V / 50-60Hz
 ■ Output Voltage: DC 12V



ULTRA SLIM CASE

335.00	369.00	531.00	645.00	741.00	862.00
VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072


Output Power	12 W	24 W	36 W	48 W	60 W	72 W
Output Current	1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip	3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip	1m	1.5m	2m	3m	4m	5m
Length (mm)	L: 120	L: 160	L: 220	L: 280	L: 310	L: 320



VESTA

■ Input Voltage: AC 176-264V / 50-60Hz
 ■ Output Voltage: DC 12V

WATERPROOF



852.00	1069.00	1262.00	1552.00	2030.00	2683.00	2946.00
VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200

Output Power	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class	II	II	II	II	I	I	I
28x35 SMD LED Strip	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45






CONTROLLER

	1718.00	
	KARASU-SWAN-12 CONTROLLER 6A	KARASU CCT CONTROLLER 6A
	100-005-0001	100-006-0001
Output Power :	216 W-432W	216 W-432 W
Output Current :	6A/Each Color	6A/Each Color
Input Voltage :	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage :	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip :	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip :	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type :	IR	RF



RGB CONTROLLER


	335.00	1504.00
	RGB Controller 2A	RGB Controller 6A
	100-001-0072	100-002-0432
Output Power :	72 W	216 W-432 W
Output Current :	2A/Each Color	6A/Each Color
Input Voltage :	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage :	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip :	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip :	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type :	IR	RF



AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V

	1142.00	1160.00
	AMPLIFIER-12A	AMPLIFIER-30A
	101-001-0144	101-001-0360
Output Power :	144 W	360 W
Output Current :	4A/Each Color	10A/Each Color
35x28 RGB LED Strip :	30 Meters with 60 Leds/Meter	75 Meters with 60 Leds/Meter
50x50 RGB LED Strip :	10 Meters with 60 Leds/Meter	25 Meters with 60 Leds/Meter



TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1-100
- 2 Brightness can be saved

	2755.00	2755.00
	TOUCH	TOUCH-RGB
	100-003-0288	100-004-0288
Color :	Single	16 million
Output Power :	144-288W	144-288W
Output Current :	4Ax3 Channel	4A/Each Color
35x28 LED Strips :	30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips :	10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function :	5	12











RGB CONTROLLER / RGB AMPLIFIER / TOUCH CONTROLLER



PROFILE

RECESSED TYPE

0.7mm












SILVER	588.00	894.00		752.00	1132.00		867.00	1310.00	
	PROFILE-R1	PROFILE-R1	PROFILE-BR1	PROFILE-R2	PROFILE-R2	PROFILE-BR2	PROFILE-R3	PROFILE-R3	PROFILE-BR3
	120-001-1001	120-001-0001	120-001-0011	120-001-1002	120-001-0002	120-001-0012	120-001-1003	120-001-0003	120-001-0013
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA	618.00	926.00	122.00	791.00	1181.00	191.00	906.00	1368.00	317.00

PROFILE

RECESSED TYPE

0.7mm



SILVER	405.00	622.00		1010.00	1529.00		2503.00	3753.00	
	PROFILE-R5	PROFILE-R5	PROFILE-BR5	PROFILE-R6	PROFILE-R6	PROFILE-BR6	PROFILE-R7	PROFILE-R7	PROFILE-BR7
	120-001-1005	120-001-0005	120-001-0015	120-001-1006	120-001-0006	120-001-0016	120-001-1007	120-001-0007	120-001-0017
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA	433.00	645.00	111.00	1068.00	1611.00	136.00	2625.00	3933.00	394.00







ALUMINIUM PROFILE



PROFILE

SURFACE TYPE

0.7mm





SILVER	541.00	829.00		621.00	940.00		490.00	731.00	
	PROFILE-S1	PROFILE-S1	PROFILE-BS1	PROFILE-S2	PROFILE-S2	PROFILE-BS2	PROFILE-S3	PROFILE-S3	PROFILE-BS3
	120-002-1001	120-002-0001	120-002-0011	120-002-1002	120-002-0002	120-002-0012	120-002-1003	120-002-0003	120-002-0013
Lenght	: 2M	3M	3M	2M	3M	3M	2M	3M	3M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA	568.00	870.00	123.00	651.00	975.00	191.00	513.00	767.00	118.00



PROFILE

SURFACE TYPE

0.7mm



SILVER	748.00	1125.00		2150.00	3226.00	
	PROFILE-S4	PROFILE-S4	PROFILE-BS4	PROFILE-S5	PROFILE-S5	PROFILE-BS5
	120-002-1004	120-002-0004	120-002-0014	120-002-1005	120-002-0005	120-002-0015
Lenght	: 2M	3M	3M	2M	3M	3M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA	783.00	1173.00	316.00	2259.00	3380.00	395.00











PROFILE

0.7mm

CORNER TYPE

FILEXIBLE TYPE



SILVER	761.00	1105.00		415.00	622.00	
PROFILE-C1	PROFILE-C1	PROFILE-BC1	PROFILE-F1	PROFILE-F1	PROFILE-BF1	
120-003-1001	120-003-0001	120-003-0011	120-004-1001	120-004-0001	120-004-0011	

Lenght	: 2M	3M	3M	2M	3M	3M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA	798.00	1180.00	122.00	431.00	650.00	143.00



ALUMINIUM PROFILE



HOROZ ELECTRIC

LED Lantern / LED Solar Camping Light

1849.00

VERON

084 037 0015




CCT Adjustable

- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (3000K-6400K) 4 Hours (4200K)
- Average Life: 30.000 Hrs

LED LANTERN


RECHARGEABLE



1649.00

CRESPO


084 036 0025



- 5V DC Micro USB
- 550/195/40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN

RECHARGEABLE




LED Lantern LED Solar Camping Light Emergency LED Lantern LED Headlight LED Torch LED Emergency Exit Lamp



997.00

FORLAN

084 023 0010



- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube: 1.5 Hours 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs


LED LANTERN

RECHARGEABLE



ROMARIO


084 022 0010



- 220-240V AC / 12V DC
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1 Hour for Strong Light 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR

RECHARGEABLE



LED LANTERN / LED SOLAR CAMPING LIGHT




3444.00

KANU



084 043 0008

- 220-240V / 50-60Hz
- 6000K
- 280 lm
- 3.7V 2400mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Duration Time: 3 Hours
- Stickers included

Recessed+Surface Mounting Available



- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP




3190.00



HENRY

084 034 0005

- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30,000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included




- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP




MALDINI

- 220-240V / 50-60Hz
- Average Life: 30,000 Hrs
- Stickers included



- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP



1514.00

1745.00

MALDINI-2

MALDINI-3

084-014-0002

084-014-0003


Power	: 13 W	16 W
Luminous Flux	: 330 lm	410 lm
Battery	: 2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	: 3 Hours	3 Hours
Size (mm)	: A: 245 B: 75 C: 45	A: 325 B: 75 C: 45




2773.00

WENGER

084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - Step 1: 1 Hour
 - Step 2: 2 Hours
- Average Life: 30.000 Hrs




1-OFF-2

EMERGENCY LED LANTERN / LED HEADLIGHT

MESSI

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs



DIMMABLE




DESK LAMP MODE



HANGABLE + MOUNTABLE

- LED LANTERN**
- RECHARGEABLE**
- EMERGENCY**
- AUTOMATIC LIGHT-UP**



ON-OFF



1337.00

1965.00


2178.00

MESSI-9	MESSI-15	MESSI-23
084-030-0009	084-030-0015	084-030-0023

Power	: 9 W	15 W	23 W
Luminous Flux	: 280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	: 4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	: 3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	: A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50

BECKHAM

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
 - 1 Hour for Strong Light
 - 4 Hours for Weak Light
- Average Life: 30.000 Hrs



- LED HEADLIGHT**
- RECHARGEABLE**



834.00

1057.00

BECKHAM-1	BECKHAM-3
084-007-0001	084-007-0003

Power	: 1 W	3 W
Luminous Flux	: 100 lm	200 lm
Battery	: 4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	: 20m	30m
Sizes (mm)	: A: 70 B: 81 C: 98	A: 85 B: 92 C: 96



1-OFF-2



ALVES

- 220-240V / 50-60Hz
- Wall-Mounted
- Charging Time: 20-24 Hrs
- Duration Time:
1.5 Hours for 2 Tube
3 Hours for 1 Tube
- Average Life: 30.000 Hrs



1657.00

2719.00

ALVES-1

ALVES-2

084-047-0024

084-047-0044

Power	: 24 W	44 W
Luminous Flux	: 190 lm	350 lm
Battery	: 4V 16Ah Rechargeable Lead-Acid Battery	2x4V 16Ah Rechargeable Lead-Acid Battery
Sizes (mm)	: A: 266 B: 70 C: 54	A: 450 B: 70 C: 55





LED LANTERN

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



EMERGENCY LED LANTERN / LED TORCH

TORRES

- 220V AC / 4.2V DC Adaptor
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Charging Time: 4-6 Hours
- Average Life: 30.000 Hrs



968.00

1077.00

TORRES-1

TORRES-2

084-046-0001



084-046-0003

Power	: 1 W	3 W
Luminous Flux	: 80 lm	240 lm
Duration Time	: Strong Light: 4 Hours Weak Light: 16 Hours	Strong Light: 2.5 Hours Weak Light: 13.5 Hours
Sizes (mm)	: A: 40 B: 145	A: 50 B: 190



RECHARGEABLE

LED TORCH



1251.00

WEAH




084 045 0011

- 220-240V / 50-60Hz
- 3W: 150 lm
- 8W: 230 lm
- 4V 1.6Ah Rechargeable Lead-Acid Battery
- Duration Time: Lantern : 1 Hour
Torch: 2 Hours
- Average Life: 30.000 Hrs


LED LANTERN

RECHARGEABLE

LED TORCH



LED TORCH



2465.00


LAMPARD

084 044 0005

- 5V DC USB / TYPE-C
- 3.7V 3600mAh Rechargeable Lithium Battery
- 200 lm (Strong) 65 lm (Weak)
- Charging Time: 6-8 Hours
- Average Life: 30.000 Hrs

LED TORCH

RECHARGEABLE






719.00


ZOLA

084 038 0001

- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE



OFF-1-2



PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time: 4 Hours for Weak Light 1 Hour for Strong Light




498.00

600.00


716.00

PELE-1	PELE-2	PELE-3
084-006-0001	084-006-0002	084-006-0003

Power	: 0.5 W	1 W	3 W
Luminous Flux	: 30 lm	73 lm	120 lm
Battery	: 4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	: A: 45 B: 140	A: 50 B: 160	A: 65 B: 170



LED TORCH
RECHARGEABLE



OFF-1-2



BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time: 1 Hour for Strong Light 4 Hours for Weak Light




670.00

855.00


1168.00

BEST-1	BEST-3	BEST-5
084-024-0001	084-024-0003	084-024-0005

Power	: 1 W	3 W	5 W
Luminous Flux	: 70 lm	120 lm	210 lm
Battery	: 4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	: A: 51 B: 200	A: 65 B: 220	A: 85 B: 240



LED TORCH
RECHARGEABLE



OFF-1-2




4785.00


MARADONA-2

084 003 0002

- 220-240V AC / 12V DC
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time: 4 Hours for Strong Light 16 Hours for Weak Light
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE



OFF-1-2






1149.00

ROBSON

084 020 0002

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Duration Time: 120 minutes



- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP




2672.00

ZOFF

084 019 0001

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10,000 Hrs
- Duration Time: 90 minutes



- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP





3181.00

DURAKIT

084 048 0024

- 11.1V 4400 mAh Rechargeable lithium-ion battery
- All LED Luminaires
- Power Range Between 1W-60W
- Maintained & Non-Maintained Modes




3462.00

DURAKIT-U

084 049 0024

- 11.1V 4400 mAh Rechargeable lithium-ion battery
- Power Range Between 1W-60W
- Maintained & Non-Maintained Modes



LED EMERGENCY EXIT LAMP/ EMERGENCY KIT

**HOROZ ELECTRIC**

Light Control Photosensor / Sensor

Light Control Photosensor


467.00

FLASH

089 001 0001

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)



17 mm
90 mm
35 mm
4.5 mm
50 mm

IP44

Light Control Photosensor

637.00

FLEX

089 001 0002

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)



36 mm
65 mm
62 mm
20 mm
14.5 mm

IP44

Light Control Photosensor


896.00

LUXOR

089 001 0003

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)



72 mm
65 mm
78 mm
20 mm
13.5 mm

IP44

HOROZ ELECTRIC

Light Control Photosensor Sensor / Doorbell
Wireless Lighting Controller
Timer / Plug in Switch / Dimmer

CE EAC RoHS

LIGHT CONTROL PHOTOSENSOR / SENSOR

1240.00

TUCSON

088 001 0009

WHITE

- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (<24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s



80 mm
50 mm
65 mm

IP44

180°

1486.00

MEGANE

088 001 0008

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec + 3 sec, Max. 7 min + 2 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s



80 mm
51 mm
120 mm

IP65

180°

1225.00

CORONA

088 001 0002

WHITE
BLACK

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12+1m Max. (<24°C)
- Time-delay: 5 sec - 7+2min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W



60 mm
115 mm
140 mm

IP44

180°

1196.00

LINEA

088 001 0003

WHITE
BLACK

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 2 m Max. (<24°C)
- Time-delay: 5 sec - 8+2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W



95 mm
85 mm
70 mm

IP44

180°


1094.00

MONDEO

088 001 0010

WHITE

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8m Max (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




1256.00

ROVER

088 001 0011

WHITE

- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




1570.00

POLO

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec Max. 12 min ± 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max 1200W
- Detection Motion Speed: 0,6-1,5 m/s



Detection is possible to go through doors, panes of glass or thin walls


1086.00

SMART

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max.1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10LUX / 2000LUX (choice)




CAMARO

088 006 0001



WHITE

- Detection Range: 360°
- Max. 60W LED
- Power Source: 220V/50-60Hz
- Power Frequency: 50/60Hz
- Rated Load: <60W
- Detection Distance: 6m max (-24°C)
- Time-Delay: 10Sec - 5Min. (adjustable)
- Light-control: <10LUX->2000LUX (adjustable)




AURIS

087 002 0001



WHITE

- Power Source: 220-240V/AC and DC9V (Battery Included)
- Static current: <15uA
- Alarm current: <25mA
- Low voltage alarm: 6.5-7.5V
- Alarm volume: >85db(3m)





1167.00

MUSTANG-1

088 002 0001




Surface and Recessed installation available

WHITE

BLACK


- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: < 10LUX - Daylight (Adjustable)



1229.00

MUSTANG-2

088 002 0002




Surface and Recessed installation available

WHITE

BLACK

- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: < 10LUX - Daylight (Adjustable)



1051.00

DUSTER


088 003 0001



WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 6m Max (-24°C)
- Time Delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: < 10LUX - Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s



863.00

SANDERO


088 004 0001



WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 60W
- Detection Distance: 4m-10m Max (-24°C)
- Time Delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: < 10LUX - Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°



868.00

NAVARA


088 005 0001



WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 60W
- Detection Distance: 8m Max (-24°C)
- Time Delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: < 10LUX - Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°



1039.00

ROLLAND-D



4.5V DC

086 007 0001



1160.00

ROLLAND-A




220V AC

086 007 0002

WHITE

ANTHRACITE

- Power Source: Emitter - 12V DC (Battery Included)
- Working frequency: 433MHz (open position)
- Distance: 100m
- Sound level: 80 db max
- Sound type: 36 songs optional



DOORBELL




1142.00

PLAY

086 005 0001

- Operation Voltage: 4.5V DC (3xAA1.5V) or 9-15V DC Adaptor
- Sensing Distance: 6 m
- Range: 110'
- Sound level: 80 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm





1033.00

FUJI-D



3V DC

086 002 0001



1178.00

FUJI-A



220V AC


086 002 0002



BLUE

ANTHRACITE

- Power Source: Emitter - 12V DC (Battery included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional



1033.00

NERO-D



4.5V DC

086 003 0001



1178.00

NERO-A



220V AC


086 003 0002



BLUE

ANTHRACITE

- Power Source: Emitter - 12V DC (Battery included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional



1033.00

MAXI-D



3V DC

086 004 0001



1178.00

MAXI-A



220V AC


086 004 0002



BLUE

ANTHRACITE

- Power Source: Emitter - 12V DC
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional





HOROZ ELECTRIC

Power Converter Plug Adapter/ Wireless Lighting Controller Switch/Timer

848.00

GOLYAT-3

- 16A/250V 2SOCKET
- 2P+E&2TYPE-C PLUG

132 001 0003



CONTROLLER

- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps≤1000W
- Energy saving lamp/LED≤300W
- Working voltage: 12V(A23 alkaline battery)

Wireless Lighting Controller Switch





30m-60m

900.00

CONTROLLER-1

105-001-0001

1 Channel





985.00

CONTROLLER-2

105-001-0002

2 Channels




1051.00

CONTROLLER-3

105-001-0003

3 Channels





1142.00

CONTROLLER-4

105-001-0004

4 Channels



TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A



779.00

TIMER-1

108-001-0001



1600.00

TIMER-2


108-002-0001



1504.00

TIMER-3

108-003-0001



Type	108-001-0001	108-002-0001	108-003-0001
Type	Mechanical Daily	Digital Weekly	Mechanical Daily
On/Off Programs	24	20	48
Minimum Setting	30 Minutes	1Minute	15 Minutes
Power Reserve	No	Yes	Yes



POWER CONVERTER PLUG ADAPTER/WIRELESS LIGHTING CONTROLLER SWITCH/TIMER



1294.00

PROTEX-R

131 001 0001

- Operating Voltage : 220V AC-50/60Hz
- Under Voltage Cut Off : 140V-180V
- Over Voltage Cut Off : 230V-280V
- Delay Time : 5S/210S,default 5S
- Max Capacity : 16A

1468.00

PROTEX-X

131 001 0002

- Operating Voltage : 220V AC-40-70Hz
- Under Voltage Cut Off : 80V-210V
- Over Voltage Cut Off : 130V-300V
- Power off Time : 2S(set:1-999S)
- Max Capacity : 63A



VOLTAGE SURGE PROTECTOR

NOT AFRAID OF HIGH CURRENT IMPACT

Built-in 16A Magnetic Relay,High Current Impact Will Not Burn



SHORT CURCUIT PROTECT

SURGE PROTECTION



OVER VOLTAGE PROTECTION

WIRES PROTECTION





HOROZ ELECTRIC

LED Night Lamp

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE/BLUE/GREEN/RED)

DORA

REX

BUGS

MAX

DUFFY



255.00

255.00

255.00

255.00

255.00



DORA

REX

BUGS

MAX

DUFFY

085-001-0001






085-001-0002

085-001-0003

085-001-0004

085-001-0005

Power	:	0.4 W	0.4 W	0.3 W	0.4 W	0.3 W
Luminous Flux	:	25 lm	25 lm	20 lm	25 lm	20 lm



HOROZ ELECTRIC

LED Night Lamp



290.00

BUNNY 2CCT

085 005 0001

PINK/BLUE/GREEN/RED

- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs



290.00

ANDY 2CCT



085 006 0001

PINK/BLUE/GREEN/RED



- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs



CCT ADJUSTABLE



CCT ADJUSTABLE





ATOM 250V~



348.00

112 100 0004

■ ONE WAY SWITCH (10A)



366.00

112 100 0007

■ TWO WAY SWITCH (10A)



399.00

112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)



377.00

112 100 0001

■ GROUNDING SOCKET (16A)



707.00

112 100 0003

■ 1-GANG GROUNDING SOCKET (16A)
■ 1-GANG ONE WAY SWITCH (10A)



776.00

112 100 0005



■ 1-GANG GROUNDING SOCKET (16A)
■ 2-GANG ONE WAY SWITCH (10A)



750.00

112 100 0002

■ 2-GANG GROUNDING SOCKET (16A)





EVA

250V-

WHITE

BLACK

NEW COLOR



134.00

112 001 0001

■ ONE WAY SWITCH (10A)



156.00

112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



152.00

112 001 0002

■ TWO WAY SWITCH (10A)




152.00

112 001 0004

■ PUSH BUTTON (10A)



33 mm



63 mm



152.00

112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)



170.00

112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)



127.00

112 003 0001

■ SOCKET (16A)



203.00

112 003 0002

■ 2-GANG SOCKET (16A)



172.00

112 004 0001

■ GROUNDING SOCKET (16A)



280.00

112 004 0002

■ 2-GANG GROUNDING SOCKET (16A)



392.00

112 012 0001

■ TRIPLE SOCKET (16A)




479.00

112 013 0001


■ GROUNDING TRIPLE SOCKET (16A)

NEW PRODUCT


NEW PRODUCT




63 mm




30 mm




104 mm




63 mm




63 mm




104 mm




63 mm




148 mm



63 mm



148 mm



63 mm

40 mm

SWITCH / SOCKET





Motor Protector Box
Motor Protector
Contactors
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker



1293.00


SAFE

114 008 0001

Motor Protector Box

11078.00


For all Motor Protectors except 114-006-2540



MOTOR PROTECTOR BOX/MOTOR PROTECTOR

SAFE

Motor Protector




3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	11078.00
---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	----------

	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2026	114-006-2540
Rated Current (A)	0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:121B:615C:105



SAFE

Contactor





1111.00	1135.00	1183.00	1789.00	1854.00	3871.00	4064.00	4229.00	5054.00	4979.00
---------	---------	---------	---------	---------	---------	---------	---------	---------	---------

	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:47 B:76 C:82	A:47 B:76 C:82	A:47 B:76 C:87	A:57 B:86 C:95	A:57 B:86 C:100	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116

SAFE

Thermal Relay



1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1762.00	1762.00	3086.00
---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------

	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5,5kW	9kW	11kW	15kW	18,5kW	22kW
Rated Voltage (V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7



SAFE

MCB Circuit Breaker

Rated short-circuit breaking capacity : 4.5kA



323.00 323.00 323.00 323.00 323.00 323.00 330.00 330.00 330.00 330.00


	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

647.00 647.00 647.00 647.00 647.00 660.00 660.00 660.00

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2026	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm

970.00 970.00 970.00 970.00 970.00 970.00 990.00 990.00 990.00 2797.00 2797.00



	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm



**SAFE****RCCB Circuit Breaker**

2054.00	2946.00	2946.00	2946.00	3934.00	3934.00
---------	---------	---------	---------	---------	---------

	114-003-2026	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A) :	25A	40A	25A	40A	63A	80A	100A
Poles :	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type :	AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA) :	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V) :	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA) :	30	30	30	30	30	30	30
Sizes (mm) :	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74

**SAFE****MCCB Circuit Breaker**

5535.00	5535.00	5535.00	6156.00	6156.00	8937.00	8937.00	8937.00	19074.00	31896.00
---------	---------	---------	---------	---------	---------	---------	---------	----------	----------

	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A) :	40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles :	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type :	C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA) :	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V) :	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm) :	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110

185.00

DIN RAIL-1

1 meter

368.00


DIN RAIL-2

2 meters

127 001 0001

127 001 0002

Thickness
0.9 mm



DIN RAIL / PIN BUSBAR

634.00

BUSBAR-P163

- 63A
- 1P
- 54 PIN
- 100 cm
- 4x9 mm


125 007 0001

2110.00

BUSBAR-P380

- 80A
- 3P
- 54 PIN
- 100 cm
- 4x9 mm

125 008 0001





27.00

54.00



Lamp Holder



71.00

094 004 0001

10 cm.


20 cm.

094 004 0002

15 cm.



75.00




41.00

094 001 0001

BAKELITE




79.00



094 001 0002




86.00




094 001 0003



94.00



094 001 0004




094 002 0001

PLASTIC




60.00



094 002 0002




43.00




094 002 0003



61.00



094 002 0004




094 003 0001

PORCELAIN




36.00



094 003 0002




47.00



094 003 0003




71.00



094 003 0004



47.00




Starter



45.00

37.00


	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-



416.00

TRANSFORMER-60

- 220-240V / 50-60Hz
- 12V AC



**Starter / Transformer
Adhesive Tape
Nail Cable Clip / Cable Tie
Coaxial Cable / Network Cable**



ADHESIVE TAPE 65.00

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



72.00

■ 10 YARDS

127.00



138.00

■ 20 YARDS

NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020

RG6

33.00

COAXIAL CABLE
100m ROLL




6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL




29.00



UTP Cat5e

37.00



UTP Cat6

STARTER / TRANSFORMER / ADHESIVE TAPE / NAIL CABLE CLIP / CABLE TIE / COAXIAL CABLE / NETWORK CABLE



IP 68 CONNECTOR

- 250V~/16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection



527.00

936.00

IP 68 CONNECTOR-1


IP 68 CONNECTOR-2

106-004-0001

106-004-0002

Pole : 1 Pole

2 Poles



42.00

CONVERTER-1

126 001 2740



E40 lamp holder for Torch-80 and Torch-100 to convert E27 to E40




Connector / Terminal / Wire Spring / Terminal Block



SLIM CONNECTOR

- 450V-
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent




22.00

SLIM 18.00

103-002-0002

2 Poles




33.00

R-2 SLIM CONNECTOR-3

103-002-0003

3 Poles



46.00

SLIM R-5

103-002-0005

5 Poles


Pole : 2 Poles

3 Poles

5 Poles

CONNECTOR

- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG




18.00

CONNECTOR-2

103-001-0002

2 Poles




26.00

CONNECTOR-3

103-001-0003

3 Poles



39.00

CONNECTOR-5

103-001-0005

5 Poles


Pole : 2 Poles

3 Poles

5 Poles

TERMINAL

- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



30.00

TERMINAL-1

106-005-0001

1 Pole

40.00

TERMINAL-2

106-005-0002

2 Poles

60.00

TERMINAL-3

106-005-0003

3 Poles

Pole : 1 Pole

2 Poles

3 Poles

75.00

TERMINAL-24

106-005-0022

2 Pole

107.00

TERMINAL-26

106-005-0023

3 Poles

128.00

TERMINAL-28

106-005-0024

4 Poles



Pole : 2 Pole

3 Poles

4 Poles



WIRE SPRING



12.00

WIRE SPRING-2/1.5

106-002-0015

2 Poles

17.00

WIRE SPRING-2/2.5

106-002-0025

2 Poles

44.00

WIRE SPRING-2/6

106-002-0060

2 Poles

21.00

WIRE SPRING-3/1.5

106-003-0015

3 Poles

25.00

WIRE SPRING-3/2.5

106-003-0025

3 Poles

66.00

WIRE SPRING-3/6

106-003-0060

3 Poles

Pole : 2 Poles

2 Poles

2 Poles

3 Poles

3 Poles

3 Poles

Wire Range : 0.2-1.5 mm²

0.5-2.5 mm²

1.5-6.0 mm²

0.2-1.5 mm²

0.5-2.5 mm²

1.5-6.0 mm²

Current / Voltage : 5A/380V

10A/380V

25A/380V

5A/380V

10A/380V

25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



KaçmazGrup



twitter.com/HorozElectric



www.facebook.com/horozelectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti



E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti

 **KaçmazGrup**

www.horozelektrik.com