HOROZ® ELECTRIC

Experience in Lighting



2026
CATALOGUE

www.horozelektrik.com

HORUZ® ELECTRIC









KaçmazGrup

HOROZ ELECTRIC

2026 CATALOGUE Contents

Experience in Lighting

ADHESIVE TAPE 223
ALUMINIUM BULKHEAD LAMP 141
ALUMINIUM PROFILE 197
CABLE TIE 223
CEILING LAMP 102
NEW **CLIPS 184**
COAXIAL CABLE 223
CONNECTOR 224
CONTACTOR 218
DESK LAMP 111
DIMMABLE LED BULB 04
NEW **DIN RAIL 221**
NEW DOORBELL 210
NEW **DOWNLIGHT FITTING 18**
DRYWALL KIT 55
NEW **EMERGENCY KIT 206**
EMERGENCY LED LANTERN 201
NEW **FLOOR LAMP 106**
FLUORESCENT TUBE 17
FRAME 55
NEW GARDEN LAMP 142
GLASS PENDANT LAMP 93
HALOGEN LAMP 17
LAMP HOLDER 222
LED 3CCT BULB 04
LED ADAPTER 195
LED BACKLIGHT PANEL 55
LED BATTEN LIGHT 117
NEW LED BULB 04
LED BULKHEAD LAMP 140
LED CANOPY LIGHT 128
LED CAPSULE 11
LED CEILING LAMP 101
LED COLOUR BULB 16
NEW LED DECORATIVE CEILING LAMP 47
LED DESK LAMP 110
NEW LED DOWNLIGHT 26
LED DRIVER 187
LED EMERGENCY EXIT LAMP 206
LED FILAMENT BULB 13
LED FRAME PANEL 55
LED FRAMELESS PROJECTOR 126
LED FRAMELESS WORKLIGHT 127
NEW **LED GARDEN LAMP 147**
LED HEADLIGHT 202
LED HOUSE NUMBER LIGHT 166
LED INGROUND & RECESSED LAMP 171
LED LANTERN 200
LED LINEAR HIGH BAY LAMP 119
NEW **LED LINEAR SUSPENSION LIGHT 70**
LED LINEER TRACK LIGHT 62
LED MAGNETIC LIGHT SYSTEM 56
LED MODULE STRIP 193
LED NIGHT LAMP 214
NEW LED PANEL 54
LED PHOTOCELL BULB 05
LED PICTURE & MIRROR LAMP 103
LED PROJECTOR 122
LED PROJECTOR STAND 128
NEW **LED READING LAMP 104**
LED RECESSED SENSOR LAMP 171
LED RECHARGEABLE PROJECTOR 130
LED RGB PROJECTOR 125
LED SENSOR BULB 05
NEW LED SENSOR DECORATIVE CEILING LAMP 46
LED SENSOR DOWNLIGHT 37
NEW LED SLIM MAGNETIC LIGHT SYSTEM 59
LED SMART BULB 05
LED SOLAR CAMPING LIGHT 200
NEW **LED SOLAR PROJECTOR 129**
LED SOLAR SECURITY LIGHT 130
LED SOLAR STREET LIGHT 132
NEW LED SOLAR WALL & GROUND LAMP 168
NEW **LED SOLAR WALL LAMP 169**
LED SPOTLIGHT 68
NEW **LED STREET LIGHT 135**
LED STRING LIGHT 96
NEW **LED STRIP 180**
NEW LED STRIP CONNECTOR 185
LED SURFACE BACKLIGHT 50
NEW LED SURFACE LIGHT 38
NEW **LED SUSPENSION LIGHT 74**
NEW LED TABLE LAMP 107
LED TORCH 203
NEW LED TRACK LIGHT 63
LED TUBE 12
LED TUBE FIXTURE 117
NEW **LED UFO HIGH BAY LAMP 120**
NEW LED WALL LIGHT 98
NEW **LED WATERPROOF LAMP 114**
LIGHT CONTROL PHOTOSENSOR 207
LIGHTING TRACK 69
MINIATURE CIRCUIT BREAKER 219
MODUL DOWNLIGHT FITTING 24
MOTOR PROTECTOR 217
MOTOR PROTECTOR BOX 217
MOULDED CASE CIRCUIT BREAKER 220
NAIL CABLE CLIP 223
NETWORK CABLE 223
NEW **PENDANT LAMP 67**
NEW PIR E27 SENSOR 208
NEW **PIN BUSBAR 221**
PORTABLE LED PROJECTOR 126
NEW **PORTABLE LED STAND 128**
NEW POWER CONVERTER PLUG ADAPTER 212
RECESSED LAMP 172
RECESSED MONOPOINT 69
RECHARGEABLE LED BULB 05
RESIDUAL CURRENT CIRCUIT BREAKER 220
NEW **RF CONTROLLER 184**
RGB AMPLIFIER 196
NEW **RGB CONNECTOR 185**
NEW RGB CONTROLLER 196
NEW **RGB LED STRIP KIT 188**
RGB NEON LED STRIP KIT 188
NEW **RGB RF CONTROLLER 183**
NEW RGB SOCKET SET 183
NEW **SENSOR 207**
NEW SMOKE DETECTOR 208
SOCKET 215
NEW SOCKET SET 183
SPOTLIGHT 67
STARTER 223
STRING LIGHT 97
SURFACE LIGHT 52
SWITCH 215
TERMINAL 224
TERMINAL BLOCK 224
THERMAL RELAY 218
TIMER 212
TOUCH CONTROLLER 196
TRACK CONNECTOR 69
TRACK LIGHT 66
TRACK SUSPENSION 69
TRANSFORMER 223
NEW **VOLTAGE SURGE PROTECTOR 213**
WATERPROOF LED STRING LIGHT 190
NEW **WATERPROOF LED STRIP 177**
NEW WATERPROOF NEON LED STRIP 175
NEW **WATERPROOF PROFILE NEON LED 173**
WIRE SPRING 224
WIRELESS LIGHTING CONTROLLER SWITCH 212

CONTENTS

HOROZ ELECTRIC

2026 CATALOGUE

Contents


223 ADHESIVE TAPE


141 ALUMINIUM BULKHEAD


197 ALUMINIUM PROFILE


223 CABLE TIE


102 CEILING LAMP

NEW

184 CLIPS


223 COAXIAL CABLE


224 CONNECTOR


218 CONTACTOR


111 DESK LAMP


04 DIMMABLE LED BULB

NEW

221 DIN RAIL

NEW

210 DOORBELL

NEW

18 DOWNLIGHT FITTING


55 DRYWALL KIT

NEW


206 EMERGENCY KIT


201 EMERGENCY LED LANTERN

NEW

106 FLOOR LAMP


17 FLUORESCENT TUBE


55 FRAME

NEW

142 GARDEN LAMP


93 GLASS PENDANT LAMP


17 HALOGEN LAMP


222 LAMP HOLDER



04 LED 3CCT BULB


195 LED ADAPTER


55 LED BACKLIGHT PANEL


117 LED BATTEN LIGHT

NEW

04 LED BULB


140 LED BULKHEAD LAMP


128 LED CANOPY LIGHT


11 LED CAPSULE


101 LED CEILING LAMP


16 LED COLOUR BULB

NEW

47 LED DECORATIVE CEILING LAMP


110 LED DESK LAMP

NEW

26 LED DOWNLIGHT


187 LED DRIVER



206 LED EMERGENCY EXIT LAMP


13 LED FILAMENT BULB

55 LED FRAME PANEL

126 LED FRAMELESS PROJECTOR

127 LED FRAMELESS WORKLIGHT

NEW

147 LED GARDEN LAMP

202 LED HEADLIGHT

166 LED HOUSE NUMBER LIGHT

171 LED INGROUND & RECESSED LAMP

200 LED LANTERN

119 LED LINEAR HIGH BAY LAMP

NEW

70 LED LINEAR SUSPENSION LIGHT

62 LED LINEER TRACK LIGHT

56 LED MAGNETIC LIGHT SYSTEM

193 LED MODULE STRIP

214 LED NIGHT LAMP

NEW

54 LED PANEL

05 LED PHOTOCELL BULB

103 LED PICTURE & MIRROR LAMP

122 LED PROJECTOR

128 LED PROJECTOR STAND

NEW

104 LED READING LAMP

171 LED RECESSED SENSOR LAMP

130 LED RECHARGEABLE PROJECTOR

125 LED RGB PROJECTOR

05 LED SENSOR BULB

NEW

46 LED SENSOR DECORATIVE CEILING LAMP

37 LED SENSOR DOWNLIGHT

NEW

59 LED SLIM MAGNETIC LIGHT SYSTEM

05 LED SMART BULB

200 LED SOLAR CAMPING LIGHT

NEW

129 LED SOLAR PROJECTOR

130 LED SOLAR SECURITY LIGHT

CONTENTS

Experience in **Lighting**

The copyright of the visual materials and photographs used in this catalogue belongs to Horoz Electric Inc. Print date: 01/2026



132 LED SOLAR STREET LIGHT


168 LED SOLAR WALL & GROUND LAMP


169 LED SOLAR WALL LAMP



68 LED SPOTLIGHT


135 LED STREET LIGHT


96 LED STRING LIGHT


180 LED STRIP


185 LED STRIP CONNECTOR


50 LED SURFACE BACKLIGHT


38 LED SURFACE LIGHT


74 LED SUSPENSION LIGHT


107 LED TABLE LAMP


203 LED TORCH


63 LED TRACK LIGHT


12 LED TUBE


117 LED TUBE FIXTURE


120 LED UFO HIGH BAY LAMP


98 LED WALL LIGHT


114 LED WATERPROOF LAMP


207 LIGHT CONTROL PHOTOSENSOR


69 LIGHTING TRACK


219 MINIATURE CIRCUIT BREAKER


24 MODUL DOWNLIGHT FITTING


217 MOTOR PROTECTOR


217 MOTOR PROTECTOR BOX


220 MOULDED CASE CIRCUIT BREAKER


NAIL CABLE CLIP


223 NETWORK CABLE


67 PENDANT LAMP


208 PIR E27 SENSOR


221 PIN BUSBAR


126 PORTABLE LED PROJECTOR


128 PORTABLE LED STAND


212 POWER CONVERTER PLUG ADAPTER


172 RECESSED LAMP


69 RECESSED MONOPOINT


05 RECHARGEABLE LED BULB


220 RESIDUAL CURRENT CIRCUIT BREAKER


184 RF CONTROLLER


196 RGB AMPLIFIER

185 RGB CONNECTOR

196 RGB CONTROLLER

188 RGB LED STRIP KIT

188 RGB NEON LED STRIP KIT

183 RGB RF CONTROLLER

183 RGB SOCKET SET

207 SENSOR

208 SMOKE DETECTOR

215 SOCKET

183 SOCKET SET

67 SPOTLIGHT

223 STARTER

97 STRING LIGHT

52 SURFACE LIGHT

215 SWITCH

224 TERMINAL

224 TERMINAL BLOCK

218 THERMAL RELAY

212 TIMER

196 TOUCH CONTROLLER

69 TRACK CONNECTOR

66 TRACK LIGHT

69 TRACK SUSPENSION

223 TRANSFORMER

213 VOLTAGE SURGE PROTECTOR

190 WATERPROOF LED STRING LIGHT

177 WATERPROOF LED STRIP

175 WATERPROOF NEON LED STRIP

173 WATERPROOF PROFILE NEON LED

224 WIRE SPRING

212 WIRELESS LIGHTING CONTROLLER SWITCH

CONTENTS


HOROZ ELECTRIC LED Bulb / LED 3CCT Bulb / Dimmable LED Bulb

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	123.00	134.00	141.00	163.00	189.00	268.00
	PREMIER-5	PREMIER-7	PREMIER-9	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0007	001-006-0009	001-006-0012	001-006-0015	001-006-0018
Power :	5 W	7 W	9 W	12 W	15 W	18 W
Luminous Flux :	500 lm	760 lm	900 lm	1150 lm	1500 lm	1850 lm
Sizes (mm) :	A: 55 B: 100	A: 55 B: 100	A: 60 B: 108	A: 60 B: 111	A: 60 B: 121	A: 66 B: 134



E27

HOROZ ELECTRIC LED Bulb / LED Capsule LED Tube

339.00

COMBO-10 3 CCT

001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)



E27

CCT ADJUSTABLE



D I M M A B L E

308.00


EXPERT-10

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K

DIMMABLE





E27

Rechargeable LED Bulb/LED Photocell Bulb LED Smart Bulb / LED Sensor Bulb

779.00

DURALITE-12

001 092 0012

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm / 6400K
- Emergency Lighting Duration: 6 Hours
- 3,7V 1200mAhx2 Li-on Battery
- Emergency Work: 5W - 550 lm

12W SMD LED

3000K 4200K 6400K

Rechargeable Emergency LED Bulb





DC MODE: FIRST ON-OFF IS HIGH MODE




DC MODE: SECOND ON-OFF IS ECO MODE



DC MODE: THIRD ON-OFF IS FLASH MODE

F (A↑G)

Emergency Lighting Duration: 6 Hours



E27

430.00

DARK-10

001 068 0010


- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K

3000K 4200K 6400K

Built-in **Photocell Sensor**



F (A↑G)



E27

10W SMD LED



D I M M A B L E

1251.00

HOROSCOPE-9

001 084 0009

- 100-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 800 lm
- RGB

DIMMABLE

Bluetooth

tuya

9W SMD LED


F (A↑G)

RGB Multicolor


2700K 6500K







E27



470.00

FORCE-10

001 067 0010

- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec


3000K 4200K 6400K

Microwave Sensor

10W SMD LED



F (A↑G)



E27





ZELDA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3CCT

NEW PRODUCT

F A↑G

CCT ADJUSTABLE












SMD LED

		215.00	210.00	254.00
		ZELDA-5 3 CCT	ZELDA-7 3 CCT	ZELDA-9 3 CCT
		016-091-0005	016-091-0007	016-091-0009
Power	:	5 W	7 W	9 W
Luminous Flux	:	400 lm	560 lm	720 lm
Sizes (mm)	:	A: 49 B: 45 C: 120	A: 49 B: 45 C: 120	A: 49 B: 47 C: 120



IP44

CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K


3000K 4200K 6400K

F A↑G



SMD LED

		163.00	181.00
		CONVEX-8	CONVEX-10
		001-064-0008	001-064-0010
Power	:	8 W	10 W
Luminous Flux	:	640 lm	800 lm



GU10

283.00

PROLUX-6

001 075 0006

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571 lm
- 4200K/6400K


3000K 4200K 6400K

GLASS

E A↑G



6W SMD LED



GU10

D I M M A B L E

VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

3000K 4200K 6400K


F A↑G



SMD LED

		265.00	276.00	295.00
		VISION-6	VISION-8	VISION-10
		001-022-0006	001-022-0008	001-022-0010
Power	:	6 W	8 W	10 W
Luminous Flux	:	480 lm	640 lm	800 lm


DIMMABLE



GU10

PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K






F A↑G

SMD LED


		134.00	152.00	170.00
		PLUS-6	PLUS-8	PLUS-10
		001-002-0006	001-002-0008	001-002-0010
Power	:	6 W	8 W	10 W
Luminous Flux	:	440 lm	610 lm	800 lm



GU10

FONIX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K






F A↑G

SMD LED


		134.00	152.00
		FONIX-6	FONIX-8
		001-001-0006	001-001-0008
Power	:	6 W	8 W
Luminous Flux	:	440 lm	610 lm
Sizes (mm)	:	A: 50 B: 51.5	A: 50 B: 56.5



GU5.3


CORN-7

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 760 lm
- 6400K





F A↑G




E27

7W SMD LED

FOX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K






F A↑G



SMD LED


		199.00	219.00	272.00	319.00
		FOX-6	FOX-9	FOX-12	FOX-15
		001-069-0006	001-069-0009	001-069-0012	001-069-0015
Power	:	6 W	9 W	12 W	15 W
Luminous Flux	:	510 lm	820 lm	1155 lm	1500 lm
Sizes (mm)	:	A: 30 B: 100	A: 36 B: 122	A: 44 B: 138	A: 50 B: 146



E27


ULTRA

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	141.00	163.00	170.00
	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0006	001-003-0008	001-003-0010
Power :	6 W	8 W	10 W
Luminous Flux :	510 lm	800 lm	1000 lm
Sizes (mm) :	A: 37 B: 100	A: 37 B: 107	A: 37 B: 110









CRAFT

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	141.00	163.00	170.00
	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0006	001-004-0008	001-004-0010
Power :	6 W	8 W	10 W
Luminous Flux :	510 lm	800 lm	1000 lm
Sizes (mm) :	A: 37 B: 124	A: 37 B: 135	A: 37 B: 135









ELITE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	141.00	163.00	170.00
	ELITE-6	ELITE-8	ELITE-10
	001-005-0006	001-005-0008	001-005-0010
Power :	6 W	8 W	10 W
Luminous Flux :	510 lm	800 lm	1000 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27
Sizes (mm) :	A: 45 B: 80	A: 45 B: 90	A: 45 B: 90











REFLED

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K










	149.00	187.00	239.00	350.00
	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012
Power :	4 W	6 W	10 W	12 W
Luminous Flux :	260 lm	480 lm	920 lm	1150 lm
Lamp Holder :	E14	E14	E27	E27
Sizes :	A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115





TORCH NOVO


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs








		TORCH NOVO-20	TORCH NOVO-30	TORCH NOVO-40	TORCH NOVO-50
		254.00	417.00	562.00	798.00
		001-093-0020	001-093-0030	001-093-0040	001-093-0050
Power	:	20 W	30 W	40 W	50 W
Color Temperature	:	2700K/4200K/6400K	2700K/4200K/6400K	2700K/4200K/6400K	2700K/4200K/6400K
Lamp Holder	:	E27	E27	E27	E27
Luminous Flux	:	2050 lm	3100 lm	4200 lm	5350 lm
Sizes (mm)	:	A: 80 B: 120	A: 100 B: 152	A: 118 B: 168	A: 138 B: 191



E27

TORCH CRYSTAL


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs








		TORCH CRYSTAL-20	TORCH CRYSTAL-30	TORCH CRYSTAL-40	TORCH CRYSTAL-50
			417.00	562.00	798.00
		001-094-0020	001-094-0030	001-094-0040	001-094-0050
Power	:	20 W	30 W	40 W	50 W
Color Temperature	:	2700K/4200K/6400K	2700K/4200K/6400K	2700K/4200K/6400K	2700K/4200K/6400K
Lamp Holder	:	E27	E27	E27	E27
Luminous Flux	:	2050 lm	3100 lm	4200 lm	5350 lm
Sizes (mm)	:	A: 80 B: 100	A: 100 B: 117	A: 113 B: 130	A: 136 B: 150



E27

TORCH

- 175–250V / 50–60Hz
- Average Life: 25.000 Hrs








SMD LED


	308.00	497.00	779.00	1088.00	2248.00	2628.00
	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power :	20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature :	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder :	E27	E27	E27	E27	E27	E27
Luminous Flux :	2050 lm	3120 lm	4250 lm	5350 lm	8300 lm	10600 lm
Sizes (mm) :	A: 80 B: 135	A: 100 B: 165	A: 118 B: 190	A: 138 B: 220	A: 127 B: 232	A: 138 B: 230 (E27)




E27

GLOBE

- 175–250V / 50–60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K








SMD LED


	500.00	671.00
	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power :	16 W	20 W
Luminous Flux :	1600 lm	2010 lm
Sizes (mm) :	A: 95 B: 136.5	A: 120 B: 161



E27

UFO PRO


- 175–250V / 50–60Hz
- Average Life: 25.000 Hrs
- 6400K





SMD LED


	1069.00	1338.00	2074.00
	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power :	30 W	50 W	70 W
Luminous Flux :	3050 lm	5200 lm	7500 lm
Sizes (mm) :	A: 120 B: 110	A: 150 B: 140	A: 170 B: 170



E27


PETA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K



F A↑G






SMD LED

	163.00	170.00	218.00	334.00	435.00
	PETA-4	PETA-6	PETA-8	PETA-10	PETA-12
	001-045-0004	001-045-0006	001-045-0008	001-045-0010	001-045-0012
Power :	4 W	6 W	8 W	10 W	12W
Luminous Flux :	350 lm	520 lm	730 lm	950 lm	1155 lm
Sizes (mm) :	A: 15,9 B: 48,7	A: 16 B: 50	A: 18.5 B: 55	A: 18.5 B: 63	A: 18 B: 62


DECO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K



F A↑G





SMD LED


	170.00	199.00
	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power :	3 W	7 W
Luminous Flux :	300 lm	630 lm
Sizes (mm) :	A: 16 B: 48	A: 16,4 B: 60

MEGA-5

163.00


001 011 0005

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K



G A↑G






5W SMD LED


EXA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K



F A↑G





COB LED


	248.00	307.00
	EXA-4	EXA-6
	001-047-0004	001-047-0006
Power :	4 W	6 W
Luminous Flux :	400 lm	600 lm
Sizes (mm) :	A: 13.3 B: 48	A: 13.3 B: 60

MIDI

101.00


001 012 0002

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K



G A↑G






1.5W SMD LED


MICRO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



G A↑G






SMD LED

	101.00	165.00
	MICRO-2	MICRO-3
	001-010-0002	001-010-0003
Power :	1.5 W	3 W
Luminous Flux :	90 lm	160 lm
Sizes (mm) :	A: 12 B: 34	A: 12 B: 36

LED CAPSULE

MAKRO


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 6400K







	101.00	180.00
	MAKRO-2	MAKRO-3
	001-090-0002	001-090-0003
Power :	1.5 W	3 W
Luminous Flux :	160 lm	280 lm
Sizes (mm) :	A: 10 B: 33	A: 13 B: 37



G4


MULTI

- 12V DC
- Average Life: 25.000 Hrs
- 2700K / 6400K






	101.00	165.00
	MULTI-2	MULTI-3
	001-091-0002	001-091-0003
Power :	1.5 W	3 W
Luminous Flux :	175 lm	280 lm
Sizes (mm) :	A: 10 B: 33	A: 13 B: 37




G4

GIGA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs









	187.00	236.00
	GIGA-4	GIGA-6
	001-046-0004	001-046-0006
Power :	4 W	6 W
Luminous Flux :	360 lm	520 lm
Sizes (mm) :	A: 26 B: 54	A: 26 B: 58

E14

POND

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K








	166.00	174.00
	POND-3	POND-3
	001-086-0003	001-086-0006
Power :	3 W	6 W
Luminous Flux :	260 lm	520 lm
Sizes (mm) :	A: 16 B: 50	A: 16 B: 55

E14

LED TUBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



GLASS COVER








	230.00	280.00	526.00
	199.00	280.00	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power :	9 W	18 W	24 W
Luminous Flux :	830 lm	1800 lm	2500 lm
Length (mm) :	L: 600	L: 1200	L: 1500



T8 G13


FILAMENT BALL


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K















FILAMENT LED	FILAMENT BALL-4	FILAMENT BALL-4	FILAMENT BALL-6	FILAMENT BALL-6
	163.00	163.00	174.00	174.00
	001-089-0004	001-089-0004	001-089-0006	001-089-0006
Power :	4 W	4 W	6 W	6 W
Luminous Flux :	450 lm	450 lm	700 lm	700 lm
Lamp Holder :	E14	E27	E14	E27
Sizes :	A: 45 B: 78	A: 45 B: 78	A: 45 B: 78	A: 45 B: 78

FILAMENT CANDLE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K











FILAMENT LED	FILAMENT CANDLE-4	FILAMENT CANDLE-6
	156.00	163.00
	001-013-0004	001-013-0006
Power :	4 W	6 W
Luminous Flux :	450 lm	700 lm

FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K










FILAMENT LED	FILAMENT FLAME-4	FILAMENT FLAME-6
	156.00	163.00
	001-014-0004	001-014-0006
Power :	4 W	6 W
Luminous Flux :	450 lm	700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K













FILAMENT LED	FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12	FILAMENT GLOBE-15
	236.00	247.00	308.00	373.00	435.00	
	001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012	001-015-0015
Power :	4 W	6 W	8 W	10 W	12W	15W
Luminous Flux :	450 lm	700 lm	900 lm	1200 lm	1540 lm	1750 lm
Sizes (mm) :	A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 60 B: 112	A: 70 B: 131

653.00

RUSTIC GLOBE-6

001 030 0006


2200K 4200K 6400K

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

F A↑G



AMBER COLOR



6W FILAMENT LED

E27

315.00


RUSTIC VINTAGE-6

001 029 0006


2200K 4200K 6400K

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

F A↑G



AMBER COLOR



6W FILAMENT LED

E27

RUSTIC TUBE


2200K 4200K 6400K

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K

F A↑G



AMBER COLOR



FILAMENT LED

	417.00	471.00
	RUSTIC TUBE - 6	RUSTIC TUBE - 8
	001-033-0006	001-033-0008
Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes /mm) :	A: 30 B: 185	A: 30 B: 235

E27


736.00

FIREFLUX

001 048 0005

1500K 4200K 6400K


- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K





Gravity Sensor

3 Modes



Flame Mode | General Lighting Mode | Breathing Mode

E27



5W SMD LED

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)

FILAMENT LED

AMBER COLOR


TITANIUM COLOR



2458.00

TOLEDO

001 049 0008



2625.00 4390.00

PARADOX PARADOX-XL


001 052 0008



2625.00 4274.00

GINZA GINZA-XL


001 050 0008



3310.00 4873.00

ORIGAMI ORIGAMI-XL

001 053 0008




2577.00 4185.00

ENIGMA ENIGMA-XL

001 051 0008

8W



2705.00 4015.00

ELLIPTIC ELLIPTIC-XL

001 054 0008

E27

LED FILAMENT BULB

164.00

FANTASY RGB

001 088 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



1W SMD LED

RGB 50 lm

E27

107.00

FANTASY

001 088 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



Yellow	Red	Green	Blue	Orange	Purple	Pink
110 lm	44 lm	78 lm	32 lm	96 lm	30 lm	46 lm

2W SMD LED



G A↑G

White 140 lm

E27

150.00

COMFORT RGB

001 087 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



1W SMD LED

RGB 35 lm

E27

103.00

COMFORT

001 087 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



Yellow	Red	Green	Blue	Orange	Purple	Pink
90 lm	33 lm	60 lm	25 lm	75 lm	23 lm	38 lm

2W SMD LED



G A↑G

White 100 lm


E27

83.00

RAINBOW

001 017 0001

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



1W SMD LED



Yellow	Red	Green	Blue
105 lm	34 lm	68 lm	12 lm



E A↑G

White 120 lm


E27

123.00

SPECTRA

001 017 0003

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



3W SMD LED



Yellow	Red	Green	Blue
315 lm	102 lm	205 lm	38 lm



G A↑G


White 250 lm


E27

Fluorescent Tube/Halogen Lamp

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs


TUBE-5






T5 / G5

		196.00	234.00	280.00	374.00
		TUBE-5	TUBE-5	TUBE-5	TUBE-5
		004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power	:	8 W	13 W	21 W	28 W
Luminous Flux	:	400 lm	1045 lm	1660 lm	2350 lm
Length (mm)	:	L: 300	L: 530	L: 860	L: 1160



TUBE-8

G A↑G



T8 / G13

		187.00	204.00	224.00	268.00
		TUBE-8	TUBE-8	TUBE-8	TUBE-8
		004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power	:	10 W	15 W	18 W	36 W
Luminous Flux	:	360 lm	740 lm	975 lm	2400 lm
Length (mm)	:	L: 347	L: 450	L: 600	L: 1200



Fluorescent Tube


CE EAC RoHS

- Average Life: 2.000 Hrs

GU10 GU5.3



		216.00	114.00	142.00
		GU 10 CLOSED	JCDR OPEN	JCDR CLOSED
		220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	:	50 W	50 W	50 W
Luminous Flux	:	340 lm	650 lm	550 lm
Lamp Holder	:	GU10	GU5.3	GU5.3



Halogen Lamp


CE EAC RoHS

- Average Life: 2.000 Hrs

R7S




		138.00	132.00	181.00
		78 mm	118 mm	189 mm
		220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	:	150W	300 W / 500W	1000W
Luminous Flux	:	2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	:	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189



- Average Life: 2.000 Hrs

A↑G






G4

		53.00	97.00
		JC G4	JC G4 WHITE
		12V AC	12V AC
Power	:	20 W	20 W
Luminous Flux	:	250 lm	200 lm

- Average Life: 2.000 Hrs

A↑G





G9

		127.00	177.00	177.00
		G9 CLEAR	G9 WHITE	G9 FROST
		220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	:	25 W / 40W	40W	40W
Luminous Flux	:	270 lm / 500 lm	500 lm	500 lm

PAMUK


- Lamp holder not included
- Max. 10W LED

WHITE
BLACK



NEW PRODUCT

	PAMUK-1	PAMUK-2	PAMUK-3	PAMUK-4
	562.00	598.00	1073.00	1497.00
	015-062-0001	015-062-0002	015-062-0003	015-062-0004
Cutting Size (mm) :	80	80	80x160	80x245
Sizes (mm) :	A: 92 C: 37	A: 92 B: 92 C: 37	A: 175 B: 92 C: 37	A: 258 B: 92 C: 37



GU10

HOROZ ELECTRIC Downlight Fitting Modul Downlight Fitting

MINT


- Lamp holder not included
- Max. 10W LED

WHITE
BLACK



NEW PRODUCT

	MINT-1	MINT-2	MINT-3	MINT-4
	406.00	437.00	758.00	1135.00
	015-063-0001	015-063-0002	015-063-0003	015-063-0004
Cutting Size (mm) :	80	80	80x160	80x245
Sizes (mm) :	A: 90 C: 57	A: 90 B: 90 C: 55	A: 175 B: 90 C: 55	A: 262 B: 90 C: 55



GU10

YUKA

473.00

- Lamp holder not included
- Max. 10W LED

BLACK
WHITE

015 064 0001

NEW PRODUCT



GU10



598.00

BEGONVİL


- Lamp holder not included
- Max. 10W LED

015 059 0001





BLACK
GOLDEN
WHITE



IP20 F LED GU10

526.00

PİROZE


- Lamp holder not included
- Max. 10W LED

015 058 0001





BLACK
GOLDEN
WHITE



IP20 F LED GU10

464.00

KADİFE


- Lamp holder not included
- Max. 10W LED

015 060 0001





BLACK
GOLDEN
WHITE



IP20 F LED GU10

660.00

NANE


- Lamp holder not included
- Max. 10W LED

015 061 0001





BLACK
GOLDEN
WHITE




IP20 F LED GU10


DOWNLIGHT FITTING

AZER

- Lamp holder not included
- Max. 10W LED



BLACK
WHITE
GOLD



725.00

AZER-1
015-039-0001




725.00

AZER-2
015-040-0001



653.00

AZER-3
015-041-0001



GU10




PETUNYA

- Lamp holder not included
- Max. 10W LED

BLACK
BLACK&WHITE



	PETUNYA-1	PETUNYA-2	PETUNYA-3
	375.00	700.00	1102.00
	015-028-0001	015-028-0002	015-028-0003
Cutting Size (mm) :	90x81	166x90	252x90
Sizes (mm) :	A: 100 B: 100 C: 45	A: 100 B: 185 C: 45	A: 100 B: 270 C: 45



GU10

MEYAN


- Lamp holder not included
- Max. 10W LED

WHITE
BLACK






424.00
MEYAN-R
015-029-0001







468.00
MEYAN-S
015-030-0001




GU10

KARANFİL


- Lamp holder not included
- Max. 10W LED


WHITE
BLACK





440.00
KARANFİL-R
015-022-0050






399.00
KARANFİL-S
015-023-0050

GU10

RINGO

121 001 0001







327.00



327.00




419.00



419.00

RINGA

121 002 0001



BLACK
WHITE
GOLDEN
CHROME

- Frame Ring for KARANFIL-R





223.00



223.00



307.00



307.00

KAKTÜS


- Lamp holder not included
- Max. 10W LED

WATERPROOF · WATERPROOF · IP65


WHITE
BLACK





779.00
KAKTÜS-R
015-034-0001



779.00
KAKTÜS-S
015-035-0001

LED F GU10

LAVİNYA

- Lamp holder not included
- Max. 10W LED


WATERPROOF · WATERPROOF · IP65

WHITE
BLACK







585.00
LAVİNYA-R
015-050-0001



591.00
LAVİNYA-S
015-051-0001



LED F GU10


KAMELYA

015 025 0050

- Lamp holder not included
- Max. 10W LED

CHROME	199.00
MAT CHROME	199.00
BLACK	164.00
WHITE	164.00
GOLDEN	199.00







LED F IP20 GU10


LAVANTA

015 024 0050

- Lamp holder not included
- Max. 10W LED

CHROME	267.00
MAT CHROME	267.00
BLACK	228.00
WHITE	228.00
GOLDEN	267.00







LED F IP20 GU10


ORKİDE

015 007 0050

CHROME	219.00
MAT CHROME	219.00
GOLDEN	219.00
WHITE	202.00

- 220-240V / 50-60Hz
- Max. 10W LED








F IP20 LED GU10


AZELYA

- Lamp holder not included
- Max. 10W LED

WHITE
BLACK
WHITE-BLACK



		171.00	193.00	367.00	536.00
		AZELYA-1	AZELYA-2	AZELYA-3	AZELYA-4
		015-048-0001	015-048-0002	015-048-0003	015-048-0004
Cutting Size (mm)	:	80	80	80x160	80x245
Sizes (mm)	:	A: 85 B: 85 C: 40	A: 92 B: 92 C: 42	A: 92 B: 172 C: 42	A: 92 B: 252 C: 42



GU10


ANEMON

- Lamp holder not included
- Max. 10W LED

WHITE
BLACK



		675.00	684.00	1294.00	1939.00
		ANEMON-1	ANEMON-2	ANEMON-3	ANEMON-4
		015-049-0001	015-049-0002	015-049-0003	015-049-0004
Cutting Size (mm)	:	85	85	85x160	85x245
Sizes (mm)	:	A: 95 B: 95 C: 35	A: 92 B: 92 C: 35	A: 92 B: 175 C: 35	A: 92 B: 253 C: 35



GU10

RECESSED

- Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-G/MODUL-9


WHITE
BLACK







		121.00	207.00	368.00	488.00	703.00
		RECESSED-R	RECESSED-SQ1	RECESSED-SQ2	RECESSED-SQ3	RECESSED-SQ4
		015-042-0001	015-043-0001	015-043-0002	015-043-0003	015-043-0004
Cutting Size (mm)	:	80	80	160	240	160
Sizes (mm)	:	A: 85 B: 85 C: 30	A: 88 B: 88 C: 35	A: 168 B: 88 C: 35	A: 248 B: 88 C: 35	A: 168 B: 168 C: 35



SURFACE

- Lamp holder not included


DOWNLIGHT FITTING FOR MODUL-G/MODUL-9

WHITE
BLACK





		499.00	808.00	1424.00	2103.00	2273.00
		SURFACE-R	SURFACE-SQ1	SURFACE-SQ2	SURFACE-SQ3	SURFACE-SQ4
		015-044-0001	015-045-0001	015-045-0002	015-045-0003	015-045-0004
Sizes (mm)	:	A: 90 B: 90 C: 110	A: 105 B: 105 C: 110	A: 110 B: 205 C: 110	A: 115 B: 300 C: 110	A: 205 B: 205 C: 110



729.00

MODUL-9

016 076 0009

BLACK

WHITE


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 810 lm
- 4200K/6400K



SUITABLE FOR MODULE FITTING CASES

9W SMD LED

3000K 4200K 6400K



MODUL-G

128 003 0001

- Max. 10W LED

78.00 BLACK

132.00 GOLD

78.00 WHITE

LED GU10








SUITABLE FOR MODULE FITTING CASES

SUITABLE FOR GU10 AND G5.3 LED BULBS





MABEL

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4200K

016 098 0005


NEW PRODUCT

F A↑G

WHITE
BLACK
ROSE GOLD







5W COB LED | 3000K 4200K 6500K

HOROZ ELECTRIC
LED Downlight
LED Sensor Downlight

CE EAC RoHS

440.00 LUNA


- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available

016 041 0003

WHITE

G A↑G





3W SMD LED | 3000K 4200K 6400K


572.00 DIANCA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K

016 036 0003

WHITE
M.CHROME



3W COB LED | 3000K 4200K 6400K


635.00 ANGELA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K

016 002 0002

M.CHROME





2W SMD LED | 3000K 4200K 6400K


752.00 SILVIA

016 039 0001

WHITE
MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K





1W POWER LED | 3000K 4200K 6400K


592.00 MONICA

016 003 0001

CHROME
MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K





1W POWER LED | 3000K 4200K 6400K

MELODY

016 069 0005

- 170-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4000K
- Linked Sets: 18 pcs



F A↑G

MAT CHROME
WHITE
BLACK








IP65

WATERPROOF


5W SMD LED

3000K 4000K 6500K

DOUBLE SPRING CLAMP CONNECTOR







LED DOWNLIGHT

439.00

LOGAN 3 CCT

016 085 0005

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 3 CCT

F A↑G

CCT ADJUSTABLE



BLACK
WHITE


IP65

WATERPROOF





5W SMD LED




390.00

NORA PRO-5

016 053 1005

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm



CCT ADJUSTABLE



F A↑G


WHITE

BLACK





5W SMD LED




254.00

AMARA

016 079 0006


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 480 lm
- 6400K




F A↑G


WHITE&BLACK

BLACK



6W COB LED







- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

DOUBLE SPRING CLAMP CONNECTOR

BLACK
WHITE

3000K 4200K 6400K






Easy connection available
Linked Sets: Max. 18 pcs (5w)
Easy connection available
Linked Sets: Max. 8 pcs (12w)

SMD LED

		1124.00	2215.00
		PARKER-5	PARKER-12
		016-071-0005	016-071-0012
Power	:	5 W	12 W
Luminous Flux	:	350 lm	1000 lm
Cutting Diameter (mm)	:	Ø68	Ø130
Sizes (mm)	:	A: 40 B: 82	A: 38 B: 148





CARTER

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

DOUBLE SPRING CLAMP CONNECTOR

BLACK
WHITE

3000K 4200K 6400K






Easy connection available
Linked Sets: Max. 18 pcs (5w)
Easy connection available
Linked Sets: Max. 8 pcs (12w)

SMD LED

		1124.00	2215.00
		CARTER-5	CARTER-12
		016-072-0005	016-072-0012
Power	:	5 W	12 W
Luminous Flux	:	350 lm	1000 lm
Cutting Diameter (mm)	:	Ø68	Ø130
Sizes (mm)	:	A: 35 B: 82	A: 33 B: 145






PAULA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE

CCT Selectable by DIP Switch




WHITE

BLACK

ADJUSTABLE CUT HOLE








SMD LED

		580.00	798.00	1160.00	1577.00
		PAULA-9 3 CCT	PAULA-18 3 CCT	PAULA-24 3 CCT	PAULA-36 3 CCT
		016-092-0009	016-092-0018	016-092-0024	016-092-0036
Power	:	9 W	18 W	24 W	36 W
Luminous Flux	:	720 lm	1440 lm	1920 lm	2880 lm
Cutting Diameter (mm)	:	66-75	70-105	70-150	70-200
Sizes (mm)	:	A: 130 B: 32	A: 160 B: 32	A: 210 B: 32	A: 265 B: 32




STELLA

STELLA/SQ

WHITE


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K


ADJUSTABLE CUT HOLE



FRAMELESS









SMD LED


		276.00	383.00	531.00	812.00
		STELLA-8	STELLA-16	STELLA-20	STELLA-30
		016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	:	8 W	16 W	20 W	30 W
Luminous Flux	:	680 lm	1440 lm	1900 lm	2850 lm
Cutting Diameter (mm)	:	55-70	55-100	55-150	55-200
Sizes (mm)	:	A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19



SMD LED

		293.00	401.00	570.00	875.00
		STELLA/SQ-8	STELLA/SQ-16	STELLA/SQ-20	STELLA/SQ-30
		016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power	:	8 W	16 W	20 W	30 W
Luminous Flux	:	680 lm	1440 lm	1900 lm	2850 lm
Cutting Diameter (mm)	:	55-70	55-100	55-150	55-200
Sizes (mm)	:	A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19





LUCIA 3 CCT

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs

NEW PRODUCT

CCT ADJUSTABLE




WHITE
BLACK





SMD LED

	972.00	1158.00	1407.00	1747.00	2284.00	2869.00	3969.00
	LUCIA-10 3 CCT	LUCIA-15 3 CCT	LUCIA-20 3 CCT	LUCIA-25 3 CCT	LUCIA-30 3 CCT	LUCIA-35 3 CCT	LUCIA-40 3 CCT
	016-046-1010	016-046-1015	016-046-1020	016-046-1025	016-046-1030	016-046-1035	016-046-1040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux :	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter :	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217






VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE
BLACK








COB LED


		716.00	1001.00	1461.00	1802.00	2295.00
		VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
		016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power	:	5 W	10 W	15 W	20 W	30 W
Luminous Flux	:	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm)	:	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm)	:	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225



ALEXA 3 CCT

- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3CCT

CCT ADJUSTABLE



WHITE
BLACK


ALUMINIUM





SMD LED

		500.00	668.00	830.00	1102.00	1686.00
		ALEXA-8 3 CCT	ALEXA-12 3 CCT	ALEXA-20 3 CCT	ALEXA-24 3 CCT	ALEXA-30 3 CCT
		016-048-1008	016-048-1012	016-048-1020	016-048-1024	016-048-1030
Power	:	8 W	12 W	20 W	24 W	30 W
Luminous Flux	:	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm)	:	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm)	:	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230



ALEXIS 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

F (A↑G)

CCT ADJUSTABLE




WHITE
BLACK
PLASTIC





	314.00	393.00	399.00	499.00	799.00	1399.00 / 1526.00
SMD LED	ALEXIS-6 3 CCT	ALEXIS-9 3 CCT	ALEXIS-12 3 CCT	ALEXIS-18 3 CCT	ALEXIS-24 3 CCT	
	016-087-0006	016-087-0009	016-087-0012	016-087-0018	016-087-0024	016-087-0030
Power :	6 W	9 W	12 W	18 W	24 W	30 W
Luminous Flux :	510 lm	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter :	Ø80	Ø100	Ø110	Ø140	Ø200	Ø250
Sizes (mm) :	A: 27 B: 108	A: 27 B: 125	A: 27 B: 147	A: 27 B: 175	A: 27 B: 220	A: 27 B: 300





ALEXIS/SQ 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

F (A↑G)


CCT ADJUSTABLE



WHITE
BLACK
PLASTIC





	406.00	451.00	571.00	859.00	1465.00
SMD LED	ALEXIS/SQ-9 3 CCT	ALEXIS/SQ-12 3 CCT	ALEXIS/SQ-18 3 CCT	ALEXIS/SQ-24 3 CCT	ALEXIS/SQ-30 3 CCT
	016-088-0009	016-088-0012	016-088-0018	016-088-0024	016-088-0030
Power :	9W	12 W	18 W	24 W	30 W
Luminous Flux :	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter (mm) :	90-90	110-110	140-140	200-200	250-250
Sizes (mm) :	A: 27 B: 118	A: 27 B: 152	A: 27 B: 178	A: 27 B: 220	A: 27 B: 300





CLARA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K







MARIA












SMD LED

		395.00	794.00	1037.00	459.00	837.00	1192.00
		CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
		016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power	:	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux	:	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm)	:	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm)	:	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40


SLIM


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K

WHITE












SMD LED

		260.00	330.00	395.00	450.00	510.00	570.00	1050.00
		SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
		056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power	:	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	:	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter	:	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm)	:	A: 14 B: 83	A: 14 B: 118,5	A: 14 B: 146	A: 14 B: 168	A: 14 B: 190	A: 14 B: 221	A: 14 B: 297


SLIM/Sq


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K

WHITE











SMD LED


		308.00	380.00	459.00	498.00	578.00	638.00	1117.00
		SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
		056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power	:	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	:	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm)	:	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm)	:	A: 14 B: 89	A: 14 B: 113,5	A: 14 B: 146	A: 14 B: 163	A: 14 B: 194,5	A: 14 B: 219,5	A: 14 B: 292

HARLEY 2 CCT


- 165-265V / 50-60Hz
- Average Life: 15.000 Hrs
- 2 CCT

WHITE
BLACK


ADJUSTABLE CUT HOLE




2 CCT







	576.00	827.00	1167.00	1599.00
SMD LED	HARLEY-5 2 CCT	HARLEY-10 2 CCT	HARLEY-16 2 CCT	HARLEY-20 2 CCT
	016-074-0005	016-074-0010	016-074-0016	016-074-0020
Power :	5 W	10 W	16 W	20 W
Luminous Flux :	298 lm	1108 lm	1578 lm	2078 lm
Cutting Diameter :	Ø55-70	Ø55-100	Ø55-160	Ø55-200
Sizes (mm) :	A: 100 B: 40	A: 120 B: 40	A: 175 B: 40	A: 225 B: 40








VIOLET

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K


WHITE







	404.00	527.00	636.00	877.00	1193.00
SMD LED	VIOLET-9	VIOLET-12	VIOLET-18	VIOLET-24	VIOLET-36
	016-075-0009	016-075-0012	016-075-0018	016-075-0024	016-075-0036
Power :	9 W	12 W	18 W	24 W	36 W
Luminous Flux :	720 lm	960 lm	1440 lm	1920 lm	2880 lm
Cutting Diameter :	Ø70	Ø90	Ø110	Ø145	Ø190
Sizes (mm) :	A: 86 B: 30	A: 106 B: 30	A: 130 B: 30	A: 162 B: 30	A: 210 B: 33




VALENTINA 2 CCT


- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K

ADJUSTABLE CUT HOLE

WHITE




2 CCT












SMD LED


		399.00	580.00	921.00	1312.00
		VALENTINA-6 2 CCT	VALENTINA-12 2 CCT	VALENTINA-24 2 CCT	VALENTINA-36 2 CCT
		016-063-0006	016-063-0012	016-063-0024	016-063-0036
Power	:	6 W	12 W	24 W	36 W
Luminous Flux	:	480 lm	960 lm	1920 lm	2880 lm
Cutting Diameter (mm)	:	50-90	50-105	50-150	50-205
Sizes (mm)	:	A: 100 B: 25	A: 120 B: 25	A: 170 B: 25	A: 220 B: 25



ALESYA 3 CCT

- 85-265V / 50-60Hz
- Average Life:30.000 Hrs
- 3CCT

CCT ADJUSTABLE



WHITE

BLACK


NEW PRODUCT





SMD LED

		ALESYA-10 3 CCT	ALESYA-15 3 CCT	ALESYA-20 3 CCT	ALESYA-25 3 CCT	ALESYA-30 3 CCT	ALESYA-40 3 CCT
		016-089-1010	016-089-1015	016-089-1020	016-089-1025	016-089-1030	016-089-1040
Power	:	10 W	15 W	20 W	25 W	30 W	40 W
Luminous Flux	:	800 lm	1200 lm	1600 lm	2000 lm	2400 lm	3200 lm
Cutting Diameter (mm)	:	Ø75	Ø95	Ø110	Ø145	Ø200	Ø200
Sizes (mm)	:	A: 30.5 B: 90	A: 33 B: 120	A: 35 B: 140	A: 39 B: 170	A: 44 B: 220	A: 44 B: 220



MA 2103.00 CCT

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 3 CCT

016 060 1018

CCT ADJUSTABLE

CCT Selectable by DIP Switch



WHITE
BLACK











Day&Night motion sensor mode

Night motion sensor mode



18W SMD LED


Recessed


Surface Mounting




360°

Built-in **Photocell & PIR Sensor**

MATILDA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT

CCT ADJUSTABLE




WHITE
BLACK

F A↑G











SMD LED

		1124.00 MATILDA-12 3 CCT 016-090-0012	1396.00 MATILDA-18 3 CCT 016-090-0018
Power	:	12 W	18 W
Luminous Flux	:	1200 lm	1800 lm
Cutting Diameter (mm)	:	60-130	60-180
Sizes (mm)	:	A: 170 B: 18	A: 220 B: 18


Recessed


Surface Mounting




520.00

NORA PRO/S-5

016 078 1005

F A↑G


CCT ADJUSTABLE



WHITE

BLACK

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm













5W SMD LED

HOROZ ELECTRIC


LED Surface Light
LED Surface Backlight
Surface Light



520.00

KAMEL

016 099 0005



NEW PRODUCT

F A↑G


WHITE

BLACK

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- 400 lm







5W COB LED

GUSTO 3 CCT

- 160-265V/50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT

NEW PRODUCT




WHITE
BLACK





		1360.00	1611.00	2253.00	3556.00	4865.00
		GUSTO-12 3 CCT	GUSTO-18 3 CCT	GUSTO-24 3 CCT	GUSTO-32 3 CCT	GUSTO-40 3 CCT
		016-095-0012	016-095-0018	016-095-0024	016-095-0032	016-095-0040
Power	:	**12 W**	**18 W**	**24 W**	**32 W**	**40 W**
Luminous Flux	:	1200 lm	1800 lm	2400 lm	3200 lm	4000 lm
Sizes (mm)	:	A: 180 B: 25	A: 230 B: 25	A: 300 B: 25	A: 400 B: 25	A: 500 B: 25



IP44

PASTEL 3 CCT

- 160-265V/50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT

NEW PRODUCT




WHITE
BLACK






		1686.00	2335.00	3684.00
		PASTEL-18 3 CCT	PASTEL-24 3 CCT	PASTEL-32 3 CCT
		016-096-0018	016-096-0024	016-096-0032
Power	:	**18 W**	**24 W**	**32 W**
Luminous Flux	:	952 lm	1286 lm	1798 lm
Sizes (mm)	:	A: 230 B: 45	A: 300 B: 45	A: 400 B: 45



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K

CAROLINE


ARINA


WHITE

BLACK

3000K 4200K 6400K

ALUMINIUM





SMD LED

	526.00	687.00	1140.00	578.00	738.00	1276.00
	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A: 160 B: 28	A: 210 B: 28	A: 287 B: 28	A: 159.5 B: 28	A: 211 B: 28	A: 283 B: 28
Colour :	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K

SELENA 3 CCT


- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT

PLASTIC

F A↑G


BLACK

WHITE



CCT ADJUSTABLE





SMD LED

	530.00	700.00	960.00	1550.00
	SELENA-12 3 CCT	SELENA-18 3 CCT	SELENA-24 3 CCT	SELENA-36 3 CCT
	016-084-0012	016-084-0018	016-084-0024	016-084-0036
Power :	12 W	18 W	24 W	36 W
Luminous Flux :	1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm) :	A: 140 B: 32	A: 173 B: 32	A: 218 B: 32	A: 290 B: 32

MILENA 3 CCT

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT

PLASTIC

F A↑G


BLACK

WHITE



CCT ADJUSTABLE






SMD LED

	530.00	650.00	960.00	1550.00
	MILENA-12 3 CCT	MILENA-18 3 CCT	MILENA-24 3 CCT	MILENA-36 3 CCT
	016-083-0012	016-083-0018	016-083-0024	016-083-0036
Power :	12 W	18 W	24 W	36 W
Luminous Flux :	1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm) :	A: 140 B: 32	A: 173 B: 32	A: 220 B: 32	A: 290 B: 32

VALENTINA/S 2 CCT

- 165-265V/50-60Hz
- Average Life: 25.000 Hrs
- 2CCT

WHITE




2 CCT











		762.00	1186.00	1724.00
		VALENTINA/S-12 2 CCT	VALENTINA/S-24 2 CCT	VALENTINA/S-36 2 CCT
		016-086-0012	016-086-0024	016-086-0036
Power	:	12 W	24 W	36 W
Luminous Flux	:	960 lm	1920 lm	2880 lm
Sizes (mm)	:	A: 120 B: 46	A: 172 B: 46	A: 225 B: 46



CARLA

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K


WHITE








		569.00	866.00	1301.00	1921.00
		CARLA-16	CARLA-24	CARLA-32	CARLA-48
		016-058-0016	016-058-0024	016-058-0032	016-058-0048
Power	:	16 W	24 W	32 W	48 W
Luminous Flux	:	1520 lm	2280 lm	3040 lm	4500 lm
Sizes (mm)	:	A: 120 B: 45	A: 175 B: 45	A: 225 B: 45	A: 300 B: 45



CARLA/SQ


- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K

WHITE





		602.00	913.00	1347.00	2059.00
		CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32	CARLA/SQ-48
		016-059-0016	016-059-0024	016-059-0032	016-059-0048
Power	:	16 W	24 W	32 W	48 W
Luminous Flux	:	1520 lm	2280 lm	3040 lm	4500 lm
Sizes (mm)	:	A: 125 B: 45	A: 172 B: 45	A: 225 B: 45	A: 300 B: 45



SOFIA 3 CCT

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT

NEW PRODUCT

CCT ADJUSTABLE




WHITE
BLACK
ALUMINIUM





		988.00	1451.00	1829.00	3199.00
SMD LED		SOFIA-18 3 CCT	SOFIA-24 3 CCT	SOFIA-36 3 CCT	SOFIA-48 3 CCT
		016-064-1018	016-064-1024	016-064-1036	016-064-1048
Power	:	18 W	24 W	36 W	48 W
Luminous Flux	:	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm)	:	A: 123 B: 40	A: 180 B: 40	A: 228 B: 40	A: 300 B: 40




SOFIA/S 3 CCT

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT

NEW PRODUCT

CCT ADJUSTABLE




WHITE
BLACK
ALUMINIUM







		1062.00	1543.00	2026.00	3479.00
SMD LED		SOFIA/S-18 3 CCT	SOFIA/S-24 3 CCT	SOFIA/S-36 3 CCT	SOFIA/S-48 3 CCT
		016-065-1018	016-065-1024	016-065-1036	016-065-1048
Power	:	18 W	24 W	36 W	48 W
Luminous Flux	:	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm)	:	A: 123 B: 40	A: 180 B: 40	A: 228 B: 40	A: 300 B: 40



CATALINA 3 CCT

NEW PRODUCT





BLACK
WHITE


- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



PLASTIC







SMD LED

		663.00	1010.00	1320.00	2097.00
		CATALINA-12 3 CCT	CATALINA-18 3 CCT	CATALINA-24 3 CCT	CATALINA-36 3 CCT
		016-081-1012	016-081-1018	016-081-1024	016-081-1036
Power	:	12 W	18 W	24 W	36 W
Luminous Flux	:	1050 lm	1800 lm	2270 lm	3600 lm
Sizes (mm)	:	A: 120 B: 38	A: 175 B: 38	A: 215 B: 38	A: 295 B: 38

CATALINA/S 3 CCT

NEW PRODUCT





BLACK
WHITE


- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



PLASTIC








SMD LED

		700.00	1062.00	1443.00	2229.00
		CATALINA/S-12 3 CCT	CATALINA/S-18 3 CCT	CATALINA/S-24 3 CCT	CATALINA/S-36 3 CCT
		016-082-1012	016-082-1018	016-082-1024	016-082-1036
Power	:	12 W	18 W	24 W	36 W
Luminous Flux	:	1050 lm	1800 lm	2270 lm	3600 lm
Sizes (mm)	:	A: 120 B: 38	A: 175 B: 38	A: 215 B: 38	A: 295 B: 38

BELİNDA

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



F A G

WHITE
BLACK


NEW PRODUCT







		870.00	1178.00	1939.00
		BELİNDA-30	BELİNDA-45	BELİNDA-60
		016-094-0030	016-094-0045	016-094-0060
Power	:	30 W	45 W	60 W
Luminous Flux	:	3200 lm	4900 lm	6500 lm
Sizes (mm)	:	A: 260 B: 50	A: 350 B: 55	A: 430 B: 60



HAZEL 3 CCT

- 160-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3 CCT

CCT ADJUSTABLE



WHITE
BLACK

NEW PRODUCT










		1265.00	1650.00	2650.00
		HAZEL-24 3 CCT	HAZEL-32 3 CCT	HAZEL-40 3 CCT
		016-077-1024	016-077-1032	016-077-1040
Power	:	24 W	32 W	40 W
Luminous Flux	:	1680 lm	2240 lm	2800 lm
Sizes (mm)	:	A: 300 B: 53	A: 370 B: 55	A: 450 B: 60



2683.00

SCARLETT-30 3 CCT

016 070 1030

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 3 CCT


CCT ADJUSTABLE



WHITE


BLACK











30W SMD LED







Linkable / Fast Connector

Release the bracket through push or pull the plastic button

WATERPROOF · WATERPROOF · WATERPROOF

IP65

ANDREA

- 170-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K







Fast Connector

Release the bracket through push or pull the plastic button

WHITE








IP54

3000K 4200K 6400K

SMD LED

		3123.00	4049.00	5318.00
		ANDREA-15	ANDREA-20	ANDREA-30
		016-066-0015	016-066-0020	016-066-0030
Power	:	15 W	20 W	30 W
Luminous Flux	:	1275 lm	1700 lm	2550 lm
Sizes (mm)	:	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49



ANDREA/S

- 170-265V/50-60Hz
- Average Life: 25.000 Hrs
- 6400K








Fast Connector

Release the bracket through push or pull the plastic button

WHITE






IP54

3000K 4200K 6400K

SMD LED

		3229.00	4259.00	5844.00
		ANDREA/S-15	ANDREA/S-20	ANDREA/S-30
		016-067-0015	016-067-0020	016-067-0030
Power	:	15 W	20 W	30 W
Luminous Flux	:	1275 lm	1700 lm	2550 lm
Sizes (mm)	:	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49




LED Sensor Decorative Ceiling Lamp

LUCAS 5 CCT

NEW PRODUCT

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 5 CCT
- Detection Distance: 3m (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Time Delay: 30s-60s-180s adj. by clip-on
- Relative humidity: <93%R
- Working temperature: -20-+40°C
- Installation height: 3-5m
- Emergency Light: 6400K
- Emergency Mode Working Time: 3Hours/300 lm
- 2x 3.7V 1800mAh Lithium Ion Battery

CCT ADJUSTABLE



WHITE






Emergency Lighting







Power Adj.




CCT Adj.

Test Button Adj.




Sensor Time Adj.



Sensor Adj.

		4200.00	5093.00
		LUCAS-20 5 CCT	LUCAS-25 5 CCT
		027-024-0020	027-024-0025
Power	:	20 W	25 W
Adjustable Power	:	10W-15W-20W	15W-20W-25W
Luminous Flux	:	1800 lm	2250 lm
Sizes (mm)	:	A: 280 B: 70	A: 330 B: 70



IP54

LED Sensor Decorative Ceiling Lamp
LED Decorative Ceiling Lamp



LED Decorative Ceiling Lamp

3900.00

ELSA-48 3 CCT

027 025 0048


- 160-265V/50-60Hz
- Average Life: 20.000 Hrs
- 2700 lm
- 3 CCT

NEW PRODUCT


CCT ADJUSTABLE




WHITE







48W SMD LED



3900.00

GALA-48 3 CCT

027 026 0048


- 160-265V/50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 3 CCT

NEW PRODUCT

CCT ADJUSTABLE




WHITE





48W SMD LED




4017.00

TERRA 3 CCT

027 022 0048

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2800 lm
- 3 CCT

NEW PRODUCT





CCT ADJUSTABLE



WHITE







48W SMD LED





4017.00

RAPSODY 3 CCT

027 023 0048

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3720 lm
- 3 CCT

NEW PRODUCT




CCT ADJUSTABLE



WHITE









48W SMD LED

EPSILON


- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE





	2000.00	2600.00	3300.00
	EPSILON-15	EPSILON-24	EPSILON-36
	027-004-0015	027-004-0024	027-004-0036
Power :	15 W	24 W	36 W
Luminous Flux :	1125 lm	1800 lm	2700 lm
Sizes (mm) :	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60





2519.00

CRAMER 3 CCT


027 015 1020

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 3 CCT
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Detection moving speed: 0.6-1.5m/S
- Relative humidity: <93%R
- Working temperature: -20-+40°C
- Installation height: 2.2m-3.5m

WHITE







NEW PRODUCT

PIR Sensor

20W

CCT ADJUSTABLE



LED Surface Backlight

5224.00

PULSAR-48

056 015 0048

3000K 4200K 6400K

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K


WHITE

BLACK



BACKLIGHT PANEL

Inside of Product



48W SMD LED




PROTEUS

3000K 4200K 6400K

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE

BLACK




BACKLIGHT PANEL



Inside of Product

SMD LED

	3210.00	6021.00
	PROTEUS-36	PROTEUS-48
	056-014-0036	056-014-0048
Power :	36 W	48 W
Luminous Flux :	3000 lm	4400 lm
Sizes (mm) :	A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38





2908.00

LAYLA-15

016 073 0015

3000K 4200K 6400K








15W COB LED

- BLACK
- WHITE

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 1200 lm
- 4200K



SANDRA

SANDRA-XL

2700K 4200K 6400K

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


- WHITE
- BLACK





SMD LED

	852.00	1164.00	1159.00	1643.00	1781.00	2585.00
	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A: 105 B: 75	A: 105 B: 162	A: 140 B: 75	A: 140 B: 162	A: 180 B: 75	A: 180 B: 162



SANDRA-SQ

SANDRA-SQ/XL

2700K 4200K 6400K

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


- WHITE
- BLACK





SMD LED

	1853.00	2250.00	2801.00	3228.00
	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A: 136 B: 120	A: 136 B: 200	A: 182 B: 120	A: 182 B: 200



JOKER

- 220-240V / 50-60Hz
- Bulb not included
- Max. 10W LED

GU10

BLACK

WHITE



1164.00

JOKER-1

015-038-0001



2205.00

JOKER-2

015-038-0002



3086.00

JOKER-4

015-038-0004



2975.00

JOKER-3

015-038-0003



3776.00

JOKER-5

015-038-0005




3888.00

JOKER-6


015-038-0006




JOKER-1




JOKER-2




JOKER-3




JOKER-4



JOKER-5



JOKER-6



SALSA

SALSA-L

SALSA-XL

SALSA/SQ-L

WHITE
BLACK













568.00	1135.00	1489.00	1150.00
SALSA	SALSA-L	SALSA-XL	SALSA/SQ-L
015-036-0001	015-036-0002	015-036-0003	015-037-0002










REFLEX

CHROME
GOLD
RED COPPER



165.00	236.00	313.00	248.00
REFLEX	REFLEX-L	REFLEX-XL	REFLEX/SQ-L
128-001-0001	128-001-0002	128-001-0003	128-002-0002
Sizes (mm) : A:60	A:80	A:100	A:80
For Reflector : Salsa	Salsa-L	Salsa-XL	Salsa/SQ-L





FREZYA

- Bulb not included


WHITE
BLACK











769.00	885.00
FREZYA-R	FREZYA-S
015-026-0050	015-027-0050

MIAMI

2098.00

015 033 0001

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included


WHITE
BLACK











GU10

SURFACE LIGHT

HOROZ ELECTRIC LED Panel

2632.00

ANDROMEDA 3 CCT

056 017 0050


WHITE

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 5000 lm
- 3 CCT


CCT ADJUSTABLE





NEW PRODUCT



Inside of Product







50W SMD LED

3300.00

SUPERNOVA 3 CCT

056 018 0050

WHITE

- 170-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 5000 lm
- 3 CCT

CCT ADJUSTABLE




NEW PRODUCT



Backside of Product







50W SMD LED

HOROZ ELECTRIC LED Panel/LED Backlight Panel LED Frame panel/Frame Drywall Kit




LED Panel/LED Backlight Panel/LED Frame Panel Frame / Drywall Kit

MOON

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE



	MOON-32	MOON-40
	2211.00	2393.00
	056-007-0032	056-007-0040
Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8

ZODIAC

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE




	ZODIAC-24	ZODIAC-36
	1849.00	3009.00
	056-006-0024	056-006-0036
Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8


TAURUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE



	TAURUS-36	TAURUS-48
	2121.00	3886.00
	056-013-0036	056-013-0048
Power :	36 W	48 W
Luminous Flux :	3000 lm	4400 lm
Sizes (mm) :	A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32



BACKLIGHT PANEL



Inside of Product




CAPELLA-48


056 012 0048


- 175-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

WHITE












FRAME

WHITE





	FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
	852.00	1414.00	1015.00	1084.00	1316.00
	111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005
Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A:400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45



DRY KIT

181.00

111 001 0001

- Drywall Kit Apparatus
- For LED Panels





LED Magnetic Light System
LED Slim Magnetic Light System

RECESSED MAGNET RAIL
MAGNET-R2



3463.00


129 006 0002

SURFACE MAGNET RAIL
MAGNET-S2




3866.00

129 007 0002



48VDC | 2M

THICKNESS 2mm



MAGNET

- 48VDC
- Average Life: 40.000 Hrs

3000K 4200K 6400K

BLACK

F A↑G



MAGNET-LL1



MAGNET-LL2




MAGNET-LM1



MAGNET-LM2

SMD LED

		519.00	720.00	877.00	1107.00	580.00	1020.00	1635.00
		MAGNET-LL1	MAGNET-LL2	MAGNET-LL3	MAGNET-LL4	MAGNET-LM1	MAGNET-LM2	MAGNET-LM3
		129-002-0006	129-002-0012	129-002-0018	129-002-0024	129-001-0012	129-001-0020	129-001-0028
Power	:	6 W	12 W	18 W	24 W	12 W	20 W	28 W
Luminous Flux	:	540 lm	1080 lm	1620 lm	2160 lm	1260 lm	2220 lm	3180 lm
Sizes (mm)	:	L:110 W:22 H:44	L:218 W:22 H:44	L:326 W:22 H:44	L:435 W:22 H:44	L:302 W:22 H:44	L:603 W:22 H:44	L:903 W:22 H:44



MAGNET

- 48VDC
- Average Life: 40.000 Hrs

3000K 4200K 6400K

BLACK


F A↑G





SMD LED

		1568.00	1606.00
		MAGNET-ALL1	MAGNET-ALL2
		129-003-0012	129-003-0018
Power	:	12 W	18 W
Luminous Flux	:	1080 lm	1620 lm
Sizes (mm)	:	L:223 W:22 H:120	L:332 W:22 H:120





HOROZ ELECTRIC LED Magnetic Light System

MAGNET


- 48VDC
- Average Life: 40.000 Hrs

3000K 4200K 6400K

BLACK







	1606.00	1897.00
	MAGNET-T1	MAGNET-T2
	129-005-0020	129-005-0030
Power	20 W	30 W
Luminous Flux	1630 lm	2510 lm
Sizes (mm)	Ø:65 H:160	Ø:65 H:180

	2236.00	2512.00
	MAGNET-P1	MAGNET-P2
	129-004-0020	129-004-0030
Power	20 W	30 W
Luminous Flux	1630 lm	2510 lm
Sizes (mm)	Ø:65 H:280	Ø:65 H:300


MAGNET

- 220VAC / 48VDC
- Average Life: 40.000 Hrs

BLACK



	2253.00	3467.00
	MAGNET-PS1	MAGNET-PS2
	129-008-0001	129-008-0002
Power	100 W	200 W
Sizes (mm)	L:220 W:22 H:43	L:260 W:22 H:43



MAGNET

- 48VDC

BLACK


MAGNET-C1


MAGNET-C2


MAGNET-SJ


MAGNET-RJ


MAGNET-H


MAGNET-RC


MAGNET-RW


MAGNET-SC


MAGNET-SW

	287.00	287.00	185.00	83.00	469.00	593.00	593.00	584.00	584.00
	MAGNET-C1	MAGNET-C2	MAGNET-SJ	MAGNET-RJ	MAGNET-H	MAGNET-RC	MAGNET-RW	MAGNET-SC	MAGNET-SW
	129-009-0001	129-010-0001	129-015-0001	129-016-0001	129-017-0001	129-011-0001	129-012-0001	129-013-0001	129-014-0001
Sizes (mm)	L:37.0 W:16 H:17	L:220 W:16 H:17	L:100 W:23	L:70 W:11.5 H:T1.0	L:2000 W:20 H:20	L:80 H:80	L:80 H:80	L:80 H:80	L:80 H:80



48VDC 2M

NEW PRODUCT





RECESSED SLIM MAGNET RAIL

SLIM MAGNET-R2


129 106 0002




SURFACE SLIM MAGNET RAIL

SLIM MAGNET-S2

129 107 0002







SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs

BLACK

F A↑G





SLIM MAGNET-LL1



MAGNET-LL2



MAGNET-LM1

MAGNET-LM2

SMD LED

		SLIM MAGNET-LL1	SLIM MAGNET-LL2	SLIM MAGNET-LM1	SLIM MAGNET-LM2
		129-102-0012	129-102-0018	129-101-0010	129-101-0020
		1026.00	1264.00	850.00	1294.00
Power	:	12 W	18 W	10 W	20W
Luminous Flux	:	1080 lm	1620 lm	1050 lm	2220 lm
Sizes (mm)	:	L:222 W:27 H:24	L:330 W:27 H:24	L:305 W:27 H:24	L:605 W:27 H:24





SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs

BLACK

F A↑G




Adjustable





SMD LED

		SLIM MAGNET-ALL1	SLIM MAGNET-ALL2
		129-103-0012	129-103-0018
		1667.00	2233.00
Power	:	12 W	18 W
Luminous Flux	:	1080 lm	1620 lm
Sizes (mm)	:	L:229 W:27 H:39	L:337 W:27 H:39






SLIM MAGNET

- 48VDC
- Average Life: 40.000 Hrs

BLACK

F A↑G





COB LED

		SLIM MAGNET-T2	SLIM MAGNET-T3
		129-105-0015	129-105-0020
		2336.00	2768.00
Power	:	15 W	20 W
Luminous Flux	:	1220 lm	1630 lm
Sizes (mm)	:	L:145 Ø:55	L:145 Ø:65





SLIM MAGNET


- 48VDC
- Average Life: 40.000 Hrs

BLACK









COB LED

2081.00 | 3228.00

		SLIM MAGNET-P1	SLIM MAGNET-P3
		129-104-0010	129-104-0020
Power	:	10 W	20 W
Luminous Flux	:	800 lm	1630 lm
Sizes (mm)	:	L:1800 Ø:40	L:1800 Ø:50

SMD LED

3350.00

		SLIM MAGNET-P5
		129-104-0007
Power	:	7 W
Luminous Flux	:	660 lm
Sizes (mm)	:	L:1605 Ø:105 X:105

SLIM MAGNET

- 48VDC

BLACK

NEW PRODUCT NEW PRODUCT NEW PRODUCT



SLIM MAGNET-CL | SLIM MAGNET-CI | SLIM MAGNET-CT | SLIM MAGNET-CX | SLIM MAGNET-CC | SLIM MAGNET-RW | SLIM MAGNET-RC | SLIM MAGNET-RL

		SLIM MAGNET-CL	SLIM MAGNET-CI	SLIM MAGNET-CT	SLIM MAGNET-CX	SLIM MAGNET-CC	SLIM MAGNET-RW	SLIM MAGNET-RC	SLIM MAGNET-RL
		129-109-0001	129-110-0001	129-111-0001	129-112-0001	129-113-0001	129-114-0001	129-115-0001	129-116-0001
Sizes (mm)	:	W:47 H:47	W:27 H:67	W:47 H:67	W:67 H:67	W:27 H:27	W:80 H:27	W:80 H:27	W:47 H:47
		448.00	419.00	511.00	511.00	511.00	499.00	499.00	


SLIM MAGNET

- 220VAC/48VDC
- Average Life: 40.000 Hrs

BLACK







2320.00 | 3425.00

		SLIM MAGNET-PS1	SLIM MAGNET-PS2
		129-108-0001	129-108-0002
Power	:	100 W	200 W
Sizes (mm)	:	L:294 W:27 H:24	L:343 W:27 H:24

HOROZ ELECTRIC LED Lineer Track Light

SPLIT

- 160-265V
- Average Life: 30.000 Hrs
- 4200K

BLACK




SMD LED

	SPLIT-12	SPLIT-18
	018-034-0012	018-034-0018
Power	12 W	18 W
Luminous Flux	840 lm	1260 lm
Sizes (mm)	A:85 B:28 C:305 D:107	A:85 B:28 C:603 D:107

1445.00 1894.00 2227.00





HOROZ ELECTRIC LED Lineer Track Light

RoHS

PARMA

- 160-265V
- Average Life: 40.000 Hrs

WHITE&BLACK
BLACK



SMD LED

	PARMA-20	PARMA-30
	018-032-0020	018-032-0030
Power	20 W	30 W
Luminous Flux	1600 lm	2400 lm
Sizes (mm)	L:351 W:34 H:57	L:486 W:34 H:57

2227.00 2810.00



CENOVA

- 160-265V
- Average Life: 40.000 Hrs
- 4200K


WHITE
BLACK



SMD LED

	CENOVA-20	CENOVA-30
	018-033-0020	018-033-0030
Power	20 W	30 W
Luminous Flux	2050 lm	3160 lm
Sizes (mm)	L:351 W:34 H:57	L:486 W:34 H:57

1787.00 2362.00



BREMEN 3 CCT

- 165-265 V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT


CCT ADJUSTABLE



WHITE
BLACK







COB LED

		BREMEN-10 3 CCT	BREMEN-20 3 CCT	BREMEN-30 3 CCT	
		1037.00	1339.00	1449.00	2134.00
		018-031-1010	018-031-1020	018-031-1030	018-031-1040
Power	:	10 W	20 W	30 W	40 W
Luminous Flux	:	800 lm	1600 lm	2400 lm	3200 lm
Sizes (mm)	:	A: 54 B: 126 C: 138	A: 63 B: 156 C: 146	A: 76 B: 180 C: 171	A: 88 B: 180 C: 181

HOROZ ELECTRIC LED Track Light



VARNA 3 CCT

- 165-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3CCT

NEW PRODUCT



WHITE
BLACK






		1339.00	1449.00	2134.00
		VARNA-20 3 CCT	VARNA-30 3 CCT	VARNA-40 3 CCT
		018-026-1020	018-026-1030	018-026-1040
Power	:	20 W	30 W	40 W
Luminous Flux	:	1600 lm	2400 lm	3200 lm
Sizes (mm)	:	A: 70 B: 118	A: 81 B: 124	A: 90 B: 134





LYON


- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



WHITE
BLACK







		906.00	1160.00	1523.00
		LYON-10	LYON-18	LYON-24
		018-020-0010	018-020-0018	018-020-0024
Power	:	10 W	18 W	24 W
Luminous Flux	:	650 lm	1170 lm	1560 lm
Sizes (mm)	:	A: 58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162

Z O O M A B L E

MONACO-30

018 019 0030

2700K 4200K 6400K

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- 2250 lm
- Beam Angle: 15°-60°

ZOOMABLE








WHITE

BLACK



30W COB LED

LONDRA

2700K 4200K 6400K





WHITE

BLACK

- 100-265 V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K



COB LED

		LONDRA-12	LONDRA-15
		018-029-0012	018-029-0015
Power	:	12 W	15 W
Luminous Flux	:	1080 lm	1350 lm
Sizes (mm)	:	A: 50 B: 200	A: 60 B: 200

1359.00

1439.00

FARS

018 030 0026

3000K 4200K 6400K







BLACK

WHITE

- 185-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 1700 lm
- 4200K



26W COB LED

LED TRACK LIGHT

1106.00

LONDRA-G

115 005 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



GU10



HOROZ ELECTRIC Track Light

2009.00

TORONTO

115 004 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



GU10

979.00

BASEL

115 003 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



GU10

HOROZ ELECTRIC Pendant Lamp

1997.00

VERTEX


021 024 0001

WHITE

BLACK

- 220-240V
- Max. 10W LED





GU10



HOROZ ELECTRIC Track Light/Spotlight

1037.00

VERONA

116 002 0001


WHITE

BLACK

- 220-240V/50-60Hz
- Max. 10W LED
- Bulb not included







GU10

1037.00

VERSAY


115 006 0001

WHITE


BLACK

- 220-240V / 50-60Hz
- Max.10W LED
- Bulb not included









GU10

Track Light / LED Spotlight / Spotlight


544.00

DAKAR

115 001 0001







544.00

RABAT

115 002 0001






WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included




GU10



1541.00

TOKYO

017 002 0008








WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



8W COB LED

979.00

LOZAN

116 001 0001






WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



GU10

693.00 1359.00 2071.00

LIGHTING TRACK

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001 — **1 m.** — 693.00

097 001 0002 — **2 m.** — 1359.00

097 001 0003 — **3 m.** — 2071.00



33 mm

Track Suspension
Lighting Track
Track Connector
Recessed Monopoint



TRACK CONNECTOR

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector
096-001-0001



L Connector
096-002-0002

356.00

TRACK SUSPENSION

- 1.5M SUSPENSION SET FOR TRACK RAIL



096 001 0006 — **1.5 m.**

LIGHTING TRACK / TRACK CONNECTOR/TRACK SUSPENSION / RECESSED MONOPOINT

LED Linear Suspension Light


4531.00

BELLINI3-45 3 CCT

019 080 1045


- 165-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 5000 lm
- Surface mounting also available

CCT ADJUSTABLE




BLACK

WHITE



45W SMD LED



IP20

LED Linear Suspension Light
LED Suspension Light

5093.00

AVENUE 3 CCT

019 066 1040

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

CCT ADJUSTABLE



BLACK

WHITE





40W SMD LED




IP20

INNOVA 3 CCT

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- Surface mounting also available

CCT ADJUSTABLE



BLACK
WHITE
ALUMINIUM









SMD LED

		4821.00	5206.00
		INNOVA3-40 3 CCT	INNOVA5-40 3 CCT
		019-033-1040	019-034-1040
Power	:	40 W	40 W
Luminous Flux	:	4200 lm	4200 lm
Width (mm)	:	30 mm	50 mm
Colors	:	BLACK	BLACK/WHITE



INNOVA10-80




- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- 6500 lm
- Surface mounting also available

BLACK
WHITE
ALUMINIUM





80W SMD LED




FORTUNE 3 CCT

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

CCT ADJUSTABLE




BLACK
WHITE






SMD LED

		4821.00	5206.00
		FORTUNE3-40 3 CCT	FORTUNE5-40 3 CCT
		019-050-1040	019-051-1040
Power	:	40 W	40 W
Luminous Flux	:	4200 lm	4200 lm
Width (mm)	:	30 mm	50 mm
Colors	:	BLACK	BLACK/WHITE



FORTUNE10-80




- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- 8000 lm
- Surface mounting also available

BLACK
WHITE





80W SMD LED



FORTIS 3 CCT


- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT
- Surface mounting also available

CCT ADJUSTABLE



BLACK
WHITE
PLASTIC

NEW PRODUCT



SMD LED

		1269.00	1385.00	1903.00	2425.00	3313.00	4136.00
		FORTIS-30 3 CCT	FORTIS-40 3 CCT	FORTIS-50 3 CCT	FORTIS-60 3 CCT	FORTIS-70 3 CCT	FORTIS-100 3 CCT
		019-068-1030	019-068-1040	019-068-1050	019-068-1060	019-068-1070	019-068-1100
Power	:	30 W	40 W	50 W	60 W	70 W	100 W
Luminous Flux	:	2400 lm	3200 lm	4000 lm	4800 lm	5600 lm	8000 lm
Sizes (mm)	:	A: 35 B: 50	A: 35 B: 70	A: 35 B: 100	A: 42B: 150	A: 42 B: 200	A: 42 B: 280



8102.00


MONARCH-100 3 CCT

019 079 0100

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT
- 7000 lm

CCT ADJUSTABLE

BLACK




DAYLIGHT 50W
COOL WHITE 100W
WARM WHITE 50W

NEW PRODUCT





DIMMABLE BY REMOTE CONTROLLER



50+50W SMD LED




EDMOND

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K


BLACK

NEW PRODUCT




SMD LED

		8073.00	8410.00	12524.00
		EDMOND-16	EDMOND-24	EDMOND-32
		019-077-0016	019-077-0024	019-077-0032
Power	:	16 W	24 W	32 W
Luminous Flux	:	1050 lm	1440 lm	1640 lm





INVICTA



- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K


BLACK

NEW PRODUCT



SMD LED

		11944.00	16095.00
		INVICTA-28	INVICTA-44
		019-076-0028	019-076-0044
Power	:	28 W	44 W
Luminous Flux	:	2160 lm	3440 lm





GRANDE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

2700K 4000K 6400K

NEW PRODUCT


BLACK
ROSE GOLD





SMD LED

		5873.00	8519.00
		GRANDE-20	GRANDE-36
		019-069-0020	019-069-0036
Power	:	20 W	36 W
Luminous Flux	:	1200 lm	2100 lm
Sizes (mm)	:	A: 1200 B: 400	A: 1200 B: 600



ESSENCE

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

2700K 4000K 6400K

NEW PRODUCT


BLACK
ROSE GOLD





SMD LED

		9769.00	11745.00
		ESSENCE-30	ESSENCE-48
		019-070-0030	019-070-0048
Power	:	30 W	48 W
Luminous Flux	:	1800 lm	2900 lm
Sizes (mm)	:	A: 1200 B: 400	A: 1200 B: 600



RAIMOND

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

2700K 4000K 6400K

BLACK
WHITE




NEW PRODUCT





SMD LED

		9871.00	13104.00
		RAIMOND-30	RAIMOND-55
		019-074-0030	019-074-0055
Power	:	30 W	55 W
Luminous Flux	:	1800 lm	3300 lm
Sizes (mm)	:	A: 1200 B: 400	A: 1200 B: 600



EMPIRE


- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

2700K 4000K 6400K

BLACK
ROSE GOLD




NEW PRODUCT





SMD LED

		7442.00	8751.00
		EMPIRE-20	EMPIRE-36
		019-071-0020	019-071-0036
Power	:	20 W	36 W
Luminous Flux	:	1200 lm	2100 lm
Sizes (mm)	:	A: 1200 B: 670	A: 1200 B: 1080



LED Suspension Light

3647.00

SANTANA

019 072 0012


BLACK

ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K

NEW PRODUCT





12W SMD LED 2700K 4000K 6400K



2784.00

FOREVER


019 073 0011


BLACK

ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 660 lm
- 4000K

NEW PRODUCT





11W SMD LED 2700K 4000K 6400K



3259.00

DAXTON-15


019 078 0015

BLACK+GOLD

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 800 lm
- 4000K

NEW PRODUCT





15W SMD LED 2700K 4000K 6400K

2817.00

ALWAYS

019 075 0012


BLACK

ROSE GOLD

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 700 lm
- 4000K

NEW PRODUCT





12W SMD LED 2700K 4000K 6400K

MORTAL 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE



BLACK


GOLD


NEW PRODUCT











SMD LED

		8327.00	10045.00	16164.00
		MORTAL-70 3 CCT	MORTAL-80 3 CCT	MORTAL-150 3 CCT
		019-088-0070	019-088-0080	019-088-0150
Power (4000K)	:	70 W	80 W	150 W
Power (3000K) (6500K)	:	35 W	40 W	75 W
Luminous Flux	:	4900 lm	5600 lm	10500 lm
Sizes (mm)	:	A: 1000 B: 450	A: 1000 B: 550	A: 1100 B: 560 C: 450

DIMMABLE BY REMOTE CONTROLLER



12213.00

JOLLY 3 CCT

019 081 0168

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 11760 lm
- 3 CCT


NEW PRODUCT

DAYLIGHT 84W
COOL WHITE 168W
WARM WHITE 84W



BLACK
WHITE
CHAMPAGNE











168W SMD LED

DIMMABLE BY REMOTE CONTROLLER




REGINA 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT


NEW PRODUCT

CCT ADJUSTABLE




BLACK

WHITE







SMD LED

		5271.00	7631.00	10900.00	9168.00
		REGINA-70 3 CCT	REGINA-105 3 CCT	REGINA-140 3 CCT	REGINA-144 3 CCT
		019-082-0070	019-082-0105	019-082-0140	019-082-0144
Power (4000K)	:	70 W	105 W	140 W	144 W
Power (3000K) (6500K)	:	35 W	52 W	70 W	72 W
Luminous Flux	:	4900 lm	7350 lm	9800 lm	10080 lm
Sizes (mm)	:	A: 1000 B: 400	A: 1000 B: 600	A: 1000 B: 800	A: 1200 B: 1000

DIMMABLE BY REMOTE CONTROLLER






HARVEY 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

CCT ADJUSTABLE




BLACK
WHITE


NEW PRODUCT











SMD LED

		HARVEY-35 3 CCT	HARVEY-53 3 CCT	HARVEY-70 3 CCT	HARVEY-88 3 CCT
		3574.00	5920.00	8073.00	9878.00
		019-083-0035	019-083-0053	019-083-0070	019-083-0088
Power (4000K)	:	35 W	53 W	70 W	88 W
Power (3000K) (6500K)	:	18 W	26 W	35 W	44 W
Luminous Flux	:	2450 lm	3710 lm	4900 lm	6160 lm
Sizes (mm)	:	A: 1000 B: 400	A: 1000 B: 600	A: 1000 B: 800	A: 1200 B: 600 C: 400

DIMMABLE BY REMOTE CONTROLLER

IP20



SAMIRA 3 CCT

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

NEW PRODUCT

CCT ADJUSTABLE





BLACK

GOLD









SMD LED

		7718.00	12278.00	17019.00	17085.00
		SAMIRA-70 3 CCT	SAMIRA-106 3 CCT	SAMIRA-140 3 CCT	SAMIRA-176 3 CCT
		019-084-0070	019-084-0106	019-084-0140	019-084-0176
Power (4000K)	:	70 W	106 W	140 W	176 W
Power (3000K) (6500K)	:	35 W	53 W	70 W	88 W
Luminous Flux	:	4900 lm	7350 lm	9800 lm	12320 lm
Sizes (mm)	:	A: 1000 B: 400	A: 1000 B: 600	A: 1000 B: 800	A: 1200 B: 600 B: 400

DIMMABLE BY REMOTE CONTROLLER





14728.00

CONTES-56 3 CCT


019 086 0056

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3920 lm
- 3 CCT

DAYLIGHT 28W
COOL WHITE 56W
WARM WHITE 28W

NEW PRODUCT

CCT ADJUSTABLE



BLACK
WHITE





56W SMD LED

DIMMABLE BY REMOTE CONTROLLER





16385.00


CONTES-84 3 CCT

019 086 0084

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5880 lm
- 3 CCT

DAYLIGHT 42W
COOL WHITE 84W
WARM WHITE 42W

CCT ADJUSTABLE




BLACK
WHITE

NEW PRODUCT







84W SMD LED

DIMMABLE BY REMOTE CONTROLLER

21569.00

FAUNA-84 3 CCT


019 085 0084

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5880 lm
- 3 CCT

DAYLIGHT 42W
COOL WHITE 84W
WARM WHITE 42W

NEW PRODUCT


CCT ADJUSTABLE



BLACK
WHITE







84W SMD LED

DIMMABLE BY REMOTE CONTROLLER



LED Suspension Light


6015.00


CONCORDE-24

019 053 0024

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K





24W SMD LED 2700K 4000K 6400K


13290.00


CONCORDE-36

019 053 0036

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K





36W SMD LED 2700K 4000K 6400K









9746.00


VENEZIA

019 057 0040

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K





40W SMD LED 2700K 4000K 6400K

6997.00


TROYA

019 058 0024

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K





24W SMD LED 2700K 4000K 6400K

LED Suspension Light

5775.00

LIBERTY

019 054 0030


CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



30W SMD LED 2700K 4000K 6400K



7861.00


CORNELIA

019 055 0060


CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K



60W SMD LED 2700K 4000K 6400K







9563.00

MONZA


019 059 0040

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K



40W SMD LED 2700K 4000K 6400K



3956.00

COPERNIC


019 060 0015

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



15W SMD LED 2700K 4000K 6400K



LED Suspension Light


15950.00

OLYMPIC

019 035 0045

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2026 lm
- 4000K



45W SMD LED 2700K 4000K 6400K


20438.00

GENESIS

019 036 0100

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K



100W SMD LED 2700K 4000K 6400K



8339.00

CRATER

019 037 0020

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



20W SMD LED 2700K 4000K 6400K

13148.00


AMOR

019 056 0050

CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K




50W SMD LED 2700K 4000K 6400K

LED Suspension Light

11943.00 CALIBUR-24

019 031 0024




CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

24W SMD LED 2700K 4000K 6400K

13696.00 CAMEL-24

019 032 0024



CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

24W SMD LED 2700K 4000K 6400K


6746.00 ORIENT

019 016 0016

CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K






16W SMD LED 2700K 4000K 6400K


8928.00 ORIENT

019 017 0030

CHROME

- 180-240V/50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K





30W SMD LED 2700K 4000K 6400K


5698.00 CYBER

019 061 0024

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K



CHROME



24W SMD LED 2700K 4000K 6400K


13232.00 AVALON

019 018 0035

CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K






35W SMD LED 2700K 4000K 6400K


17357.00 GLORY

019 019 0045

CHROME

- 180-240V/ 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K





45W SMD LED 2700K 4000K 6400K

LORENZO

- 220-240V/50-60Hz
- Bulb not included


NEW PRODUCT

BLACK
GOLDEN





	3371.00	4832.00
	LORENZO-4	LORENZO-6
	021-025-0004	021-025-0006
Power :	4xMax.18W LED E27	6xMax.18W LED E27






MENDOZA-6

021 026 0006


NEW PRODUCT



BLACK 4019.00
GOLDEN 5491.00

- 220-240V/50-60Hz
- Max. 18W LED
- 6XE27
- Bulb not included





TORRENT

BLACK+GOLD

- 220-240V/50-60Hz
- Bulb not included

NEW PRODUCT


TORRENT-6





TORRENT-4




TORRENT-8









	6764.00	9751.00	12470.00
	TORRENT-4	TORRENT-6	TORRENT-8
	021-027-0004	021-027-0006	021-027-0008
Power :	4xMax.12W LED G9	6xMax.12W LED G9	8xMax.12W LED G9

LED G9



Glass Pendant Lamp / Pendant Lamp

4351.00
DREAM
021 020 0001



3876.00
SHARP
021 019 0001




3488.00
RONDO
021 018 0001



AMBER
TITANIUM
- 250V~/4A
- Max. 60W
- Glass

E27



4381.00
GLOBAL
021 021 0001




5997.00
GLOBAL-X
021 021 0002



AMBER
TITANIUM
- 250V~/4A
- Max. 60W
- Glass


E27



1214.00
AMBER
021 022 0001

COPPER
- 250V~/4A
- Max. 60W
- For Glass Pendant





E27

4292.00
ELEMENT-1
021 015 0001





AMBER



TITANIUM

4836.00
ELEMENT-2
021 015 0002




CLEAR COPPER



CLEAR CHROME

- 250V~/4A
- Max. 60W
- Glass



E27

GLASS PENDANT LAMP / PENDANT LAMP

3997.00

SPARK-1

021 016 0001





AMBER



TITANIUM

4051.00

SPARK-2

021 016 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



E27

3952.00

HARMONY-1

021 017 0001





AMBER



TITANIUM

4006.00

HARMONY-2

021 017 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



E27



4391.00

METEOR

021 014 0001





4148.00

021 014 0002






COPPER

CHROME


- 250V ~ / 4A
- Max. 60W
- Glass

E27



344.00
VOLTA
021 001 0001





- BLACK
- WHITE
- BROWN
- BLUE
- RED
- GREY

- 250V~/4A
- Max. 60W

E27

943.00
EDISON
021 002 0001

943.00
TESLA
021 003 0001


943.00
WEBER
021 008 0001

943.00
GAUSS
021 009 0001



- RED COPPER
- GOLDEN
- PEARL BLACK
- OLD BRONZE
- CHROME

- 250V~/4A
- Max. 60W




E27

2697.00
NEWTON
021 010 0001

2679.00
KEPLER
021 011 0001

2846.00
MAXWELL
021 012 0001

2791.00
NOBEL
021 013 0001



- BLACK

- 250V~/4A
- Max. 60W

FOLDABLE CASE

E27

PENDANT LAMP

HOROZ ELECTRIC LED String Light

6740.00

AMBIANCE

022 004 0001

- 220V/24V
- 12W/Pure Set
- 18m/24BULBS
- 300 lm
- Average Life: 25.000Hrs
- Wall and ground installation apparatus available





Insert the ground



Nailed to the wall

RGB COLORS




IP44



SMD LED

WALL AND GROUND INSTALLATION APPARATUS AVAILABLE







LED STRING LIGHT

HOROZ ELECTRIC LED String Light String Light

6855.00

PARADISE

022 005 0001

- 220V/24V
- 12W/Pure Set
- 18m/24BULBS
- 300 lm
- Average Life: 25.000Hrs



SMD LED





RGB COLORS

IP44





25774.00

CARNAVAL-ROLL

022 003 0001

CUTTABLE

- 220V~
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included





E27 IP44

2333.00


CARNAVAL-F10

022 002 0010

LINKABLE

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0,94mm²
- Total 10 Meters
- Bulb not included





E27 IP44



CARNAVAL

LINKABLE


- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included





1994.00 2393.00

		CARNAVAL-1	CARNAVAL-2
		022-001-0001	022-001-0002
Watt (Linked Sets)	:	Max. 750W	Max.1500W
Cable	:	2*0,75mm²	2*1,5mm²



E27 IP44

STRING LIGHT

2822.00

ACROPOL

029 012 0008


BLACK

ROSE GOLD

- 180-240V / 50-60Hz
- 500 lm
- 4000K
- Average Life: 30.000 Hrs

NEW PRODUCT





8W SMD LED 2700K 4000K 6400K



2574.00

FOREVER-W

029 013 0007


BLACK

ROSE GOLD

- 180-240V / 50-60Hz
- 400 lm
- 4000K
- Average Life: 30.000 Hrs

NEW PRODUCT







7W SMD LED 2700K 4000K 6400K



HOROZ ELECTRIC LED Wall Light







2534.00

ALWAYS-W

029 014 0012


BLACK

ROSE GOLD

- 180-240V / 50-60Hz
- 700 lm
- 4000K
- Average Life: 30.000 Hrs

NEW PRODUCT





12W SMD LED 2700K 4000K 6400K





2853.00

BELEK


029 009 0003



WHITE

BLACK


- 85-265V / 50-60Hz
- 100 lm
- 4200K
- Average Life: 30.000 Hrs



3W POWER LED

2700K 4200K 6400K

ON-OFF





3593.00

MAESTRO


029 008 0010

2700K 4200K 6400K



BLACK

- 85-265V / 50-60Hz
- 425 lm
- 4200K
- Average Life: 30.000 Hrs



10W COB LED

2592.00

CUNDA

029 011 0003

NEW PRODUCT

2X TYPE-C

WHITE
BLACK

- 180-240V / 50-60Hz
- 700 lm
- 4200K
- Average Life: 20.000 Hrs


2700K 4200K 6400K





10W SMD LED

3W COB LED



ON-OFF



SALDA

2700K 4200K 6400K

IP44








BLACK

- 85-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



SMD LED

		2793.00 SALDA-10 029-010-0010	3600.00 SALDA-14 029-010-0014
Power	:	10 W	14 W
Luminous Flux	:	372 lm	680 lm
Sizes (mm)	:	A: 620 B: 140	A: 920 B: 140

2394.00

SİSAM

029 006 0008

2400.00


TRUVA

029 007 0008

WHITE
BLACK

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM)
  520 lm (TRUVA)
- Average Life: 30.000 Hrs









8W COB LED

2700K 4200K 6400K








HOROZ ELECTRIC

LED Ceiling Lamp
Ceiling Lamp

LİKYA

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME




LİKYA-1



LİKYA-2



LİKYA-3



LİKYA-4



LİKYA-5




LİKYA-6

SMD LED

		2834.00	5038.00	6898.00	8493.00	8899.00	13456.00
		LİKYA-1	LİKYA-2	LİKYA-3	LİKYA-4	LİKYA-5	LİKYA-6
		036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	:	5W	2x5W	3x5W	4x5W	4x5W	6x5W
Luminous Flux	:	300 lm	2x300 lm	3x300 lm	4x300 lm	4x300 lm	6x300 lm





BODRUM

220-240V / 50-60Hz


MAT CHROME



BODRUM-1 BODRUM-2 BODRUM-3 BODRUM-4

	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	2034.00	4176.00	5866.00	6876.00
	035-004-0001	035-004-0002	035-004-0003	035-004-0004
Power :	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W

E14



KEMER

220-240V / 50-60Hz


CHROME



KEMER-1 KEMER-2 KEMER-3

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	1723.00	3391.00	4790.00	6164.00	4541.00
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005
Power :	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W

G9



MANAVGAT

220-240V / 50-60Hz


CHROME



MANAVGAT-1 MANAVGAT-2 MANAVGAT-3 MANAVGAT-4 MANAVGAT-5

	MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
	2103.00	4194.00	5685.00	7241.00	5510.00
	035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005
Power :	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W

E14




2393.00

TOYGAR-12

040 013 0012







- CHROME
- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K

12W SMD LED · 2700K 4200K 6400K · IP45

ON-OFF

HOROZ ELECTRIC

LED Picture & Mirror Lamp
LED Reading Lamp

CE EAC RoHS

2447.00

SUMRU-12

040 011 0012



- CHROME
- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K



12W SMD LED · 2700K 4200K 6400K · IP45



2492.00


EBABİL-12

040 010 0012



- CHROME
- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





12W SMD LED · 2700K 4200K 6400K · IP45

LED Picture & Mirror Lamp/LED Reading Lamp

LEYLEK

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

2700K 4200K 6400K

CHROME


BLACK





SMD LED

		2664.00	2973.00
		LEYLEK-8	LEYLEK-12
		040-016-0008	040-016-0012
Power	:	8 W	12 W
Luminous Flux	:	720 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 45	A: 530 B: 120 C: 40



IP44



TURNA

1739.00


040 007 0003

BLACK

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K

NEW PRODUCT





3W POWER LED 2700K 4200K 6400K 2x TYPE-C

IP20 ON-OFF

KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

2700K 4200K 6400K


CHROME

BLACK



SMD LED

		2712.00	2842.00
		KANARYA-8	KANARYA-12
		040-012-0008	040-012-0012
Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120



IP45 ON-OFF


KARTAL

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME
BLACK



	KARTAL-8	KARTAL-12
	3263.00	3951.00
	040-017-0008	040-017-0012
Power :	8 W	12 W
Luminous Flux :	570 lm	850 lm
Sizes (mm) :	A: 400 B: 120 C: 160 D: 50	A: 550 B: 120 C: 160 D: 50



IP45
ON-OFF


ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME
BLACK



	ANKA-8	ANKA-12
	3099.00	3550.00
	040-014-0008	040-014-0012
Power :	8 W	12 W
Luminous Flux :	570 lm	850 lm
Sizes (mm) :	A: 400 B: 120 C: 185 D: 45	A: 550 B: 120 C: 185 D: 45



IP45
ON-OFF


FLAMİNGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME
BLACK



	FLAMİNGO-8	FLAMİNGO-12
	2538.00	2900.00
	040-001-0008	040-001-0012
Power :	8 W	12 W
Luminous Flux :	450 lm	750 lm
Sizes (mm) :	A: 400 B: 120 C: 185 D: 45	A: 550 B: 120 C: 185 D: 45



IP45
ON-OFF

MERİÇ

220-240V / 50-60Hz

NEW PRODUCT










		MERİÇ-1	MERİÇ-2	MERİÇ-3
		045-001-0001	045-001-0002	045-001-0003
Power	:	**Max.18W LED**	**Max.18W LED (Mother) Max.10W LED (Baby)**	**Max.18W LED (Mother) Max. 10W LED (Baby)**
Lamp Holder	:	E27	E27 (Mother)& E14 (Baby)	E27 (Mother)& E14 (Baby)
Color	:	White	White	White
Sizes (mm)	:	A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500





HOROZ ELECTRIC Floor Lamp





3064.00

HUGO 3 CCT

050 007 0001

- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20.000 Hrs

SILVER
PEARL BLACK
GOLD

NEW PRODUCT





2W SMD LED TYPE-C TOUCH

CCT ADJUSTABLE





3064.00

MAGNUM 3 CCT

050 008 0001

- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20.000 Hrs

SILVER
PEARL BLACK
GOLD

NEW PRODUCT





2W SMD LED TYPE-C TOUCH

CCT ADJUSTABLE





3251.00

ELIXIR 3 CCT

050 009 0001

- 100-240V AC/5VDC
- 60 lm
- Duration Time: 6 Hours
- Charging Time: 4-6 Hours
- Battery: 3.7V/1800mA 18650 Li-ion Battery
- Average Life: 20.000 Hrs

SILVER
PEARL BLACK
GOLD

NEW PRODUCT





2W SMD LED TYPE-C TOUCH

CCT ADJUSTABLE





2012.00

MERIDA 3 CCT

050 001 0001

- 100-240V AC/5VDC
- 120 lm
- Duration Time: 4-6 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

NEW PRODUCT




3W SMD LED TYPE-C



CCT ADJUSTABLE

BLACK
WHITE
PINK
GOLD
LIGHT BLUE
LIGHT GREEN





TOUCH





LED TABLE LAMP

HOROZ ELECTRIC LED Table Lamp

1320.00

PRONTO 3 CCT

050 002 0001

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

NEW PRODUCT




2W SMD LED TYPE-C



CCT ADJUSTABLE

GOLD
SILVER
ROSE GOLD





TOUCH ON-OFF

1084.00


AVIVA 3 CCT

050 003 0001

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 1800mAh Li-ion
- Average Life: 20.000 Hrs

GOLD
SILVER
ROSE GOLD

CCT ADJUSTABLE




NEW PRODUCT



2W SMD LED TYPE-C







TOUCH ON-OFF

1033.00

INTER 3 CCT

050 004 0001

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 500mAh Li-ion
- Average Life: 20.000 Hrs

CCT ADJUSTABLE




NEW PRODUCT



1W SMD LED TYPE-C





TOUCH



1033.00

WANDA 3 CCT

050 005 0001

- 100-240V AC/5VDC
- 30 lm
- Duration Time: 3-4 Hours
- Charging Time: 2-3 Hours
- Battery: 3.7V 500mAh Li-ion
- Average Life: 20.000 Hrs

CCT ADJUSTABLE




NEW PRODUCT



1W SMD LED TYPE-C





TOUCH



LED Desk Lamp

2092.00 BESTE

049 037 0005

- 100-240V AC
- 380 lm
- 4500K
- Average Life: 30.000 Hrs

G

RED
WHITE
BLACK





5W SMD LED | 3000K 4500K 6000K | 1,5m PLUG | IP20 | ON-OFF



HOROZ ELECTRIC

LED Desk Lamp

CE EAC RoHS

7904.00 EBRU


049 010 0010

BLACK
WHITE
SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs



DIMMABLE



10W SMD LED | 3000K 4500K 6000K CCT Adjustable | With Clips | IP20 | TOUCH



4461.00 İREM


049 011 0005

RED
WHITE
BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



DIMMABLE



5W SMD LED | 3000K 4600K 6000K | IP20 | TOUCH

7794.00

SİMGE

048 014 0060






GREEN

BLUE

- 220-240V / 50-60Hz
- Max.18W LED



E27 ON-OFF

3045.00

RANA

048 013 0060




BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max.18W LED



E27 ON-OFF

1595.00

BİHTER

048 009 0060




BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max.18W LED



E27 ON-OFF




LED Batten Light
LED Waterproof Lamp
LED Tube Fixture

GAMA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

2700K 4200K 6400K

WHITE
BLACK



GAMA-30



GAMA-60




GAMA-80



SMD LED

	705.00	979.00	1700.00
	GAMA-30	GAMA-60	GAMA-80
	052-006-0060	052-006-0120	052-006-0150
Power :	30 W	60 W	80 W
Luminous Flux :	2250 lm	4500 lm	6000 lm
Length (mm) :	A: 600 B: 75 C: 25	A: 1200 B: 75 C: 25	A: 1500 B: 75 C: 25




GAMA-X

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

2700K 4200K 6400K

WHITE
BLACK



GAMA-30X


GAMA-60X

GAMA-80X



SMD LED


	850.00	1155.00	1900.00
	GAMA-30X	GAMA-60X	GAMA-80X
	052-006-2060	052-006-2120	052-006-2150
Power :	30 W	60 W	80 W
Luminous Flux :	2250 lm	4500 lm	6000 lm
Length (mm) :	A: 600 B: 80 C: 30	A: 1200 B: 80 C: 30	A: 1500 B: 80 C: 30



TETRA


- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE




SMD LED

		464.00	685.00	1204.00
		TETRA-18	TETRA-36	TETRA-72
		052-003-0060	052-003-0120	052-003-0150
Power	:	18 W	36 W	72 W
Luminous Flux	:	1135 lm	2269 lm	5300 lm
Length (mm)	:	L: 600	L: 1200	L: 1500



TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




WHITE
BLACK



SMD LED

		750.00	1300.00	1900.00
		TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
		052-005-0060	052-005-0120	052-005-0150
Power	:	27 W	54 W	72 W
Luminous Flux	:	1890 lm	3780 lm	5670 lm
Length (mm)	:	L: 600	L: 1200	L: 1500





LED Waterproof Lamp




SAILOR 3 CCT


- 170-265V/50-60Hz
- Average Life: 40.000 Hrs
- 3CCT
- Max. 300W can be linkable











SMD LED

		1599.00	2469.00	3426.00
		SAILOR-20 3 CCT	SAILOR-40 3 CCT	SAILOR-50 3 CCT
		059-010-0020	059-010-0040	059-010-0050
Power	:	20 W	40 W	50 W
Luminous Flux	:	2600 lm	5200 lm	6500 lm
Length (mm)	:	L: 645	L: 1245	L: 1545


NEW PRODUCT

WATER PROOF · WATER PROOF · WATER PROOF

IP65

NAVIGATOR


- 170-265V/50-60Hz
- Average Life: 40.000 Hrs
- 6400K




NEW PRODUCT

Linkable & Quick Connect










WATER PROOF

IP65

		1900.00	2951.00	4000.00
		NAVIGATOR-18	NAVIGATOR-36	NAVIGATOR-45
		059-011-0018	059-011-0036	059-011-0045
Power	:	18 W	36 W	45 W
Luminous Flux	:	1800 lm	3600 lm	4500 lm
Max Connectable Units	:	16 PCS	8 PCS	6 PCS
Length (mm)	:	L: 600	L: 1200	L: 1500

NAVIGATOR/XL

- 170-265V/50-60Hz
- Average Life: 40.000 Hrs
- 6400K



NEW PRODUCT

Linkable & Quick Connect









WATER PROOF

IP65

		2103.00	3190.00	4430.00
		NAVIGATOR/XL-24	NAVIGATOR/XL-48	NAVIGATOR/XL-60
		059-011-2024	059-011-2048	059-011-2060
Power	:	24 W	48 W	60 W
Luminous Flux	:	2400 lm	4800 lm	6000 lm
Max Connectable Units	:	12 PCS	6 PCS	5 PCS
Length (mm)	:	L: 600	L: 1200	L: 1500


LED Waterproof Lamp

IRMAK

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



		IRMAK-18	IRMAK-36	IRMAK-45
		725.00	1160.00	1523.00
		059-004-0018	059-004-0036	059-004-0045
Power	:	18 W	36 W	45 W
Luminous Flux	:	1440 lm	2880 lm	3600 lm
Length (mm)	:	L: 650	L: 1260	L: 1560



NEHİR

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K




		NEHİR-18	NEHİR-36	NEHİR-45
		1088.00	1704.00	2103.00
		059-003-0018	059-003-0036	059-003-0045
Power	:	18 W	36 W	45 W
Luminous Flux	:	1440 lm	2880 lm	3600 lm
Length (mm)	:	L: 652	L: 1262	L: 1562





OKYANUS

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



		OKYANUS-36	OKYANUS-72	OKYANUS-90
		1939.00	3259.00	3915.00
		059-005-0036	059-005-0072	059-005-0090
Power	:	36 W	72 W	90 W
Luminous Flux	:	2880 lm	5760 lm	7200 lm
Length (mm)	:	L: 632	L: 1242	L: 1542




LED Batten Light /LED Tube Fixture

SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE








SMD LED


		465.00	518.00	700.00	840.00
		SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
		052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	:	4 W	7 W	10 W	14 W
Luminous Flux	:	254 lm	552 lm	846 lm	1100 lm
Length (mm)	:	L: 282	L: 546	L: 856	L: 1156



OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE








SMD LED

		490.00	600.00	750.00	816.00
		OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
		052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	:	6 W	9 W	12 W	16 W
Luminous Flux	:	273 lm	538 lm	898 lm	1136 lm
Length (mm)	:	L: 285	L: 535	L: 855	L: 1155




TUBOFIX


- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



		229.00	308.00	294.00	392.00
		TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
		061-001-0060	061-001-2060	061-001-0120	061-001-2120
Power	:	Max. 20W	Max.2x20W	Max.40W	Max.2x40W
Lamp Holder	:	T8	2xT8	T8	2xT8
Length (mm)	:	L: 616	L: 616	L: 1226	L: 1226



LED Tube Fixture




1999.00

PROMASTER

057 003 2120

- 175-250V / 50-60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included






PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



		853.00	999.00	1320.00	1499.00
		PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
		057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	:	Max. 2x18W	Max.2x20W	Max.40W	Max.2x40W
Lamp Holder	:	T8	2xT8	T8	2xT8
Sizes (mm)	:	A: 670 B: 65 C: 65	A: 670 B: 88 C: 62	A: 1280 B: 65 C: 65	A: 1280 B: 88 C: 62





LED Linear High Bay Lamp

PYRAMID

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body






Mountable



Hangable



	4267.00	8493.00	12481.00	15810.00
	PYRAMID-50	PYRAMID-100	PYRAMID-150	PYRAMID-200
	063-010-0050	063-010-0100	063-010-0150	063-010-0200
Power :	50 W	100 W	150 W	200 W
Luminous Flux :	6500 lm	13000 lm	19500 lm	26000 lm
Length (mm) :	266	519	772	1025






LED LINEAR HIGH BAY LAMP

LED Linear High Bay Lamp
LED Ufo High Bay Lamp

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body





Mountable




Hangable







	3081.00	5981.00	8700.00	10875.00
	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power :	50 W	100 W	150 W	200 W
Luminous Flux :	4650 lm	9300 lm	13950 lm	18600 lm
Length (mm) :	290	520	758	1000





14355.00

MAGNUS-200 3 CCT

063 012 0200


- 100-277V / 50-60Hz
- 30.000 lm
- Average Life: 50.000 Hrs
- 3 CCT
- 1-10V Dimmer

5 YEARS WARRANTY


NEW PRODUCT

CCT ADJUSTABLE










DIP SWITCH POWER ADJUSTABLE IN 3 GEARS



WATERPROOF · WATERPROOF · WATERPROOF

IP65

200W SMD LED

150 lm/W

MYRA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

5 YEARS WARRANTY

CCT ADJUSTABLE



NEW PRODUCT








WATERPROOF · WATERPROOF · WATERPROOF

IP65

150 lm/W


SMD LED


		7098.00	8573.00	10766.00
		MYRA-100 3 CCT	MYRA-150 3 CCT	MYRA-200 3 CCT
		063-011-0100	063-011-0150	063-011-0200
Power	:	100 W	150 W	200 W
Luminous Flux	:	15000 lm	22500 lm	30000 lm
Length (mm)	:	A:52,96 B:4 C:265,1 D:128,6 E:40 F:265,1 G:113,4 H:148,4	A:54,7 B:96,4 C:290,4 D:128,6 E:40 F:290,4 G:116,1 H:151,1	A:60,96 B:4 C:347,2 D:128,6 E:40 F:347,2 G:129,4 H:156,9



ARTEMIS


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body








		5973.00	7497.00	9490.00	12321.00
		ARTEMIS-100	ARTEMIS-150	ARTEMIS-200	ARTEMIS-300
		063-003-0100	063-003-0150	063-003-0200	063-003-0300
Power	:	100 W	150 W	200 W	300 W
Luminous Flux	:	15000 lm	22500 lm	30000 lm	45000 lm
Sizes (mm)	:	A: 265 B: 148.4	A: 290.4 B: 151	A: 347.2 B: 157	A: 396 B: 177



IP65

AGORA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body











		3500.00	4626.00	5941.00	9131.00
		AGORA-100	AGORA-150	AGORA-200	AGORA-300
		063-008-0100	063-008-0150	063-008-0200	063-008-0300
Power	:	100 W	150 W	200 W	300 W
Luminous Flux	:	13000 lm	19500 lm	26000 lm	39000 lm
Sizes (mm)	:	A:270 B: 91	A:300 B: 96.5	A:330 B: 103	A:372 B: 108



IP65

HERKÜL


- 100-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K







		9831.00	12050.00	13638.00
		HERKÜL-100	HERKÜL-150	HERKÜL-200
		063-009-0100	063-009-0150	063-009-0200
Power	:	100 W	150 W	200 W
Luminous Flux	:	15000 lm	22500 lm	30000 lm
Length (mm)	:	A:275 B:28 C:119 D:154	A:320 B:29 C: 122 D:158	A:380 B:36 C:123 D:159




IP65

BORNEO

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs


BLACK











SMD LED

		2723.00	4606.00	8848.00	13187.00	17000.00	22047.00	25157.00
		BORNEO-50	BORNEO-100	BORNEO-200	BORNEO-300	BORNEO-400	BORNEO-500	BORNEO-600
		068-033-0050	068-033-0100	068-033-0200	068-033-0300	068-033-0400	068-033-0500	068-033-0600
Power	:	**50 W**	**100 W**	**200 W**	**300 W**	**400 W**	**500 W**	**600 W**
Luminous Flux	:	6000 lm	12000 lm	24000 lm	36000 lm	48000 lm	60000 lm	72000 lm
Sizes (mm)	:	A: 210 B: 190 C: 41	A: 280 B: 240 C: 45	A: 360 B: 325 C: 65	A: 425 B: 445 C: 68	A: 445 B: 445 C: 68	A: 600 B: 510 C: 71	A: 600 B: 510 C: 71

HOROZ ELECTRIC

LED Projector
LED RGB Projector
LED Solar Projector
LED Solar Security Light
LED Rechargeable Light
LED Frameless Projector
Portable LED Projector
LED Projector Stand



PALLAS 3 CCT

- 145-265V / 50-60Hz
- Average Life: 30.000 Hrs

A↑G D

CCT ADJUSTABLE



BLACK

IP65


WATERPROOF





SMD LED

	1799.00	2999.00	6199.00	8999.00
	PALLAS-50 3 CCT	PALLAS-100 3 CCT	PALLAS-200 3 CCT	PALLAS-300 3 CCT
	068-030-1050	068-030-1100	068-030-1200	068-030-1300
Power	50 W	100 W	200 W	300 W
Luminous Flux	6500 lm	13000 lm	26000 lm	39000 lm
Sizes (mm)	A: 176.5 B: 152.4 C: 28.2	A: 222.5 B: 191.5 C: 29.7	A: 297.3 B: 256.3 C: 32.7	A: 350.9 B: 301.4 C: 33.5



MARGAY 3 CCT

- 145-265V / 50-60Hz
- Average Life: 30.000 Hrs

A↑G D

CCT ADJUSTABLE



GRAY

IP65


WATERPROOF





SMD LED

	2074.00	3453.00	7277.00	
	MARGAY-50 3 CCT	MARGAY-100 3 CCT	MARGAY-200 3 CCT	MARGAY-300 3 CCT
	068-031-1050	068-031-1100	068-031-1200	068-031-0300
Power	50 W	100 W	200 W	300 W
Luminous Flux	6500 lm	13000 lm	26000 lm	39000 lm
Sizes (mm)	A: 145 B: 188 C: 32	A: 194 B: 249 C: 36	A: 253 B: 327 C: 39	A: 295 B: 379 C: 49



PARDUS

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs

F A↑G

BLACK

2700K 4200K 6400K








IP65

WATERPROOF



SMD LED

		530.00	766.00	957.00	1396.00	2393.00	5802.00	11245.00
		PARDUS-10	PARDUS-20	PARDUS-30	PARDUS-50	PARDUS-100	PARDUS-200	PARDUS-300
		068-028-0010	068-028-0020	068-028-0030	068-028-0050	068-028-0100	068-028-0200	068-028-0300
Power	:	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	:	900 lm	1800 lm	2700 lm	4500 lm	9000 lm	18000 lm	27000 lm
Color Temperature	:	6400K	6400K	6400K	6400K	6400K	6400K	6400K
Sizes (mm)	:	A: 68.8 B: 105 C: 21	A: 88 B: 127 C: 28	A: 110 B: 164 C: 29	A: 141 B: 185 C: 29	A: 185 B: 255 C: 32	A: 289 B: 407 C: 34	A: 399 B: 498 C: 48

ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

E A↑G

BLACK

WHITE

2700K 4200K 6400K








IP65

WATERPROOF



SMD LED

		490.00	684.00	844.00	1255.00	2129.00	4598.00	10188.00
		ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200	ASLAN-300
		068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200	068-010-0300
Power	:	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	:	1100 lm	2200 lm	3380 lm	5500 lm	11000 lm	21160 lm	31740 lm
Sizes (mm)	:	A: 66 B: 72 C: 22	A: 86 B: 102 C: 26	A: 103 B: 116 C: 26	A: 134 B: 160 C: 25	A: 192 B: 225 C: 28	A: 312 B: 280 C: 28	A: 336 B: 378 C: 33

ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WITH PIR SERSOR

E A↑G

BLACK

WHITE

2700K 4200K 6400K

PIR Sensor






IP44

SMD LED

		1276.00	1482.00	1641.00	2053.00
		ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
		068-011-0010	068-011-0020	068-011-0030	068-011-0050
Power	:	10 W	20 W	30 W	50 W
Luminous Flux	:	1100 lm	2200 lm	3380 lm	5500 lm
Sizes (mm)	:	A: 126 B: 72 C: 40	A: 142 B: 102 C: 40	A: 176 B: 135 C: 40	A: 184 B: 160 C: 40



PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs


BLACK

2700K 4200K 6400K

IP65


WATERPROOF · WATERPROOF · WATERPROOF





SMD LED

		381.00	526.00	653.00	943.00	1613.00	3480.00
		PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200
		068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200
Power	:	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	:	1000 lm	2000 lm	3000 lm	5000 lm	10000 lm	22200 lm
Color Temperature	:	6400K	6400K	6400K	6400K	6400K	6400K
Sizes (mm)	:	A: 101 B: 109 C: 21	A: 122 B: 134 C: 30	A: 138 B: 155 C: 32	A: 175 B: 198 C: 32	A: 231 B: 269 C: 35	A: 312 B: 385 C: 37



REMIX

- 100-260V / 50-60Hz
- Average Life: 25.000 Hrs
- RGB+W


RGB COLORS





SMD LED

		1596.00	1942.00	2618.00	4015.00
		REMIX-20	REMIX-30	REMIX-50	REMIX-100
		068-020-0020	068-020-0030	068-020-0050	068-020-0100
Power	:	20 W	30 W	50 W	100 W
Luminous Flux	:	1600 lm	2400 lm	4000 lm	8000 lm
Sizes (mm)	:	A: 109.4 B: 84.6 C: 25.2	A: 137 B: 105 C: 25.2	A: 178 B: 124 C: 26.5	A: 269 B: 180 C: 27.2



IP65

WATERPROOF · WATERPROOF · WATERPROOF










Portable LED Projector/LED Frameless Projector

WORKSHOP


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 5000K
- 1.8M H07RN-F3G1.5mm2+VDE plug







		8634.00	13892.00
		WORKSHOP-30	WORKSHOP-60
		068-019-0030	068-019-0060
Power	:	30 W	60 W
Luminous Flux	:	3250 lm	6500 lm
Sizes (mm)	:	A: 252,5 B: 291 C: 111	A: 342 B: 387,5 C: 100
Socket &Switch	:	1 socket+ON/OFF on back	2 socket+ON/OFF on back




IP54

ON-OFF

PEGASUS

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K


FRAMELESS FLOODLIGHT NO DARK AREA EDITION







		857.00	1196.00	1715.00	2452.00	4187.00
		PEGASUS-10	PEGASUS-20	PEGASUS-30	PEGASUS-50	PEGASUS-100
		068-024-0010	068-024-0020	068-024-0030	068-024-0050	068-024-0100
Power	:	10 W	20 W	30 W	50 W	100 W
Luminous Flux	:	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm
Sizes (mm)	:	A: 81.9 B: 94.6 C: 35.2	A: 101.7 B: 117.5 C: 36.3	A: 133.2 B: 165.2 C: 38.3	A: 164 B: 200.8 C: 45	A: 203 B: 251.8 C: 49.5



IP65

PEGASUS/W

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

2700K 4200K 6400K

FRAMELESS FLOODLIGHT NO DARK AREA EDITION




1.8 m PLUG

IP65

WATERPROOF · WATERPROOF · WATERPROOF

SMD LED

	4554.00	6472.00
	PEGASUS/W-50	PEGASUS/W-100
	068-032-0050	068-032-0100
Power :	50 W	100 W
Luminous Flux :	5750 lm	11700 lm
Sizes (mm) :	A: 178.6 B: 155.8 C: 78.1	A: 223.3 B: 194.8 C: 80.4






Portable LED Stand /LED Projector Stand
LED Canopy Light


4510.00 TELESCOPE

107 003 0040



- 170-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K
- 4300l m
- 1.6M H05RNF 3X0.5mm2 VDE PLUG











F A↑G

NEW PRODUCT

IP65

WATERPROOF · WATERPROOF · WATERPROOF


ON-OFF

40W SMD LED

25341.00 TOWER


107 002 0080


- 2x4000lm Worklight
- 220~240V / 50Hz
- 2x40W, Lumen : 2x4355 lm,
- Ra › 80 , IP54
- ON/OFF Switch
- 1 X VDE socket
- 3.0M H07RN-F3G1.5mm2+VDE plug
- Max. 2M Height
- Magnet on feet Cable storage
- Average Life: 25.000Hrs





F A↑G





IP54

ON-OFF

80W SMD LED

Portable LED Stand LED Projector Stand

CE EAC RoHS

LED Canopy Light

1172.00 PORTABLE

107 001 0003


- PORTABLE STAND
- 1.5 meter H05VV-F cable



4546.00 TRIPOD SINGLE

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable




5115.00 TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable








27064.00 FALCON


RECESSED

069 001 0110





WATERPROOF · WATERPROOF · WATERPROOF



IP65

110W SMD LED


TIGER PRO 3 CCT

- 3.2V DC
- Average Life: 50.000 Hrs
- 3 CCT
- Duration Time 12-14 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours
- Remote Control: 12m
- With 5m Cable & U Bracket

BLACK

SOLAR

CCT ADJUSTABLE







NEW PRODUCT




SMD LED

IP65

WATERPROOF · WATERPROOF · WATERPROOF

		3110.00	3900.00	6600.00	9470.00
		TIGER PRO-50 3 CCT	TIGER PRO-100 3 CCT	TIGER PRO-200 3 CCT	TIGER PRO-300 3 CCT
		068-012-2050	068-012-2100	068-012-2200	068-012-2300
Power	:	**50 W**	**100 W**	**200 W**	**300 W**
Luminous Flux	:	700 lm	1100 lm	1700 lm	3100 lm
Battery	:	(3,2V / 5AH) Lithium Iron Phosphate	(3,2V / 8AH) Lithium Iron Phosphate	(3,2V / 20AH) Lithium Iron Phosphate	(3,2V / 30AH) Lithium Iron Phosphate
Solar Panel	:	Monocrystaline, 6V/6W	Monocrystaline, 6V/10W	Monocrystaline, 6V/20W	Monocrystaline, 6V/30W
Projector Sizes (mm)	:	A: 143 B: 185 C: 57	A: 178 B: 233 C: 57	A: 215 B: 285 C: 58	A: 275 B: 350 C: 57
Solar Panel Sizes (mm)	:	D: 230 E: 150	D: 300 E: 210	D: 390 E: 300	D: 430 E: 390





LED Solar Projector/LED Rechargeable Projector LED Solar Security Light

SPIDER-16


2450.00

068 021 0016

- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- CRI 80
- Solar Panel: 1W 5V

BLACK





16W SMD LED | IP54 | ON-OFF

SPARROW-16

3806.00

068 022 0016


- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time:12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- Remote Control: 12m
- CRI 80
- Solar Panel: 1.6W 5.5V

BLACK



THREE MODES LIGHTING

WALL AND GROUND INSTALLATION APPARATUS AVAILABLE



16W SMD LED | IP54 | PIR Sensor

PANDA-10

3027.00

068 023 0010

- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 800 lm
- Duration Time 3 Hrs
- Charging Time 4 Hrs
- 3.7V 2600mAh Lithium Battery


BLACK





Rechargeable with type-c

TYPE-C



10W SMD LED | IP44 | ON-OFF

ARMOR-8

152.00


072 001 0008

- 3,7V DC
- 600 lm
- 6400K
- 2x1,5Ah Li-ion Battery
- Continuous Working Time: 1,5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2,5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90°(up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel

BLACK








IP44 | PIR Sensor | 8W SMD LED | ON-OFF

TURBO 3 CCT

- 3.7V DC
- Average Life: 25.000 Hrs
- 3000K-4200K-6400K

SOLAR

CCT ADJUSTABLE



SOS FLASH

DIMMABLE










SMD LED

		TURBO-200 3 CCT	TURBO-400 3 CCT	TURBO-800 3 CCT
		068-027-0200	068-027-0400	068-027-0800
Power	:	200 W	400 W	800 W
Luminous Flux	:	1466 lm	2391lm	2733 lm
Battery	:	3.7V 1200X3mAh	3.7V 8000mAh	3.7V 10000mAh
Panel	:	5V 1.3W -	5V 2.3W -	6V 8W Solar Panel Foldable
Endurance	:	Strong light 5H universal light 7H	Strong light 5H universal light 7H	Strong light 6H universal light 8H
Sizes (mm)	:	A:183.5 B:144 C:54.3	A:217.8 B:174.3 C:54.8	A: 277 B:244.5 C:66

2103.00 2864.00 5256.00







IP44



LED SOLAR PROJECTOR

GRAND PRO

2700K 4200K 6400K

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-14 Hours
- Charge&Discharge: >1500 times
- Installation Height : 3-6 meters
- Charging Time: 4-6 Hours
- Remote Control: 12m

BLACK


SOLAR

PIR Sensor



SMD LED

		GRAND PRO-50	GRAND PRO-100	GRAND PRO-200	GRAND PRO-300
		074-009-2050	074-009-2100	074-009-2200	074-009-2300
		3064.00	3500.00	6462.00	7837.00
Power	:	**50 W**	**100 W**	**200 W**	**300 W**
Luminous Flux	:	950 lm	1150 lm	1900 lm	2100 lm
Battery	:	3,2V / 4AH Lithium Iron Phosphate	3,2V / 5AH Lithium Iron Phosphate	3,2V / 12AH Lithium Iron Phosphate	3,2V / 15AH Lithium Iron Phosphate
Solar Panel	:	Monocrystal Panel 5V / 6W	Monocrystal Panel 5V / 8W	Monocrystal Panel 5V / 15W	Monocrystal Panel 5V / 20W
Irradiation Area	:	30m²	60m²	80m²	100m²
Street Lamp Sizes (mm)	:	A: 216 B: 219 C: 46	A: 231 B: 413 C: 47	A: 251 B: 622 C: 47	A: 251 B: 722 C: 47



WATERPROOF

IP65

ON-OFF

HOROZ ELECTRIC LED Solar Street Light LED Street Light



GRAND/XL

2700K 4200K 6400K

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 10-12 Hours
- Charge&Discharge: >1500 times
- Charging Time: 6-8 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m

PIR Sensor

BLACK


SOLAR



8812.00 10407.00 12361.00

SMD LED

		GRAND/XL-600	GRAND/XL-900	GRAND/XL-1200
		074-009-0600	074-009-0900	074-009-1200
Power	:	**600 W**	**900 W**	**1200 W**
Luminous Flux	:	2092 lm	2668 lm	3066 lm
Battery	:	3 x 3.2V/15Ah Lithium Iron Phosphate	3 x 3.2V/20Ah Lithium Iron Phosphate	3 x 3.2V/25Ah Lithium Iron Phosphate
Solar Panel	:	Polycrystalline Silicon 6V/18W	Polycrystalline Silicon 6V/25W	Polycrystalline Silicon 6V/30W
Installation Height	:	4 Meters	5 Meters	6 Meters
Irradiation Area	:	80 m^2	150 m^2	200 m^2
Street Lamp Sizes (mm)	:	A: 345 B: 450 C: 70	A: 345 B: 600 C: 75	A: 345 B: 680 C: 75
Solar Panel Sizes (mm)	:	D: 340 E: 360	D: 340 E: 510	D: 340 E: 590



WATERPROOF

IP65

ON-OFF



COMPACT PRO

2700K 4200K 6400K

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m

PIR Sensor

BLACK


SOLAR

POLE INCLUDED



2896.00 | 3426.00 | 3962.00





SMD LED

WATERPROOF · WATERPROOF · WATERPROOF

IP65

ON-OFF

		074-010-1020	074-010-1030	074-010-1040
Power	:	**20 W**	**30 W**	**40 W**
Luminous Flux	:	150 lm	190 lm	400 lm
Battery	:	3.2V,3Ah Lithium Iron Phosphate	3.2V,3Ah Lithium Iron Phosphate	3.2V,3.6Ah Lithium Iron Phosphate
Solar Panel	:	Polycrystalline Silicon 5V/2W	Polycrystalline Silicon 5V/3W	Polycrystalline Silicon 5V/5W
Street Lamp Sizes (mm)	:	A:273 B:165 C:55	A:333 B:165 C:55	A:393 B:165 C:55

COMBAT

2700K 4200K 6400K

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole

BLACK

SOLAR



PIR Sensor



7685.00 | 9334.00 | 12325.00

SMD LED


		COMBAT-150	COMBAT-200	COMBAT-250
		074-011-0150	074-011-0200	074-011-0250
Power	:	**150 W**	**200 W**	**250 W**
Luminous Flux	:	1400 lm	1700 lm	2400 lm
Battery	:	3x3.2V,10Ah Lithium Iron Phosphate	4x3.2V,15Ah Lithium Iron Phosphate	5x3.2V,20Ah Lithium Iron Phosphate
Solar Panel	:	Polycrystalline Silicon 6V/8W	Polycrystalline Silicon 6V/12W	Polycrystalline Silicon 6V/16W
Installation Height	:	3 Meters	3,5 Meters	4 Meters
Irradiation Area	:	30m²	60m²	90m²
Street Lamp Sizes (mm)	:	A: 415 B: 127	A: 462 B: 127	A: 510 B: 127

POLE

10199.00

130 001 0001

- Pole for Combat



ORLANDO PRO

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

NEW PRODUCT

GRAY


2700K 4200K 6400K

150 lm/W









SMD LED

IP65

WATERPROOF

		3350.00	3763.00	6549.00	8360.00	10304.00
		ORLANDO PRO-30	ORLANDO PRO-50	ORLANDO PRO-100	ORLANDO PRO-150	ORLANDO PRO-200
		074-005-1030	074-005-1050	074-005-1100	074-005-1150	074-005-1200
Power	:	**30 W**	**50 W**	**100 W**	**150 W**	**200 W**
Luminous Flux	:	4500 lm	7500 lm	15000 lm	22500 lm	30000 lm
Pole Diameter (Ø)	:	Min.50 - Max.65	Min.50 - Max.65	Min.50 - Max.65	Min.50 - Max.65	Min.50 - Max.65
Sizes (mm)	:	A: 315 B: 170 C: 60	A: 315 B: 170 C: 60	A: 410 B: 210 C: 62	A: 455 B: 252 C: 66.5	A: 500 B: 272 C: 66.5



FLORIDA

A↑G E

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K

GRAY


2700K 4200K 6400K




Adjustable Pole Angle









		2811.00	3270.00	4984.00	6628.00	9135.00
		FLORIDA-30	FLORIDA-50	FLORIDA-100	FLORIDA-150	FLORIDA-200
		074-014-0030	074-014-0050	074-014-0100	074-014-0150	074-014-0200
Power	:	**30 W**	**50 W**	**100 W**	**150 W**	**200 W**
Luminous Flux	:	3000 lm	5000 lm	10000 lm	15000 lm	20000 lm
Wall Installation Hole (mm)	:	D: 88	D: 88	D: 96	D: 96	D: 96
Pole Diameter (Ø)	:	60	60	60	60	60
Sizes (mm)	:	A: 383 B: 125 C: 70	A: 465 B: 159 C: 75	A: 555 B: 198 C:75	A: 593 B: 222 C:75	A: 682 B: 260 C:75

IP65



TEXAS


A G E

- 100-265V/50-60 Hz
- Average Life: 20.000 Hrs
- 6400K

NEW PRODUCT

ANTHRACITE

2700K 4200K 6400K





SMD LED

WATERPROOF

IP65

		2353.00	3310.00	4805.00	6400.00
		TEXAS-50	TEXAS-100	TEXAS-150	TEXAS-200
		074-012-0050	074-012-0100	074-012-0150	074-012-0200
Power	:	**50 W**	**100 W**	**150 W**	**200 W**
Luminous Flux	:	5750 lm	11680 lm	17600 lm	24000 lm
Sizes (mm)	:	A: 350 B: 141 C: 68	A: 425 B: 185 C: 77	A: 516 B: 225 C: 77	A: 578 B: 248 C: 77
Pole Diameter (Ø)	:	53	63	63	63




VEGAS


A G E

- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

BLACK







SMD LED

WATERPROOF

IP65

		2712.00	3429.00	4984.00	6619.00
		VEGAS-50	VEGAS-100	VEGAS-150	VEGAS-200
		074-013-0050	074-013-0100	074-013-0150	074-013-0200
Power	:	**50 W**	**100 W**	**150 W**	**200 W**
Luminous Flux	:	5750 lm	11680 lm	17600 lm	23550 lm
Sizes (mm)	:	A: 411 B: 139	A: 462 B: 151	A:541 B: 189	A:654 B: 213



ROCKET

A↑G D


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

BLACK

2700K 4200K 6400K







Adjustable Pole Angle

SMD LED

		2795.00	3489.00	4772.00
		ROCKET-30	ROCKET-50	ROCKET-100
		074-015-0030	074-015-0050	074-015-0100
Power	:	30 W	50 W	100 W
Luminous Flux	:	3600 lm	6000 lm	12000 lm
Wall Installation Hole (mm)	:	D: 74	D: 74	D: 74
Pole Diameter (Ø)	:	60	60	60
Sizes (mm)	:	A: 424.3 B: 67.3 C: 12.6	A: 507.5 B: 68.3 C: 13.2	A: 596.7 B: 76.3 C: 15

WATERPROOF · WATERPROOF

IP65



LED Bulkhead Lamp

2302.00

SORENTO 3 CCT


071 017 0020







CCT ADJUSTABLE




20W SMD LED

PIR Sensor

Sensor Adjustable

- WHITE
- BLACK

- 170-260V / 50-60Hz
- 1600 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (≥2MA)
- Power Frequency : 50/60Hz
- Ambient Light : <10LUX ->2000LUX
- Time Delay : Min.10sec±3sec± MAX.10min±5min
- Detection Range :120°± 20°
- Detection Distance : 10 m±2m(<24°C)
- Working Temperature :-20~+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s



IP54

2012.00

PALERMO 3 CCT


071 018 0015







CCT ADJUSTABLE




15W SMD LED

PIR Sensor

Sensor Adjustable

- WHITE
- BLACK

- 170-265V / 50-60Hz
- 1200 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (≥2MA)
- Power Frequency : 50/60Hz
- Ambient Light : <10LUX ->2000LUX
- Time Delay : Min.10sec±3sec±MAX.10min±5min
- Detection Range :120°± 20°
- Detection Distance : 10 m±2m(<24°C)
- Working Temperature :-20~+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s




IP54

LED Bulkhead Lamp

1460.00

BOLKAR-20

071 014 0020







AUTOMATIC SENSOR




20W SMD LED

PIR Sensor

- WHITE

- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs
- Works only at night with PIR sensor



IP44

FARADAY


- 160-265V / 50-60 Hz
- Average Life: 25.000 Hrs

WHITE





		733.00	931.00
		FARADAY-24	FARADAY-36
		071-015-0024	071-015-0036
Power	:	24 W	36 W
Luminous Flux	:	2400 lm	3600 lm
Sizes (mm)	:	A: 250 B: 125 C: 38	A: 300 B: 150 C: 35



NORTON


- 160-265V / 50-60 Hz
- Average Life: 30.000 Hrs

WHITE





		780.00	1045.00
		NORTON-24	NORTON-36
		071-016-0024	071-016-0036
Power	:	24 W	36 W
Luminous Flux	:	2400 lm	3600 lm
Sizes (mm)	:	A: 200 B: 38	A: 240 B: 35



HOROZ ELECTRIC Aluminium Bulkhead Lamp

WHITE

BLACK

- 220-240V / 50-60Hz


NEMRUT / AYDER / TOROS / KAÇKAR

E27





		1092.00	2139.00	1092.00	2139.00
		NEMRUT	AYDER	TOROS	KAÇKAR
		070-001-0060	070-012-0100	070-002-0060	070-013-0100
Power	:	Max.18 W LED	Max.18 W LED	Max.18 W LED	Max.18 W LED
Sizes (mm)	:	A: 210 B: 80 C: 105	A: 275 B: 115 C: 155	A: 210 B: 85 C: 105	A: 275 B: 120 C: 155



IP54

WHITE

BLACK

- 220-240V / 50-60Hz

ZİGANA / MUNZUR / ARARAT / ERCİYES


E27







		1159.00	2209.00	1159.00	2209.00
		ZİGANA	MUNZUR	ARARAT	ERCİYES
		070-005-0060	070-014-0100	070-006-0060	070-015-0100
Power	:	Max.18 W LED	Max.18 W LED	Max.18 W LED	Max.18 W LED
Sizes (mm)	:	A: 180 B: 85 C: 180	A: 240 B: 110 C: 140	A: 170 B: 80 C: 170	A: 240 B: 115 C: 240




IP54

Garden Lamp
LED Garden Lamp
LED House Number Light

NAR

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser





		NAR-1	NAR-2	NAR-3	NAR-4	NAR-5
		3036.00	3777.00	3900.00	5134.00	6317.00
		075-016-0001	075-016-0002	075-016-0003	075-016-0004	075-016-0005
Power	:	Max.18W LED	Max.18W LED	Max.18W LED	Max.18W LED	Max.18W LED
Color	:	Black/White	Black/White	Black/White	Black	Black
Sizes	:	A: 170 B: 240 C: 210	A: 170 B: 800 C: 260	A: 170 B: 170 C: 300	A: 170 B: 170 C: 580	A: 170 B: 170 C: 840

IP44 E27





		NAR-6	NAR-7
		15985.00	19405.00
		075-016-0006	075-016-0007
Power	:	Max.2x18W LED	Max.3x18W LED
Color	:	Black	Black


PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK







		2956.00	3492.00	4757.00	6722.00
		PALMERA-1	PALMERA-2	PALMERA-3	PALMERA-4
		075-018-0001	075-018-0002	075-018-0003	075-018-0004
Sizes (mm)	:	A: 90 B: 215	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800

IP44

E27


PALMERA/S

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK







		3042.00	3868.00	4952.00	7513.00
		PALMERA/S1	PALMERA/S2	PALMERA/S3	PALMERA/S4
		075-017-0001	075-017-0002	075-017-0003	075-017-0004
Sizes (mm)	:	A: 90 B: 90 C: 215	A: 90 B: 90 C: 300	A: 90 B: 90 C: 500	A: 90 B: 90 C: 800

IP44

E27


KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED







	KAVAK/SQ-2	KAVAK/SQ-3	KAVAK/SQ-4	KAVAK/SQ-5
	3043.00	4096.00	5433.00	7429.00
	075-015-0002	075-015-0003	075-015-0004	075-015-0005
Sizes (mm) :	A: 90 B: 200 C: 150	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800

IP44 E27




KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED








	KAVAK-2	KAVAK-3	KAVAK-4	KAVAK-5
	1921.00	2230.00	3423.00	4848.00
	075-014-0002	075-014-0003	075-014-0004	075-014-0005
Sizes (mm) :	A: 208 B: 89 C: 148	A: 300 B: 89 C: 130	A: 500 B: 90 C: 130	A: 800 B: 90 C: 130


IP44 E27

LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED







		LADİN-1	LADİN-2	LADİN-3	LADİN-4
		3152.00	4188.00	4222.00	5071.00
		075-002-0001	075-002-0002	075-002-0003	075-002-0004
Sizes (mm)	:	A: 335 B: 120	A: 350 B: 120 C: 165	A: 500 B: 120	A: 800 B: 120


IP44 E27

DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 18W LED







		DEFNE-1	DEFNE-2	DEFNE-3	DEFNE-4	DEFNE-5
		1658.00	2650.00	2268.00	2806.00	3738.00
		075-004-0001	075-004-0002	075-004-0003	075-004-0004	075-004-0005
Sizes (mm)	:	A:405 B: 76	A: 344 B: 76 C: 142	A: 325 B: 76 C: 110	A: 500 B: 76 C: 110	A: 800 B: 76 C: 110

IP44 E27

KAYIN


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED











	4407.00	4952.00	5364.00	6704.00
	KAYIN-1	KAYIN-2	KAYIN-3	KAYIN-4
	075-003-0001	075-003-0002	075-003-0003	075-003-0004
Sizes (mm) :	A: 390 B: 150	A: 275 B: 150 C: 210	A: 450 B: 150	A: 800 B: 150

IP44 E27

PALMİYE

BLACK


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED











	5353.00	6184.00	6462.00	7996.00
	PALMİYE-1	PALMİYE-2	PALMİYE-3	PALMİYE-4
	075-001-0001	075-001-0002	075-001-0003	075-001-0004
Sizes (mm) :	A: 350 B: 150	A: 320 B: 150 C: 230	A: 500 B: 150	A: 800 B: 150

IP44 E27

PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K




BLACK


IP65

12W SMD LED

PIR Sensor







	5667.00	4268.00	5638.00	6209.00	9779.00
	PRESTIGE-1S	PRESTIGE-1	PRESTIGE-2	PRESTIGE-3	PRESTIGE-4
	076-053-1001	076-053-0001	076-053-0002	076-053-0003	076-053-0004
Sizes (mm) :	A: 70.4 B: 230.7	A: 70.4 B: 230.7	A: 109 B: 300	A: 109 B: 500	A: 109 B: 800

DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K



BLACK

IP65

24W SMD LED

PIR Sensor



	6266.00	4160.00	7088.00	10865.00	9445.00
	DYNAMIC-1S	DYNAMIC-1	DYNAMIC-2	DYNAMIC-3	DYNAMIC-4
	076-058-1001	076-058-0001	076-058-0002	076-058-0003	076-058-0004
Sizes (mm) :	A: 110 B: 300	A: 110 B: 300	A: 300 B: 300	A: 500 B: 300	A: 800 B: 300


DEXTER


- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 700 lm
- 4200K

BLACK

IP65







	DEXTER-1	DEXTER-2	DEXTER-3	DEXTER-4
	3031.00	4434.00	5765.00	7033.00
	076-115-0001	076-115-0002	076-115-0003	076-115-0004
Sizes (mm) :	A: 200 B: 65	A: 300 B: 150	A: 500 B: 150	A: 800 B: 150


BEYOND

9229.00

076 087 0001




Ambience Light / 3000K



BLACK

- 85-265V 50-60Hz
- 4200K
- 547 lm
- Average Life:30.000 Hrs

IP65






CALEX


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

BLACK






		2936.00	3935.00	5869.00
SMD LED		CALEX-1	CALEX-2	CALEX-3
		076-116-0030	076-116-0060	076-116-0090
Power	:	10 W	20 W	30 W
Luminous Flux	:	667 lm	1247 lm	2101 lm
Sizes (mm)	:	A: 30 B: 8 C: 2.8	A: 60 B: 8 C: 2.8	A: 90 B: 8 C: 2.8



IP54






MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 18W LED



2066.00	2066.00	2066.00
MANGO-1	MANGO-2	MANGO-3
075-009-0001	075-009-0002	075-009-0003



IP44 E27


MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass





		MANOLYA-1	MANOLYA-2	MANOLYA-3
		1773.00	2300.00	3150.00
		075-008-0001	075-008-0002	075-008-0003
Power	:	Max. 10W LED	Max. 2x10W LED	Max. 2x18W LED
Lamp Holder	:	GU10	GU10	E27
Body	:	Stainless Steel	Stainless Steel	Aluminium
Color	:	Mat Chrome / Black	Mat Chrome / Black	Black
Lighting Direction	:	Down	Up&Down	Up&Down
Sizes (mm)	:	A: 116 B: 93 C: 85	A: 160 B: 93 C: 85	A: 300 B: 173 C: 108



IP44 GU10 E27


1233.00

MAMBA

076 066 0001








1306.00

MAMBA-SQ

076 067 0001







BLACK

- 220-240V / 50-60Hz
- Max. 10W LED


IP65

GU10


REGNUM

- 220-240V / 50-60Hz
- Aluminium Body+PC

BLACK








		REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
		2193.00	2800.00	2193.00	2559.00
		075-019-0001	075-019-0002	075-019-0003	075-019-0004
Power	:	Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	:	Up	Up&Down	Up	Up&Down


IP44


GU10

GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC







		GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
		3252.00	5500.00	3252.00	5148.00
		075-010-0001	075-010-0002	075-010-0003	075-010-0004
Power	:	Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	:	Down	Up&Down	Down	Up&Down


IP44


GU10

TWIST

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK





		2193.00	2523.00	3226.00	3915.00
		TWIST-5	TWIST-7	TWIST-12	TWIST-15
		076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power	:	5 W	7 W	12 W	15 W
Luminous Flux	:	350 lm	442 lm	821 lm	987 lm
Lighting Direction	:	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm)	:	W: 85	W: 119	W: 170	W: 220


IP65




PROTON/S

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



		1613.00	1954.00	2617.00	3418.00
		PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
		076-055-0002	076-055-0004	076-055-0006	076-055-0008
Power	:	2 W	4 W	6 W	8 W
Luminous Flux	:	260 lm	360 lm	540 lm	720 lm
Lighting Direction	:	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	:	A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48



IP65

NEUTRON


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

2700K 4200K 6400K



	1827.00	2701.00	3034.00	3752.00
	NEUTRON-5	NEUTRON-7	NEUTRON-12	NEUTRON-14
	076-091-0005	076-091-0007	076-091-0012	076-091-0014
Power :	5 W	7 W	12 W	14 W
Luminous Flux :	309 lm	452 lm	780 lm	973 lm
Lighting Direction :	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Sizes (mm) :	A: 90 B: 100 C: 48	A: 92 B:120 C: 50	A: 95 B: 185 C: 50	A: 95 B: 220 C: 53



WATERPROOF

IP65



PROTON


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK

2700K 4200K 6400K



	1343.00	1596.00	2124.00	2875.00
	PROTON-2	PROTON-4	PROTON-6	PROTON-8
	076-039-0002	076-039-0004	076-039-0006	076-039-0008
Power :	2 W	4 W	6 W	8 W
Luminous Flux :	260 lm	360 lm	540 lm	720 lm
Lighting Direction :	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm) :	A: 73 B: 80 C: 38	A: 95 B: 117 C: 38	A: 95 B: 181 C: 42	A: 95 B: 217 C: 49




WATERPROOF

IP65

VOLCANO 3 CCT

- 100-265V / 50-60Hz
- 3CCT
- Average Life: 25.000 Hrs

CCT ADJUSTABLE



BLACK
WHITE




NEW PRODUCT





SMD LED

	1084.00	1446.00	1849.00	2237.00
	VOLCANO-9 3 CCT	VOLCANO-12 3 CCT	VOLCANO-15 3 CCT	VOLCANO-18 3 CCT
	076-119-0009	076-119-0012	076-119-0015	076-119-0018
Power :	**9 W**	**12 W**	**15 W**	**18 W**
Luminous Flux :	900 lm	1200 lm	1500 lm	1800 lm
Sizes (mm) :	A: 120 B: 47	A: 180 B:47	A: 220 B: 47	A: 250 B: 47



WATERPROOF · WATERPROOF · WATERPROOF

IP65




2174.00

LAGOS


- 85-265V 50-60Hz
- 4200K
- 765 lm
- Average Life:30.000 Hrs

BLACK

076 070 0012







12W SMD LED

IP54


3227.00

CARAT


- 85-265V 50-60Hz
- 4200K
- 925 lm
- Average Life:30.000 Hrs

BLACK

076 071 0012









12W SMD LED

IP54







1109.00


FACTOR-2

- 85-265V /50-60Hz
- 4200K
- 170 lm
- Average Life: 30.000 Hrs


BLACK

WHITE

076 075 0002







2W SMD LED

IP54


1829.00

BAT-6


- 85-265V 50-60Hz
- 4200K
- 335 lm
- Average Life:30.000 Hrs

BLACK

076 072 0006







6W SMD LED

IP54

BOLERO

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

2700K 4200K 6400K


BLACK





	1768.00	2074.00	2430.00
	BOLERO-5	BOLERO-7	BOLERO-9
	076-076-0005	076-076-0007	076-076-0009
Power :	5W	7W	9W
Luminous Flux :	350 lm	619 lm	865 lm
Sizes (mm) :	A: 105 B: 62	A: 125 B: 62	A: 160 B: 62

SMD LED



IP54

METROPOL-12

3119.00


076 073 0012

- 85-265V 50-60Hz
- 4200K
- 910 lm
- Average Life:30.000 Hrs

2700K 4200K 6400K

BLACK







12W SMD LED

IP54

ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

2700K 4200K 6400K


BLACK





	2110.00	2500.00	3100.00
	ANGEL-5	ANGEL-8	ANGEL-11
	076-077-0005	076-077-0008	076-077-0011
Power :	5W	8W	11W
Luminous Flux :	330 lm	445 lm	740 lm
Sizes (mm) :	A: 125 B: 50	A: 170 B: 50	A: 214 B: 50

SMD LED



IP54

3094.00

SPARTA-1

076 085 0006


- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

2700K 4200K 6400K



6W SMD LED



IP54

4567.00

SPARTA-2

076 085 0012


- 85-265V 50-60Hz
- 4200K
- 610 lm
- Average Life:30.000 Hrs

BLACK

2700K 4200K 6400K



12W SMD LED




IP54









3094.00

HERMES-1

076 084 0006


- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

2700K 4200K 6400K



6W SMD LED



IP54

4567.00


HERMES-2

076 084 0012


- 85-265V 50-60Hz
- 4200K
- 637 lm
- Average Life:30.000 Hrs

BLACK

2700K 4200K 6400K



12W SMD LED



IP54

KING


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

2700K 4200K 6400K

BLACK








SMD LED

	KING-5/R	KING-10/R	KING-5/S	KING-10/S
	1789.00	2348.00	1789.00	2348.00
	076-082-0001	076-082-0002	076-082-0003	076-082-0004
Power :	5 W	10 W	5 W	10 W
Luminous Flux :	450 lm	900 lm	450 lm	900 lm

IP54





VIPER

3133.00

076 086 0017


- 85-265V /50-60Hz
- 4200K
- 740 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

2700K 4200K 6400K





17W SMD LED

IP54

SCADA

3139.00

076 074 0012


- 85-265V /50-60Hz
- 4200K
- 590 lm
- Average Life: 30.000 Hrs

BLACK

WHITE

2700K 4200K 6400K





12W SMD LED

IP54

7598.00


LUXIA-G

076 078 0030

2700K 4200K 6400K



- BLACK
- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs



30W SMD LED

IP54

7366.00


LUXIA

076 079 0030

2700K 4200K 6400K



- BLACK
- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs



30W SMD LED

IP54





5780.00


MORENA

076 080 0020

2700K 4200K 6400K



- BLACK
- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs



20W SMD LED

IP54

5780.00


PALACE

076 081 0020

2700K 4200K 6400K



- BLACK
- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs



20W SMD LED

IP54

LED Garden Lamp


MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs

BLACK 2877.00

3198.00 BLACK&GOLDEN

076 052 0010








WATERPROOF

10W COB LED




IP65

VECTOR

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK




WATERPROOF

IP65



SMD LED

		VECTOR-6	VECTOR-12
		2105.00	2856.00
		076-083-0006	076-083-0012
Power	:	6 W	12 W
Luminous Flux	:	350 lm	728 lm
Sizes (mm)	:	A: 130 B: 70	A: 200 B: 80




OPERA-10

2788.00

- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010








WATERPROOF

10W SMD LED



IP65



IMPERIAL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs


BLACK








	4205.00	5210.00
	IMPERIAL-1	IMPERIAL-2
	076-054-0007	076-054-0014
Power :	7 W	2x7 W
Luminous Flux :	630 lm	1260 lm
Lighting Direction :	Up	Up&Down





IP54

4367.00


SUPERB

076 040 0015

- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

BLACK





15W SMD LED

IP65





2334.00

ANDIZ


076 037 0009

BLACK

WHITE

- 100-240V 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs





9W SMD LED

IP65

1469.00

SEKOYA

076 038 0004

BLACK


WHITE


- 100-240V 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs

ADJUSTABLE BEAM ANGLE









4W SMD LED

IP65

4000.00


SAFARİ

075 020 0001



BLACK


- 220-240V / 50-60Hz
- Max. 2x10W LED
- Bulb not included
- Aluminium Body



WATERPROOF · WATERPROOF · WATERPROOF

IP65

LED GU10



4198.00

SERVİ

076 009 0012

2700K 4200K 6400K








BLACK

WHITE


- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



WATERPROOF · WATERPROOF · WATERPROOF

IP65

12W COB LED



BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body

2700K 4100K 6400K

SMD LED

	SALKIM	ZAKKUM	MEŞE	ARDIÇ
	2202.00	2866.00	3519.00	2781.00
	076-008-0006	076-005-0006	076-004-0012	076-003-0006
Power :	6 W	6W	12 W	5.5 W
Luminous Flux :	180 lm	330 lm	650 lm	245 lm
LED Type :	COB	SMD	SMD	POWER
IP :	44	54	54	54
Lighting Direction :	Up&Down	Down	Up&Down	Down















IP44 IP54










1230.00

DRAGON

076 060 0015


- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs


WHITE
BLACK












15W SMD LED

WATERPROOF IP65






1154.00

SEGMENT

076 059 0024

- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs


WHITE
BLACK











24W SMD LED

WATERPROOF IP65


1349.00

CLEMENT


076 062 0024

- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

WHITE
BLACK







24W SMD LED


WATERPROOF · WATERPROOF · WATERPROOF

IP65




1258.00

076 061 0024



- BLACK
- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs





24W SMD LED

WATERPROOF · WATERPROOF · WATERPROOF

IP65

LED GARDEN LAMP


CRUZ

TANGO

BLADE

- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

WHITE
BLACK






1260.00 | 1180.00 | 1260.00

SMD LED

	CRUZ	TANGO	BLADE
	076-063-0024	076-064-0024	076-065-0024
Power :	24 W	24 W	24W
Luminous Flux :	1800 lm	1800 lm	1800 lm



WATERPROOF · WATERPROOF · WATERPROOF

IP65

LED Garden Lamp / LED House Number Light


SUGA


- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

12W

2700K 4200K 6400K

BLACK





SMD LED

	3292.00	3292.00	3292.00	3292.00
	SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
	076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux :	1000 lm	700 lm	900 lm	650 lm

WATERPROOF · WATERPROOF · WATERPROOF

IP65



ARENA

3129.00

076 033 0010

LED HOUSE NUMBER


2700K 4000K 6400K

- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs





10W SMD LED



IP44

MAGMA-15

3172.00

076 090 0015

2700K 4200K 6400K

WHITE


BLACK

- 170-265V 50-60Hz
- 4200K
- 1450 lm
- Time Delay: 10sec±3sec to 5min±1min (adjustable)
- Ambient Light: <3-2000LUX
- Average Life 25.000 Hrs









15W SMD LED

PIR Sensor

IP54

OPTIC




BLACK

- 85-265V / 50-60Hz
- AMBER/GREEN/6400K
- $YHUDJH /LIH


+UV

		1185.00	1675.00	2258.00
		OPTIC-7L	OPTIC-12L	OPTIC-15L
		076-117-0007	076-117-0012	076-117-0015
Power	:	7W	12W	15W
Luminous Flux	:	490 lm	840 lm	1050 lm
Diameter (Ø)	:	Ø 55	Ø 63	Ø 73
Sizes (mm)	:	A: 268	A: 276	A: 286











LED GARDEN LAMP/GARDEN LAMP

428.00 K


BLACK

- 220-240V / 50-60Hz
- Max.10W LED

075 021 0001







GU5.3

1150.00


BLACK

- 220-240V / 50-60Hz
- Max.10W LED

075 022 0001







GU10

486.00 OPTIC-GX


BLACK

- 220-240V / 50-60Hz
- Max.10W LED

075 022 1001







GU10

2213.00

KEOPS 3 CCT

078 018 0002

- Li-ION Battery 3.7V 1800mAh
- 3 CCT
- 80 lm
- Lighting Time: High 5 Hrs /Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel 5V 1.7W
- Average Life: 30.000 Hrs

NEW PRODUCT



Lamp Head + Lamp Post + Lamp Post + Lamp Post + Spike


2W SMD LED

SOLAR

CCT ADJUSTABLE











WATERPROOF

IP65

ON-OFF

2320.00

QUEBEC 3 CCT

078 019 0002

- Li-ION Battery 3.7V 1800mAh
- 3 CCT
- 80 lm
- Lighting Time: High 5 Hrs /Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel 5V 2W
- Average Life: 30.000 Hrs

NEW PRODUCT



Lamp Head + Lamp Post + Lamp Post + Lamp Post + Spike


2W COB LED

SOLAR

CCT ADJUSTABLE












WATERPROOF

IP65

ON-OFF

MOLECUL

- Li-ION Battery 3.7V 1200mAh
- 4200K
- Lighting Time: High 8 Hrs /Low 12 Hrs
- Charging Time: 6 Hrs
- Solar Panel : 5V 1.3W
- Average Life: 30.000 Hrs



NEW PRODUCT

SOLAR

Seamless splicing


Snap-on construction, splicing
Tightly fitted, visual integration without faults





SMD LED

		979.00	1233.00
		MOLECUL-4	MOLECUL-6
		078-020-0004	078-020-0006
Power	:	4 W	6 W
Luminous Flux	:	40 lm	60 lm
Sizes (mm)	:	A: 210 B:53	A: 288 B:53



WATERPROOF · WATERPROOF · WATERPROOF

IP65


ON-OFF

HOROZ ELECTRIC

LED Solar Wall & Ground Lamp
LED Solar Wall Lamp
LED Solar Lamp

CE EAC RoHS






MALIBU 3 CCT

- 3 CCT
- Charging Time: 4-6 Hours
- Working Time > 12H


NEW PRODUCT

SOLAR

CCT ADJUSTABLE







SMD LED

		1117.00	1414.00	1921.00
		MALIBU-4 3 CCT	MALIBU-6 3 CCT	MALIBU-8 3 CCT
		078-017-0004	078-017-0006	078-017-0008
Power	:	4W	6 W	8 W
Luminous Flux	:	30 lm	50 lm	85 lm
Battery	:	3.2V 600mAh Lifepo4	3.2V 1200mAh Lifepo4	3.2V 1800mAh Lifepo4
Solar Power	:	4.5V/150mA	4.5V/400mA	4.5V/500mA

WATERPROOF · WATERPROOF · WATERPROOF

IP65

ON-OFF

LED Solar Wall&Ground lamp/LED Solar Lamp


OZMO

2047.00

078 015 0003

- Li-ION Battery 3.7V 1200mAh
- 4000K
- 200 lm
- Run Time: High 6 Hrs / Low 12 Hrs
- High Brightness : 200 lm
- LOW Brightness : 50 lm
- Solar Panel 5V 1W 200mAh
- Average Life: 25.000 Hrs






PIR Sensor · SOLAR · 3W COB LED · IP44 · ON-OFF

SIRIUS




SMD LED · SOLAR

- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs



WITH PIR SENSOR

		1943.00	2677.00
		SIRIUS-1	SIRIUS-2
		078-012-0001	078-012-0002
Power	:	1 W	2 W
Luminous Flux	:	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	:	1.2V 1200 mAh Li-ion	3.7V 2200 mAh Li-ion
Back Light	:	Yes (Blue)	No



IP44 · ON-OFF

- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs


2700K 4200K 6400K · SOLAR



LED

	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	1614.00	651.00	323.00	461.00	913.00	805.00
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No

0.06W · IP44




1057.00

DIAMOND

079 026 0001

- 180-265V / 50-60Hz
- 70 lm
- 4200K
- Average Life: 30.000 Hrs

WHITE
BLACK










1W SMD LED

PIR Sensor

INDOOR

180°



IP20

HOROZ ELECTRIC LED Recessed Sensor Lamp LED Inground & Recessed Lamp Recessed Lamp

CE EAC RoHS

805.00

ICON-R

079 031 0003





3W SMD LED

805.00

ICON-S

079 032 0003





WHITE
BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs

OUTDOOR

3000K 4200K 6400K





IP54

YOGA



YOGA-V1



YOGA-V2



YOGA-H1

WHITE
BLACK


- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs


OUTDOOR


3000K 4200K 6400K

SMD LED

		732.00	1221.00	732.00
		YOGA-V1	YOGA-V2	YOGA-H1
		079-033-0001	079-033-0002	079-034-0001
Power	:	3 W	3 W	3 W
Luminous Flux	:	58 lm	58 lm	58 lm







IP54

LED RECESSED SENSOR LAMP/ LED INGROUND & RECESSED LAMP

1595.00

AWAX


079 030 0001





MAT CHROME

- 220-240V / 50-60Hz
- Max. 10W LED




IP67

GU10

AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME





IP67

POWER LED

		AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
		079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024
		1073.00	1280.00	2512.00	3027.00	4459.00	5728.00
Power	:	1 W	3 W	6 W	9 W	18 W	24 W
Luminous Flux	:	100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Cutting Diameter (mm)	:	Ø50	Ø125	Ø105	Ø125	Ø165	Ø185
Sizes (mm)	:	A: 65 B:78	A:80 B: 95	A: 120 B: 95	A: 150 B: 95	A: 180 B: 95	A: 200 B: 95



Waterproof Profile Neon LED

Waterproof Profile Neon LED/ Waterproof LED Strip
RGB RF Controller / Socket Set/RGB Socket Set / LED Strip/ LED Driver
RGB LED Strip Kit/ Waterproof LED String Light
LED Module Strip/RGB Controller / RGB Amplifier/Touch Controller
Aluminium Profile





TUBOFLEX-R

A↑G F


WATERPROOF


- 220-240V / 50-60Hz
LED View Angle: 120°
- Average Life: 30.000 Hrs
- 5 sets / 50 m Roll


NEW PRODUCT


Can be cut each 10 centimeters
















	TUBOFLEX-R1010	TUBOFLEX-R1610	TUBOFLEX-R2010
	593.00	1106.00	1156.00
	081-035-1010	081-035-1610	081-035-2010
Power :	10W/m	12W/m	12W/m
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35
Luminous Flux :	860 lm/m	1020 lm/m	1040 lm/m
Width :	10 mm	16 mm	20 mm
Height :	10 mm	10 mm	10 mm
T :	15 mm	20 mm	26 mm
Length :	50 m Roll	50 m Roll	50 m Roll

RECESSED PROFILE NEON LED



220-240V



WATERPROOF · WATERPROOF · WATERPROOF



IP65

Waterproof Profile Neon LED





TUBOFLEX-S

A F G

220-240V


WATERPROOF

Can be cut each 10 centimeters


- 220-240V / 50-60Hz
  LED View Angle: 120°
- Average Life: 30.000 Hrs
- 5 sets / 50 m Roll




NEW PRODUCT




SURFACE PROFILE NEON LED
















	TUBOFLEX-S88	TUBOFLEX-S1010	TUBOFLEX-S1212	TUBOFLEX-S1616	TUBOFLEX-S2020
	533.00	598.00	718.00	1073.00	1243.00
SMD LED	081-034-0808	081-034-1010	081-034-1212	081-034-1616	081-034-2020
Power :	10W/m	10W/m	10W/m	12W/m	12W/m
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35	120 pcs/m, 28x35
Luminous Flux :	850 lm/m	860 lm/m	870 lm/m	1020 lm/m	1040 lm/m
Width :	8 mm	10 mm	12 mm	16 mm	20 mm
Height :	8 mm	10 mm	12 mm	16 mm	20 mm
Length :	50 m Roll	50 m Roll	50 m Roll	50 m Roll	50 m Roll

WATERPROOF · WATERPROOF · WATERPROOF ·

IP65

Waterproof NEON LED Strip

WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



Can be cut each 1 meter

NEOLED/SLIM






201.00

NEOLED





323.00

NEOLED/RGB



508.00

	NEOLED/SLIM	NEOLED	NEOLED/RGB
	081-010-0003	081-010-0001	081-010-0002
Power :	**5,8 W/m**	**6 W/m**	**9 W/m**
Luminous Flux :	465 lm/m	490 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	72 pcs/m, 50x50
Socket Sets :	5 sets/100 m Roll	5 sets/100 m Roll	3 sets/50 m Roll
Width :	7 mm	15 mm	10 mm
Height :	15 mm	15 mm	20 mm

Waterproof NEON LED Strip

NEOFLEX

A↑G F

081 033 0001


- 240V
- Average Life: 30.000 Hrs

220-240V

Easy Connector

240LED / m

NEW PRODUCT



Can be cut each 10 centimeters



SMD LED

	NEOFLEX
	081-033-0001
Power :	**10 W/m**
Luminous Flux :	50000 lm / 164ft.
LED :	240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets :	5 sets/50 m Roll
Width :	12 mm
Height :	7 mm

WATERPROOF · WATERPROOF · WATERPROOF · WATERPROOF

IP65





WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

A→G F

Easy Connector

120LED / m



TUNA



TUNA/RGB



NEW PRODUCT

SMD LED

	TUNA	TUNA/RGB
	081-036-0001	081-036-0002
Power :	8W/m	8W/m
Luminous Flux :	700 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 35x35
Socket Sets :	5 Sets / 50m Roll	5 Sets / 50m Roll
Width :	8 mm	10 mm
Height :	3 mm	4 mm

Can be cut each 10 cm

WATERPROOF · WATERPROOF · WATERPROOF

IP65

220-240V

549.00

TUNA 3 CCT

A→G F

081 036 1001

- 220-240V / 50-60Hz
- 9W/m
- 700 lm/m
- 28X35 SMD LED
- 50m Roll
- Average Life:30.000 Hrs

220-240v

NEW PRODUCT

Easy Connector

120LED / m

CCT ADJUSTABLE





SMD LED

Can be cut each 10 cm

WATERPROOF · WATERPROOF · WATERPROOF

IP65

WATERPROOF LED STRIP

WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

A G F

Easy Connector

240LED / m



SAVA



SAVA/RGB



NEW PRODUCT

Can be cut each 10 cm

	SAVA	SAVA/RGB
	081-037-0001	081-037-0002
Power :	11W/m	11W/m
Luminous Flux :	1020 lm/m	-
LED :	240 pcs/m, 28x35	240 pcs/m, 35x35
Socket Sets :	5 sets/50 m Roll	5 sets/50 m Roll
Width :	10 mm	12 mm
Height :	3 mm	4 mm

WATERPROOF · WATERPROOF · WATERPROOF

IP65

220-240V

1028.00

SAVA 3 CCT

A G F

220-240V

081 037 1001


Easy Connector


240LED / m

NEW PRODUCT

- 220-240V / 50-60Hz
- 11W/m
- 1020 lm/m
- 28X35 SMD LED
- 50m Roll
- Average Life:30.000 Hrs

CCT ADJUSTABLE





WATERPROOF · WATERPROOF · WATERPROOF

IP65

Can be cut each 10 cm

WATERPROOF

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

A G F

IP65


220-240V

Easy Connector

360LED / m



DNIPRO



DNIPRO/RGB




NEW PRODUCT

	DNIPRO	DNIPRO/RGB
	081-038-0001	081-038-0002
Power :	20W/m	20W/m
Luminous Flux :	1900lm/m	-
LED :	360 pcs/m, 28x35	360 pcs/m, 35x35
Socket Sets :	5 sets/50 m Roll	5 sets/50 m Roll
Width :	12 mm	14 mm
Height :	1 mm	2 mm


Can be cut each 10 cm

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

220-240V



FIRAT



FIRAT/RGB



CAN BE USED WITH ALUMINIUM PROFILE

Easy Connector

120LED / m

NEW PRODUCT

	FIRAT	FIRAT/RGB
	081-040-0001	081-040-0002
Power :	**9 W/m**	**9 W/m**
Luminous Flux :	760 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 35x35
Socket Sets :	5sets/20m Roll	5sets/20m Roll
Width :	8 mm	10 mm

Can be cut each 10 cm

IP44



WATERPROOF


- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs

A↑G G


IP65


220-240V

Can be cut each 1 meter



VOLGA | VOLGA/ RGB | COLORADO | COLORADO/ RGB | GANJ | GANJ / RGB





	VOLGA	VOLGA/RGB	COLORADO	COLORADO/RGB	GANJ	GANJ/RGB
	100.00	199.00	189.00	326.00	232.00	336.00
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	3 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	235 lm/m	-	290 lm/m	-	520 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Height :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm

447.00

NEVA

A↑G F

081 026 0001

- 220V
- Average Life: 30.000 Hrs

220-240V











COB LED

WATERPROOF · WATERPROOF · WATERPROOF

Can be cut each 10 centimeters

IP54

447.00

	NEVA 081-026-0001
Power :	**10 W/m**
Luminous Flux :	50000 lm / 164ft.
LED :	240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets :	5 sets/100 m Roll
Width :	11.3 mm
Height :	10 mm



472.00


AVON

A↑G F

081 025 0001

- 220-240V
- Average Life: 30.000 Hrs


220-240V











SMD LED

WATERPROOF · WATERPROOF · WATERPROOF

Can be cut each 1 meter

IP65

472.00

	AVON 081-025-0001
Power :	**13 W/m**
Luminous Flux :	1300lm/m 164ft.
LED :	240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets :	5 sets/50 m Roll
Diameter Ø :	14 mm

RGB RF CONTROLLER

- 220V / 50-60Hz





1277.00	1277.00	1277.00
VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		

1488.00	1488.00	1488.00
VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		

IP65

SOCKET SET

- 1 pcs 6A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



102.00	102.00	102.00	102.00	102.00
VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED/SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm

- 1 pcs Socket (220V~)
- 1 pcs End Cap
- 5 pcs Silicon Clips



NEVA SOCKET
081-026-9001
8 mm

- 1 pcs 8A Socket (220V~)
- 1 pcs End Cap
- 5 pcs Silicon Clips



NEW PRODUCT

203.00
NEOFLEX SOCKET
081-033-9001
5 mm

- 1 pcs 8A Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



305.00
AVON SOCKET
081-026-0011
8 mm

IP65

RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V~)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



196.00	196.00	196.00	196.00
VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm

IP65

TUBOFLEX SOCKET SET

- 1 pcs Socket (220V~)
- 1 pcs End Cap
- 5 pcs Aliminium Clips



Silicone light strip cutting port contacts and connectors corresponding

NEW PRODUCT



With Installation Screws and Acessories




208.00	208.00	208.00
TUBOFLEX-R1010 SOCKET	TUBOFLEX-R1610 SOCKET	TUBOFLEX-R2010 SOCKET
081-035-9001	081-035-9002	081-035-9003
10x10 mm	16x10 mm	20x10 mm

208.00	208.00	208.00	208.00	208.00
TUBOFLEX-S88 SOCKET	TUBOFLEX-S1010 SOCKET	TUBOFLEX-S1212 SOCKET	TUBOFLEX-S1616 SOCKET	TUBOFLEX-S2020 SOCKET
081-034-9001	081-034-9002	081-034-9003	081-034-9004	081-034-9005
8x8 mm	10x10 mm	12x12 mm	16x16 mm	20x20 mm

TUBOFLEX CLIPS

- 100 pcs Aliminium Clips



NEW PRODUCT

34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00
TUBOFLEX R-1010 CLIPS	TUBOFLEX R-1610 CLIPS	TUBOFLEX-R2010 CLIPS	TUBOFLEX-S88 CLIPS	TUBOFLEX-S1010 CLIPS	TUBOFLEX-S1212 CLIPS	TUBOFLEX-S1616 CLIPS	TUBOFLEX-S2020 CLIPS
081-035-5001	081-035-5002	081-035-5003	081-034-5001	081-034-5002	081-034-5003	081-034-5004	081-034-5005
10x10 mm	16x10 mm	20x10 mm	8x8 mm	10x10 mm	12x12 mm	16x16 mm	20x20 mm

RGB RF CONTROLLER

- 220V / 50-60Hz



NEW PRODUCT

3 CCT RF CONTROLLER



WATERPROOF · WATERPROOF · WATERPROOF

IP65

TUNA RGB RF	SAVA RGB RF	DNIPRO RGB RF	FIRAT RGB RF	TUNA 3 CCT RF	SAVA 3 CCT RF
081-036-0013	081-037-0013	081-038-0013	081-040-0013	081-036-1012	081-037-1012
10 mm	12 mm	15 mm	12 mm	8 mm	10 mm
3x3A, For Max.1500W					

SOCKET SET

- 1 pcs Socket (220V~)
- 1 pcs Connector
- 1 pcs End Cap
- 5 pcs Silicon Clips



NEW PRODUCT

RGB SOCKET SET

- 1 pcs Socket (220V~)
- 1 pcs Connector
- 1 pcs End Cap
- 5 pcs Silicon Clips



WATERPROOF · WATERPROOF · WATERPROOF

IP65

105.00	112.00	112.00
TUNA SOCKET	SAVA SOCKET	DNIPRO SOCKET
081-036-0011	081-037-0011	081-038-0011
8 mm	10 mm	12 mm

TUNA RGB SOCKET	SAVA RGB SOCKET	DNIPRO RGB SOCKET
081-036-0012	081-037-0012	081-038-0012
10 mm	12 mm	14 mm

3 CCT SOCKET SET

- 1 pcs End Cap
- 5 pcs Silicon Clips
- 1 pcs Socket (220V~)



NEW PRODUCT

WATERPROOF · WATERPROOF · WATERPROOF

IP65

120.00	120.00
TUNA 3 CCT SOCKET	SAVA 3 CCT SOCKET
081-036-1011	081-037-1011
8 mm	10 mm

LED STRIP CONNECTOR

- 220V / 50-60Hz
- 10 pcs Connector



NEW PRODUCT



48.00	48.00	48.00	0.00		
TUNA I CONNECTOR	SAVA I CONNECTOR	DNIPRO I CONNECTOR	TUNA L CONNECTOR	SAVA L CONNECTOR	DNIPRO L CONNECTOR
081-036-0014	081-037-0014	081-038-0014	081-036-0015	081-037-0015	081-038-0015
8 mm	10 mm	15 mm	8 mm	10 mm	15 mm





LED STRIP CONNECTOR

- 220V/12-24V
- 10 pcs Connector

NEW PRODUCT



36.00	50.00	26.00	66.00	80.00	45.00	69.00
CONNECTOR	L CONNECTOR	I CONNECTOR	CORNER CONNECTOR	MIDDLE CONNECTOR	RGB CONNECTOR	RGB MIDDLE CONNECTOR
081-039-0011	081-039-0012	081-039-0013	081-039-0014	081-039-0015	081-039-0016	081-039-0017

WATERPROOF · WATERPROOF · WATERPROOF

IP65

COLUMBIA-24

A↑G F

081 019 0002




- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED : 320 LED/m

COB LED

Can be cut each 5 centimeters

24V DC





IP44

CANTON-24

508.00

A↑G F

081 020 0002

- 24V DC
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K
- Average Life: 30.000 Hrs

Can be cut each 5 centimeters

SMD LED

24V DC





SWAN

A↑G F

Can be cut each 2,5 centimeters

- 12V/24V DC
- Average Life: 30.000 Hrs

24V DC





12V DC

SMD LED

		344.00 SWAN-12 081-021-0001	344.00 SWAN-24 081-021-0002
Power	:	16W/m	18W/m
LED	:	240 pcs / m, 28x35, Single Chip/5m Roll	240 pcs/m, 28x35, Single Chip/5m Roll
Luminous Flux	:	1400 lm / m	2000 lm/m
Lenght	:	10mm Width	10mm Width
Colors	:	3000K/4200K/6400K GREEN/RED/BLUE	3000K/6400K

SWAN-12/RGB

240LED / m

NEW PRODUCT

081 021 0003

12V DC

- 12V DC
- 16W/m
- 1400lm/m
- LED: 240 pcs/m, 35x35, Single Chip
- 5m Roll
- Average Life: 30.000 Hrs

Can be cut each 5 centimeters






SMD LED

VESPA/24

- Input Voltage: AC 85-265V / 50-60Hz
- Output Voltage: DC 24V








	493.00	675.00	798.00	1196.00	1388.00	1519.00	2084.00	2918.00
	VESPA-12/24	VESPA-36/24	VESPA-60/24	VESPA-100/24	VESPA-150/24	VESPA-200/24	VESPA-300/24	VESPA-400/24
	082-007-0012	082-007-0036	082-007-0060	082-007-0100	082-007-0150	082-007-0200	082-007-0300	082-007-0400
Output Power :	12 W	36 W	60 W	100 W	150 W	200 W	300 W	400 W
Output Current :	0.5A	1.5A	2.5A	4.1A	6.25 A	8.3A	12.5A	17A
Canton-24/Swan-24 LED Strip :	0.7m	2m	3.5m	5.5m	8.3m	11.1m	16.7m	22m
Size (mm) :	A: 35 B: 23 C: 105	A: 35 B: 21.5 C: 124	A: 50 B: 31 C: 115	A: 50 B: 31 C: 145	A: 50 B: 31 C: 185	A: 50 B: 31 C: 185	A: 60 B: 31 C: 190	A: 60 B: 31 C: 224

VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V





	743.00	1109.00	1301.00	1396.00	1921.00	2683.00
	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24	VEGA-400/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300	082-003-0400
Output Power :	60 W	100 W	150 W	200 W	300 W	400 W
Output Current :	2,5A	4,1A	6,25A	8,3A	12,5A	12,5A
CANTON-24/SWAN-24 LED Strip :	3.5m	5.5m	8.3m	11.1m	16.7m	16m
Sizes (mm) :	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188

RGB LED Strip Kit / RGB Neon LED Strip Kit



MONSTER

24V DC

- 220-240V/24V(with adapter)
- RGB
- 8W/m
- 420pcs/m

Can be cut each 10 centimeters

NEW PRODUCT

RGB COLORS





COB LED

DIGITAL

- 220V/12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs

SYNCHRONOUS WITH ENVIRONMENT VOICES/HUMAN VOICES

RGB COLORS



SMD LED

	12V DC 5175.00	24V DC 9029.00
	DIGITAL-5	DIGITAL-10
	081-030-0001	081-030-0002
Power :	10W/m	10W/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	6x16 mm	6x16 mm

WATERPROOF

IP65

VICTORY

- 220V/12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs


RGB COLORS



SMD LED

	12V DC 2400.00	24V DC 4065.00
	VICTORY-5	VICTORY-10
	081-028-0001	081-028-0002
Power :	10W/m	10W/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	2x10 mm	2x10 mm

RGB NEON LED Strip Kit



Indoor and Outdoor LED Strip Lights used



CAPITAL

- 220V/5V (With Adapter)
- RGB
- Average Life: 30.000 Hrs


5V DC

Can be cut each 3 centimeters

SYNCHRONOUS WITH ENVIRONMENT VOICES/HUMAN VOICES

RGB COLORS








SMD LED

		3317.00	5909.00
		CAPITAL-5	CAPITAL-10
		081-032-0001	081-032-0002
Power	:	5W/m	6w/m
LED	:	30 pcs/m 39x39 SMD LED	30 pcs/m 39x39 SMD LED
Sets Included	:	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Cut Distance	:	30 mm	30 mm
Size	:	7x15 mm	7x15 mm



WATERPROOF · WATERPROOF · WATERPROOF ·

IP65

Waterproof LED String Light

FAIRY

IP65

5V DC

Each LED can be cut

WATERPROOF

- Average Life: 30.000 Hrs
- 100-240VAC/5VDC with adaptor
- LED View Angle: 180°





"LotuslampX" APP

IOS/ANDROID

SMD LED

		904.00	1414.00	2643.00
		FAIRY-10	FAIRY-20	FAIRY-40
		080-002-0010	080-002-0020	080-002-0040
Power	:	2W	2W	2.5W
LED	:	10 pcs/m, 28x35	10 pcs/m, 28x35	10 pcs/m, 28x35
Sets Included	:	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length	:	10 m	20 m	40 m

DIMMABLE





FAIRY/RGB

WATERPROOF

- 100-240VAC/5VDC with adaptor
- Average Life: 30.000 Hrs
- LED View Angle: 180°

IP65

5V DC

Each LED can be cut





"LotuslampX" APP

IOS/ANDROID



SMD LED

		1146.00	2092.00
		FAIRY-10 RGB	FAIRY-20 RGB
		080-003-0010	080-003-0020
Power	:	5W	3.5W
LED	:	10 pcs/m, 39x39	10 pcs/m,40X35
Sets Included	:	1 Adapter, 1 Remote Controller 1 USB Controller	1 Adapter, 1 Remote Controller 1 USB Controller
Length	:	10 m	20 m

NEOLED SLIM 12V

A F


081 010 0033

- Average Life: 30.000 Hrs


12V DC















SMD LED

NEOLED SLIM 12V	
081-010-0033	
Power :	**8 W/m**
Luminous Flux :	42500lm/164ft.
LED :	120 pcs/m, 28x35, Single Chips, Single Row
Length :	5m
Width :	11.3 mm
Height :	5 mm



Can be cut each 2.5 centimeters

WATERPROOF · WATERPROOF · WATERPROOF

IP65









- Average Life: 30.000 Hrs


A↑G

120LED / m


12V DC



KARASU-12



KARASU-12/RGB



NEW PRODUCT

1317.00

Can be cut each 2.5 cm

	KARASU-12	KARASU-12/RGB
	081-039-0001	081-039-0002
Power :	**9 W/m**	**9 W/m**
Luminous Flux :	840 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 35x35
Width :	8 mm	10 mm

1429.00

KARASU-12/3 CCT

A↑G

081 039 1001


- 220-240V / 50-60Hz
- 9W/m
- 900 lm/m
- 28X35 SMD LED
- Average Life:30.000 Hrs

120LED / m

12V DC

NEW PRODUCT

CCT ADJUSTABLE





SMD LED

Can be cut each 2.5 cm

REN

A→G G

REN/RGB

THAMES

A→G F

THAMES/RGB

3 LEDs make a group and each group can be cut or extended in terms of the lenght of application

WATERPROOF

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation







12V DC

SMD LED

	REN	REN/RGB	THAMES	THAMES/RGB
	96.00	114.00	189.00	212.00
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	**24 W/5 m Roll**	**24 W/5 m Roll**	**72 W/5 m Roll**	**72 W/5 m Roll**
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

IP65

NİL

A→G G

NİL/RGB

AMAZON

A→G F

AMAZON/RGB

3 LEDs make a group and each group can be cut or extended in terms of the lenght of application

- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation







12V DC

SMD LED

	NİL	NİL/RGB	AMAZON	AMAZON/RGB
	70.00	93.00	154.00	207.00
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	**24 W/5 m Roll**	**24 W/5 m Roll**	**72 W/5 m Roll**	**72 W/5 m Roll**
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips


IP20

NELSON

A→G G

081 024 0001





12V DC

WATERPROOF

- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1 set: 20 module

50.00


NELSON/RGB

A→G G


081 024 0002



1.2W SMD LED








IP65

VESPA

- Input Voltage: AC85-265V / 50-60Hz
- Output Voltage: DC 12V










	493.00	675.00	798.00	1196.00	1388.00	1519.00	2084.00	2918.00
	VESPA-12	VESPA-36	VESPA-60	VESPA-100	VESPA-150	VESPA-200	VESPA-300	VESPA-400
	082-004-0012	082-004-0036	082-004-0060	082-004-0100	082-004-0150	082-004-0200	082-004-0300	082-004-0400
Output Power :	12 W	36 W	60 W	100 W	150 W	200 W	300 W	400 W
Output Current :	1A	3A	5A	8.5A	12A	17A	25A	33A
28x35 SMD LED Strip :	3m	9m	15m	25m	37.5m	50m	75m	100m
50x50 SMD LED Strip :	2m	6m	10m	16.5m	25m	33.3m	50m	66.5m
Size (mm) :	A: 35 B: 23 C: 105	A: 35 B: 21.5 C: 124	A: 50 B: 31 C: 115	A: 50 B: 31 C: 145	A: 50 B: 31 C: 185	A: 50 B: 31 C: 185	A: 60 B: 31 C: 190	A: 60 B: 31 C: 224

VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V








	800.00	1200.00	1400.00	1396.00	1921.00	2683.00
	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-300	VEGA-400
	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0300	082-001-0400
Output Power :	60 W	100 W	150 W	200 W	300 W	400 W
Output Current :	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip :	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	4m	6.5m	10m	13m	17m	24m
Size (mm) :	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225

VITA

- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 12V



	174.00	226.00	263.00	337.00
	VITA-10	VITA-25	VITA-36	VITA-60
	082-006-0001	082-006-0002	082-006-0003	082-006-0005
Power :	10W	25W	36W	60W
Output Current:	1A	2A	3A	5A
Sizes :	A: 29 B: 73 C: 90	A: 32 B: 80 C: 93	A: 41 B: 65 C: 90	A: 47 B: 67 C: 105




VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

ULTRA SLIM CASE



	335.00	369.00	531.00	645.00	741.00	862.00
	VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
	082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072
Output Power :	12 W	24 W	36 W	48 W	60 W	72 W
Output Current :	1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip :	3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip :	1m	1.5m	2m	3m	4m	5m
Length (mm) :	L: 120	L: 160	L: 220	L: 280	L: 310	L: 320



VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF



	852.00	1069.00	1262.00	1552.00	2030.00	2683.00	2946.00
	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip :	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C:45

SLIM CASE

WATERPROOF

IP67


CONTROLLER

		KARASU+SWAN-12 CONTROLLER 6A	KARASU CCT CONTROLLER 6A
		1718.00	
		100-005-0001	100-006-0001
Output Power	:	**216 W-432W**	**216 W-432 W**
Output Current	:	6A/Each Color	6A/Each Color
Input Voltage	:	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage	:	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip	:	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	:	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	:	IR	RF



RGB CONTROLLER


		RGB Controller 2A	RGB Controller 6A
		335.00	1504.00
		100-001-0072	100-002-0432
Output Power	:	**72 W**	**216 W-432 W**
Output Current	:	2A/Each Color	6A/Each Color
Input Voltage	:	DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage	:	DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip	:	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	:	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	:	IR	RF



AMPLIFIER

- Input Voltage: DC 12V – 24V
- Output Voltage: DC 12V – 24V

		AMPLIFIER-12A	AMPLIFIER-30A
		1142.00	1160.00
		101-001-0144	101-001-0360
Output Power	:	**144 W**	**360 W**
Output Current	:	4A/Each Color	10A/Each Color
35x28 RGB LED Strip	:	30 Meters with 60 Leds/Meter	75 Meters with 60 Leds/Meter
50x50 RGB LED Strip	:	10 Meters with 60 Leds/Meter	25 Meters with 60 Leds/Meter



TOUCH


- Input Voltage: DC 12V – 24V
- Output Voltage: DC 12V – 24V
- 20s OFF delay
- Brightness %1-%100
- 2 Brightness can be saved


		TOUCH	TOUCH-RGB
		2755.00	2755.00
		100-003-0288	100-004-0288
Color	:	Single	16 million
Output Power	:	**144-288W**	**144-288W**
Output Current	:	4Ax3 Channel	4A/Each Color
35x28 LED Strips	:	30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips	:	10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function	:	5	12





PROFILE


RECESSED TYPE 0.7mm


























SILVER		630.00	894.00		752.00	1132.00		867.00	1310.00	
		PROFILE-R1	PROFILE-R1	PROFILE-BR1	PROFILE-R2	PROFILE-R2	PROFILE-BR2	PROFILE-R3	PROFILE-R3	PROFILE-BR3
		120-001-1001	120-001-0001	120-001-0011	120-001-1002	120-001-0002	120-001-0012	120-001-1003	120-001-0003	120-001-0013
Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA		618.00	926.00	122.00	791.00	1181.00	191.00	906.00	1368.00	317.00


PROFILE


RECESSED TYPE 0.7mm
























SILVER		405.00	622.00		1010.00	1529.00		2503.00	3753.00	
		PROFILE-R5	PROFILE-R5	PROFILE-BR5	PROFILE-R6	PROFILE-R6	PROFILE-BR6	PROFILE-R7	PROFILE-R7	PROFILE-BR7
		120-001-1005	120-001-0005	120-001-0015	120-001-1006	120-001-0006	120-001-0016	120-001-1007	120-001-0007	120-001-0017
Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA		433.00	645.00	111.00	1068.00	1611.00	136.00	2625.00	3933.00	394.00


PROFILE


SURFACE TYPE 0.7mm

















S1



S2




S3





SILVER		600.00	829.00		621.00	940.00		520.00	731.00	
		PROFILE-S1	PROFILE-S1	PROFILE-BS1	PROFILE-S2	PROFILE-S2	PROFILE-BS2	PROFILE-S3	PROFILE-S3	PROFILE-BS3
		120-002-1001	120-002-0001	120-002-0011	120-002-1002	120-002-0002	120-002-0012	120-002-1003	120-002-0003	120-002-0013
Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA		568.00	870.00	123.00	651.00	975.00	191.00	513.00	767.00	118.00


PROFILE

SURFACE TYPE 0.7mm













SILVER		748.00	1125.00		2150.00	3226.00	
		PROFILE-S4	PROFILE-S4	PROFILE-BS4	PROFILE-S5	PROFILE-S5	PROFILE-BS5
		120-002-1004	120-002-0004	120-002-0014	120-002-1005	120-002-0005	120-002-0015
Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA		783.00	1173.00	316.00	2259.00	3380.00	395.00



S4





S5

PROFILE


0.7mm


CORNER TYPE







FILEXIBLE TYPE











SILVER		800.00	1105.00		415.00	622.00	
		PROFILE-C1	PROFILE-C1	PROFILE-BC1	PROFILE-F1	PROFILE-F1	PROFILE-BF1
		120-003-1001	120-003-0001	120-003-0011	120-004-1001	120-004-0001	120-004-0011
Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK
CRNA		798.00	1180.00	122.00	431.00	650.00	143.00



HOROZ ELECTRIC LED Lantern / LED Solar Camping Light

1849.00

VERON

084 037 0015


- 5V DC Micro USB
- 150 lm (3000K)
  290 lm (4200K)
  160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time:
  6 Hours (3000K-6400K)
  4 Hours (4200K)
- Average Life: 30.000 Hrs

LED LANTERN
RECHARGEABLE

CCT Adjustable







15W SMD LED

ON-OFF

1649.00

CRESPO

084 036 0025


- 5V DC Micro USB
- 550/195/40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time:
  1,5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN
RECHARGEABLE





3-STEP DIMMING



25W SMD LED

ON-OFF

HOROZ ELECTRIC

LED Lantern
LED Solar Camping Light
Emergency LED Lantern
LED Headlight
LED Torch
LED Emergency Exit Lamp

997.00

FORLAN

084 023 0010

- 5V DC Micro USB
  5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time:
  1 Tube: 1.5 Hours
  2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs

LED LANTERN
RECHARGEABLE







10W SMD LED

1-OFF-2

ROMARIO

084 022 0010


- 220-240V AC / 12V DC
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time:
  1 Hour for Strong Light
  25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR
RECHARGEABLE



DIMMABLE





10W SMD LED

ON-OFF

Emergency LED Lantern


3444.00

KANU


084 043 0008

- 220-240V / 50-60Hz
- 6000K
- 280 lm
- 3.7V 2400mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Duration Time: 3 Hours
- Stickers included

Recessed+Surface Mounting Available




EXIT & SAFETY
RECHARGEABLE
EMERGENCY
AUTOMATIC LIGHT-UP









8W LED


IP65

3190.00


HENRY

084 034 0005


- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included



LED LANTERN
RECHARGEABLE
EMERGENCY EXIT
AUTOMATIC LIGHT-UP








4.5W SMD LED

IP65

MALDINI



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Stickers included




LED LANTERN
RECHARGEABLE
EMERGENCY EXIT
AUTOMATIC LIGHT-UP

SMD LED

		1500.00 MALDINI-2 084-014-0002	1700.00 MALDINI-3 084-014-0003
Power	:	13 W	16 W
Luminous Flux	:	330 lm	410 lm
Battery	:	2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	:	3 Hours	3 Hours
Size (mm)	:	A: 245 B: 75 C: 45	A: 325 B: 75 C: 45





Emergency LED Lantern / LED Headlight

2773.00

WENGER


084 025 0012

3000K 4200K 8000K-12000K

- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
  Step 1: 1 Hour
  Step 2: 2 Hours
- Average Life: 30.000 Hrs

LED LANTERN
RECHARGEABLE
EMERGENCY
AUTOMATIC LIGHT-UP





12W SMD LED

1-OFF-2

MESSI

3000K 4200K 8000K-12000K

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs

DIMMABLE



DESK LAMP MODE




HANGABLE + MOUNTABLE

LED LANTERN
RECHARGEABLE
EMERGENCY
AUTOMATIC LIGHT-UP



SMD LED

		1337.00	1965.00	2178.00
		MESSI-9	MESSI-15	MESSI-23
		084-030-0009	084-030-0015	084-030-0023
Power	:	9 W	15 W	23 W
Luminous Flux	:	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	:	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	:	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	:	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50



ON-OFF

BECKHAM

3000K 4200K 7000K-9000K

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
  1 Hour for Strong Light
  4 Hours for Weak Light
- Average Life: 30.000 Hrs

LED HEADLIGHT
RECHARGEABLE








POWER LED

		834.00	1057.00
		BECKHAM-1	BECKHAM-3
		084-007-0001	084-007-0003
Power	:	1 W	3 W
Luminous Flux	:	100 lm	200 lm
Battery	:	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	:	20m	30m
Sizes (mm)	:	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96




1-OFF-2

ALVES

- 220-240V / 50-60Hz
- Wall-Mounted
- Charging Time: 20-24 Hrs
- Duration Time:
  1.5 Hours for 2 Tube
  3 Hours for 1 Tube
- Average Life: 30.000 Hrs



LED LANTERN
RECHARGEABLE
EMERGENCY
AUTOMATIC LIGHT-UP



SMD LED

		1657.00	2719.00
		ALVES-1	ALVES-2
		084-047-0024	084-047-0044
Power	:	24 W	44 W
Luminous Flux	:	190 lm	350 lm
Battery	:	4V 1.6Ah Rechargeable Lead-Acid Battery	2x4V 1.6Ah Rechargeable Lead-Acid Battery
Sizes (mm)	:	A: 266 B: 70 C: 54	A: 450 B: 70 C: 55






TORRES

- 220V AC / 4.2V DC Adaptor
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Charging Time: 4-6 Hours
- Average Life: 30.000 Hrs




RECHARGEABLE
LED TORCH



HIGH POWER LED

		968.00	1077.00
		TORRES-1	TORRES-2
		084-046-0001	084-046-0003
Power	:	1 W	3 W
Luminous Flux	:	80 lm	240 lm
Duration Time	:	Strong Light: 4 Hours Weak Light: 16 Hours	Strong Light: 2.5 Hours Weak Light: 13.5 Hours
Sizes (mm)	:	A: 40 B: 145	A: 50 B: 190




1251.00


WEAH


084 045 0011

- 220-240V / 50-60Hz
- 3W: 150 lm
  8W: 230 lm
- 4V 1.6Ah Rechargeable Lead-Acid Battery
- Duration Time:
  Lantern : 1 Hour
  Torch: 2 Hours
- Average Life: 30.000 Hrs

LED LANTERN
RECHARGEABLE
LED TORCH








3+8W SMD LED






2465.00

LAMPARD


084 044 0005



- 5V DC USB / TYPE-C
- 3.7V 3600mAh Rechargeable Lithium Battery
- 200 lm (Strong) 65 lm (Weak)
- Charging Time: 6-8 Hours
- Average Life: 30.000 Hrs

LED TORCH
RECHARGEABLE





5W HIGH POWER LED



719.00

ZOLA

084 038 0001


- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time:4-6 Hrs
- Average Life: 30.000 Hrs

LED TORCH
RECHARGEABLE

3000K 4200K 7000K-9000K



1W HIGH POWER LED



OFF-1-2

PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
  4 Hours for Weak Light
  1 Hour for Strong Light




LED TORCH
RECHARGEABLE

3000K 4200K 7000K-9000K

HIGH POWER LED

		498.00	600.00	716.00
		PELE-1	PELE-2	PELE-3
		084-006-0001	084-006-0002	084-006-0003
Power	:	0.5 W	1 W	3 W
Luminous Flux	:	30 lm	73 lm	120 lm
Battery	:	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	:	A: 45 B: 140	A: 50 B: 160	A: 65 B: 170



OFF-1-2

BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
  1 Hour for Strong Light
  4 Hours for Weak Light




LED TORCH
RECHARGEABLE

3000K 4200K 8000K-12000K

HIGH POWER LED

		670.00	855.00	1168.00
		BEST-1	BEST-3	BEST-5
		084-024-0001	084-024-0003	084-024-0005
Power	:	1 W	3 W	5 W
Luminous Flux	:	70 lm	120 lm	210 lm
Battery	:	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	:	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240



OFF-1-2

4785.00

MARADONA-2

084 003 0002


- 220-240V AC / 12V DC
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
  4 Hours for Strong Light
  16 Hours for Weak Light
- Average Life: 30.000 Hrs

LED TORCH
RECHARGEABLE

3000K 4200K 7000K-9000K



5W HIGH POWER LED



OFF-1-2

LED Emergency Exit Lamp/ Emergency Kit




1149.00

ROBSON

084 020 0002

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes



EXIT & SAFETY
RECHARGEABLE
EMERGENCY
AUTOMATIC LIGHT-UP



3W LED

2672.00

ZOFF


084 019 0001

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes

1.5W LED



EXIT & SAFETY
RECHARGEABLE
EMERGENCY
AUTOMATIC LIGHT-UP



EMERGENCY KIT


3181.00


DURAKIT

084 048 0024

- 11.1V 4400 mAh Rechargeable lithium-ion battery
- All LED Luminaires Power Range Between 1W-60W
- Maintained & Non-Maintained Modes

NEW PRODUCT





EMERGENCY KIT

3462.00

DURAKIT-U

084 049 0024

- 11.1V 4400 mAh Rechargeable lithium-ion battery
- Power Range Between 1W-60W
- Maintained & Non-Maintained Modes

NEW PRODUCT



Light Control Photosensor / Sensor

Light Control Photosensor

467.00


FLASH

089 001 0001

WHITE

- Operation Voltage: 220–240V / 50–60Hz
- Ambient Light: <5–15 Lux
- Load Power: 1000W (6A)





IP44

Light Control Photosensor

637.00


FLEX

089 001 0002

WHITE

- Operation Voltage: 220–240V / 50–60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)





IP44

Light Control Photosensor

896.00


LUXOR

089 001 0003

WHITE

- Operation Voltage: 220–240V / 50–60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)





IP44

HOROZ ELECTRIC

Light Control Photosensor
Sensor / Doorbell
Wireless Lighting Controller
Timer / Plug in Switch / Dimmer

1240.00


TUCSON

088 001 0009

WHITE

- Detection Source: 220–240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3–2000LUX (adjustable)
- Installation Height: 1.8–2.5m
- Detection Motion Speed: 0.6–1.5m/s





IP44

180°

1486.00


MEGANE

088 001 0008

WHITE

- Operation Voltage: 220–240V / 50–60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec ± 3 sec, Max. 7 min ± 2 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0,6–1,5 m/s





IP65

180°

1225.00

CORONA


088 001 0002

WHITE

BLACK

- Operation Voltage: 220–240V / 50–60Hz
- Detection Distance: 12±1m Max. (<24°C)
- Time-delay: 5 sec ~ 7±2min.
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W





IP44

180°

1196.00

LINEA


088 001 0003

WHITE

BLACK

- Operation Voltage: 220–240V / 50–60Hz
- Detection Distance: 8 ± 2 m Max. (<24°C)
- Time-delay: 5 sec ~ 8±2 min.
- Ambient Light: <10Lux ~ 2000Lux
- Rated Load: Max. 1000W





IP44

180°

1094.00


MONDEO

088 001 0010



WHITE

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s



360°

1256.00


ROVER

088 001 0011



WHITE

- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max (<24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s



360°

1570.00


POLO

088 001 0007



WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max 1200W
- Detection Motion Speed: 0,6-1,5 m/s



Microwave Sensor

Detection is possible to go through doors, panes of glass or thin walls

360°

1086.00


SMART

088 001 0005



WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max.1200W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



360°

CAMARO

088 006 0001


NEW PRODUCT

PIR Sensor



WHITE

- Detection Range: 360°
- Max. 60W LED
- Power Source: 220V/50-60Hz
- Power Frequency: 50/60Hz
- Rated Load: <60W
- Detection Distance: 6m max (<24°C)
- Time-Delay: 10Sec ~ 5Min. (adjustable)
- Light-control: <10LUX->2000LUX (adjustable)



360° E27

AURIS

087 002 0001

NEW PRODUCT


WHITE

- Power Source: 220-240V/AC and DC9V (Battery Included)
- Static current: <15uA
- Alarm current: <25mA
- Low voltage alarm: 6.5-7.5V
- Alarm volume: >85db(3m)



ELECTRICITY: 220V AC
BATTERY: 9V DC

85DB



1167.00

MUSTANG-1

088 002 0001

WHITE

BLACK


- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED : Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)














1229.00

MUSTANG-2

088 002 0002

WHITE

BLACK


- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED : Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)














1051.00

DUSTER

088 003 0001


WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 6m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s







863.00

SANDERO

088 004 0001


WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 60W
- Detection Distance: 4m-10m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120°/ Ceiling Type 360°









868.00

NAVARA

088 005 0001


WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 60W
- Detection Distance: 8m Max (<24°C)
- Time Delay: 10 sec ~ 7 min. (Adjustable)
- Ambient Light: < 10LUX ~ Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120°/ Ceiling Type 360°







SENSOR

1039.00

ROLLAND-D

4.5V DC

086 007 0001

NEW PRODUCT

1160.00

ROLLAND-A

220V AC

086 007 0002

WHITE


ANTHRACITE


- Power Source: Emitter – 12V DC (Battery Included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional











1256.00


PLAY

086 005 0001

- Operation Voltage: 4.5V DC (3xAA1.5V) or 9–15V DC Adaptor
- Sensing Distance: 6 m
- Range: 110°
- Sound level: 80 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm







1033.00

FUJI-D

3V DC

086 002 0001



1178.00

FUJI-A


220V AC

086 002 0002



- BLUE
- ANTHRACITE

- Power Source: Emitter - 12V DC (Battery Included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional



1033.00

NERO-D

4.5V DC

086 003 0001



1178.00

NERO-A


220V AC

086 003 0002



- BLUE
- ANTHRACITE

- Power Source: Emitter - 12V DC (Battery Included)
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional



1033.00

MAXI-D

3V DC

086 004 0001



1178.00

MAXI-A


220V AC

086 004 0002



- BLUE
- ANTHRACITE

- Power Source: Emitter - 12V DC
- Working frequency: 433MHz
- Distance: 100m (open position)
- Sound level: 80 db max
- Sound type: 36 songs optional



Power Converter Plug Adapter/ Wireless Lighting Controller Switch/Timer

900.00

GOLYAT-3

- 16A/250V 2SOCKET 2P+E&2TYPE-C PLUG

132 001 0003

NEW PRODUCT



2x TYPE-C



CONTROLLER


- Working voltage: AC 180~250V 50Hz
- Operation Range: 30m~60m in 360 degree (in open area)
- Tungsten filament lamp≤1000W
  Energy saving lamp/LED≤300W
- Working voltage: 12V(A23 alkaline battery)


Wireless Lighting Controller Switch


30m~60m


900.00	1000.00	1100.00	1142.00
CONTROLLER-1	CONTROLLER-2	CONTROLLER-3	CONTROLLER-4
105-001-0001	105-001-0002	105-001-0003	105-001-0004
1 Channel	2 Channels	3 Channels	4 Channels











TIMER

- Working voltage: AC 220~240V 50Hz
- Power: 3500W
- Current: 16A

Rechargeable




Rechargeable









		779.00	1700.00	1504.00
		TIMER-1	TIMER-2	TIMER-3
		108-001-0001	108-002-0001	108-003-0001
Type	:	Mechanical Daily	Digital Weekly	Mechanical Daily
On/Off Programs	:	24	20	48
Minimum Setting	:	30 Minutes	1 Minute	15 Minutes
Power Reserve	:	No	Yes	Yes

HOROZ ELECTRIC Voltage Surge Protector

1424.00

PROTEX-R

131 001 0001

- Operating Voltage : 220V AC-50/60Hz
- Under Voltage Cut Off : 140V-180V
- Over Voltage Cut Off : 230V-280V
- Delay Time : 5S/210S,default 5S
- Max Capacity : 16A

1468.00

PROTEX-X

131 001 0002

- Operating Voltage : 220V AC-40-70Hz
- Under Voltage Cut Off : 80V-210V
- Over Voltage Cut Off : 130V-300V
- Power off Time : 2S(set:1-999S)
- Max Capacity : 63A

NEW PRODUCT





NOT AFRAID OF HIGH CURRENT IMPACT

Built-in 16A Magnetic Relay,High Current Impact Will Not Burn






LED Night Lamp


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs


MIX (WHITE/BLUE/GREEN/RED)





DORA	REX	BUGS	MAX	DUFFY
				
255.00	255.00	255.00	255.00	255.00
DORA	REX	BUGS	MAX	DUFFY
085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power : **0.4 W**	**0.4 W**	**0.3 W**	**0.4 W**	**0.3 W**
Luminous Flux : 25 lm	25 lm	20 lm	25 lm	20 lm













LED Night Lamp

290.00


BUNNY 2CCT


085 005 0001

PINK/BLUE/GREEN/RED

- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs











290.00

ANDY 2CCT


085 006 0001

PINK/BLUE/GREEN/RED

- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs











HOROZ ELECTRIC

Switch
Socket



ATOM

250V~

IP54



112 100 0004
ONE WAY SWITCH (10A)




112 100 0007
TWO WAY SWITCH (10A)



112 100 0006
2-GANG ONE WAY SWITCH (10A)



112 100 0001
GROUNDED SOCKET (16A)






112 100 0003
1-GANG GROUNDED SOCKET (16A)
1-GANG ONE WAY SWITCH (10A)



112 100 0005
1-GANG GROUNDED SOCKET (16A)
2-GANG ONE WAY SWITCH (10A)



112 100 0002
2-GANG GROUNDED SOCKET (16A)



EVA

250V~

WHITE
BLACK

NEW COLOR



134.00

112 001 0001

ONE WAY SWITCH (10A)



156.00

112 001 0003

2-GANG ONE WAY SWITCH (10A)



152.00

112 001 0002


TWO WAY SWITCH (10A)



152.00

112 001 0004

PUSH BUTTON (10A)





152.00

112 002 0001

ILLUMINATED ONE WAY SWITCH (10A)



170.00

112 002 0002

2-GANG ILLUMINATED ONE WAY SWITCH (10A)



127.00

112 003 0001

SOCKET (16A)



203.00

112 003 0002

2-GANG SOCKET (16A)



172.00

112 004 0001

GROUNDED SOCKET (16A)



280.00

112 004 0002

2-GANG GROUNDED SOCKET (16A)



392.00

NEW PRODUCT

112 012 0001

TRIPLE SOCKET (16A)




479.00

NEW PRODUCT

112 013 0001

GROUNDED TRIPLE SOCKET(16A)





Motor Protector Box / Motor Protector



HOROZ ELECTRIC

Motor Protector Box
Motor Protector
Contactor
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker

1293.00

SAFE


Motor Protector Box

11078.00

For all Motor Protectors except 114-006-2540

114 008 0001





IP55


MOTOR PROTECTOR BOX/MOTOR PROTECTOR

SAFE

Motor Protector








3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	3462.00	11078.00

		114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2026	114-006-2540
Rated Current (A)	:	**0,63-1A**	**1-1,6A**	**1,6-2,5A**	**2,5-4A**	**4-6,3A**	**6-10A**	**9-14A**	**13-18A**	**17-23A**	**20-25A**	**25-40A**
Motor Power (kW)	:	0.37kW	0.37kW	0.75kW	1.5kW	2,2kW	4kW	5,5kW	9kW	11kW	11kW	18,5kW
Poles	:	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	:	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-**	**AC-3**
Rated voltage(V)	:	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	:	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:89 B:44,5 C:66	A:121 B:61,5 C:105

SAFE Contactor







1100.00	1135.00	1200.00	1789.00	1854.00	3871.00	4064.00	4229.00	5054.00	4979.00


		114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	:	**9A**	**12A**	**18A**	**25A**	**32A**	**40A**	**50A**	**65A**	**80A**	**95A**
Poles	:	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3 Main + 1 NO	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC
Type	:	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**	**AC-3**
Motor Power (kW)	:	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	:	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	:	A: 47 B: 76 C: 82	A: 47 B: 76 C: 82	A: 47 B: 76 C: 87	A: 57 B: 86 C: 95	A: 57 B: 86 C: 100	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116	A: 77 B: 129 C: 116

SAFE Thermal Relay









1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1116.00	1762.00	1762.00	3086.00

		114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	:	**0.63-1A**	**1-1.6A**	**1.6-2.5A**	**2.5-4A**	**4-6A**	**7-10A**	**9-13A**	**12-18A**	**17-25A**	**23-32A**	**28-36A**	**30-40A**
Poles	:	3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	:	0.37kW	0.37kW	0,75kW	1,5kW	2,2kW	4kW	5,5kW	9kW	11kW	15kW	18,5kW	22kW
Rated Voltage (V)	:	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	:	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7

SAFE

MCB Circuit Breaker

Rated short-circuit breaking capacity : 4.5kA







323.00	323.00	323.00	323.00	323.00	323.00	330.00	330.00	330.00	330.00	330.00


	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current :	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles :	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type :	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage :	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width :	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

647.00	647.00	647.00	647.00	647.00	660.00	660.00	660.00

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2026	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current :	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles :	2	2	2	2	2	2	2	2	2
Instantaneous tripping type :	C	C	C	C	C	C	C	C	C
Rated working voltage :	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width :	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm

970.00	970.00	970.00	970.00	970.00	970.00	990.00	990.00	990.00	2797.00	2797.00

	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current :	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles :	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type :	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage :	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width :	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm







SAFE RCCB Circuit Breaker









2054.00	2946.00	2946.00	2946.00	3934.00	3934.00		

		114-003-2026	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	:	**25A**	**40A**	**25A**	**40A**	**63A**	**80A**	**100A**
Poles	:	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	:	**AC**	**AC**	**AC**	**AC**	**AC**	**AC**	**AC**
Rated short-circuit breaking capacity (kA)	:	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	:	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	:	30	30	30	30	30	30	30
Sizes (mm)	:	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74



SAFE MCCB Circuit Breaker






5535.00	5535.00	5535.00	6156.00	6156.00	8937.00	8937.00	8937.00	19074.00	31896.00	

		114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	:	**40A**	**50A**	**63A**	**100A**	**125A**	**160A**	**200A**	**250A**	**400A**	**630A**
Poles	:	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	:	**C**	**C**	**C**	**C**	**C**	**C**	**C**	**C**	**C**	**C**
Rated short-circuit breaking capacity (kA)	:	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	:	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	:	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110

185.00
DIN RAIL-1 1 meter
127 001 0001


368.00
DIN RAIL-2 2 meters
127 001 0002








550.00
BUSBAR-P163
125 007 0001
- 63A
- 1P
- 54 PIN
- 100 cm
- 4x9 mm



1900.00
BUSBAR-P380
125 008 0001
- 80A
- 3P
- 54 PIN
- 100 cm
- 4x9 mm

NEW PRODUCT



HOROZ ELECTRIC

Lamp Holder


71.00

27.00

54.00

094 004 0001 | 10 cm. | 20 cm.






75.00

094 004 0002 | 15 cm.






41.00

094 001 0001 — BAKELITE






79.00

094 001 0002






86.00

094 001 0003






94.00


094 001 0004





094 002 0001 — PLASTIC






60.00

094 002 0002






43.00

094 002 0003






61.00


094 002 0004





094 003 0001 — PORCELAIN






36.00

094 003 0002






47.00

094 003 0003






71.00

094 003 0004






Starter



45.00



37.00



		S2	S10
220-240V SINGLE	:	4-22W	4-65W
220-240V SERIES	:	4-22W	-
110-130V SINGLE	:	4-22W	-


416.00

TRANSFORMER-60

- 220-240V / 50-60Hz
- 12V AC



60W



HOROZ ELECTRIC
Starter / Transformer
Adhesive Tape
Nail Cable Clip / Cable Tie
Coaxial Cable / Network Cable

ADHESIVE TAPE

65.00

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN – YELLOW



72.00

- 10 YARDS

127.00



138.00

- 20 YARDS

NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020

RG6

33.00

COAXIAL CABLE
100m ROLL




6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS

UTP

- NETWORK CABLE
305m ROLL




29.00



UTP Cat5e

37.00




UTP Cat6

IP 68 CONNECTOR

- 250V~/ 16A
- Wire Range: 0.5 – 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection





	527.00	936.00
	IP 68 CONNECTOR-1	IP 68 CONNECTOR-2
	106-004-0001	106-004-0002
Pole :	1 Pole	2 Poles

IP68

CONVERTER-1

42.00

126 001 2740






E40 lamp holder for Torch-80 and Torch-100 to convert E27 to E40

HOROZ ELECTRIC Connector /Terminal / Wire Spring / Terminal Block

SLIM CONNECTOR


- 450V~
- Max. 32A
- Wire Range: 0.2 – 4 mm²
- Transparent



	20.00	30.00	39.00
	SLIM 18.00 R-2	SLIM CONNECTOR-3	SLIM 39.00 R-5
	103-002-0002	103-002-0003	103-002-0005
Pole :	2 Poles	3 Poles	5 Poles

CONNECTOR

- 400V/4kV~
- Max. 32A
- Wire Range: 0.08 – 4 mm²
- Spring Clamping 28-10AWG




	18.00	26.00	39.00
	CONNECTOR-2	CONNECTOR-3	CONNECTOR-5
	103-001-0002	103-001-0003	103-001-0005
Pole :	2 Poles	3 Poles	5 Poles

TERMINAL

- 400V/4kV~
- Max. 32A
- Wire Range: 0.08 – 4 mm²
- Spring Clamping 28-10AWG









	30.00	40.00	61.00
	TERMINAL-1	TERMINAL-2	TERMINAL-3
	106-005-0001	106-005-0002	106-005-0003
Pole :	1 Pole	2 Poles	3 Poles

	75.00	107.00	128.00
	TERMINAL-24	TERMINAL-26	TERMINAL-28
	106-005-0022	106-005-0023	106-005-0024
Pole :	2 Pole	3 Poles	4 Poles

WIRE SPRING






	12.00	17.00	44.00	21.00	25.00	66.00
	WIRE SPRING-2/1.5	WIRE SPRING-2/2.5	WIRE SPRING-2/6	WIRE SPRING-3/1.5	WIRE SPRING-3/2.5	WIRE SPRING-3/6
	106-002-0015	106-002-0025	106-002-0060	106-003-0015	106-003-0025	106-003-0060
Pole :	2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range :	0,2-1,5 mm²	0,5-2,5 mm²	1,5-6,0 mm²	0,2-1,5 mm²	0,5-2,5 mm²	1,5-6,0 mm²
Current / Voltage :	5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



KaçmazGrup



HOROZ ELECTRIC & ELECTRONIC TRADE CO.
TÜRKİYE

HOROZ AYDINLATMA INDUSTRY & TRADE CO.
TÜRKİYE

TEB ELECTRIC INDUSTRY & TRADE CO.
TÜRKİYE

EXEN ELECTRIC INDUSTRY AND TRADE INC
TÜRKİYE

HOROZ ELECTRIC COMPANY, ARBIL
IRAQ

HOROZ RUS, MOSCOW
RUSSIA

HOROZ EUROPE, BRUSSELS
BELGIUM

HOROZ ELECTRIC ROMANIA, BUCHAREST
ROMANIA

HOROZ UKRAINE, LVIV
UKRAINE

HOROZ AZERBAIJAN, BAKU
AZERBAIJAN

HOROZ ASIA, ALMATY
KAZAKHSTAN

HOROZ KYRGYZSTAN, BISHKEK
KYRGYZSTAN

HOROZ UZBEKISTAN, TASHKENT
UZBEKISTAN

HOROZ FRANCE, PARIS
FRANCE

HOROZ ELECTRIC GERMANY
GERMANY

HOROZ ELECTRIC & ELECTRONIC TRADE CO.
HONG KONG

HOROZ CABLE, LVIV
UKRAINE

HOROZ CABLE, ALMATY
KAZAKHSTAN

ROYAL SANAT CONSTRUCTION
TÜRKİYE

MEK INSAAT ISTANBUL
TÜRKİYE

www.kacmazgroup.com

twitter.com/HorozElectric

www.facebook.com/horozelectric

www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-şti-

HOROZ® ELECTRIC

Experience in Lighting

www.facebook.com/horozelectric

twitter.com/HorozElectric

www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-şti-

KaçmazGrup

www.horozelektrik.com